


2019 PRODUCT GUIDE









THE ONE AND ONLY GLACIER CREEK

Last year Best Way Stone unveiled our latest colour creation, and it took the industry by storm. Curating the perfect harmony of whites, charcoals and earthen hues, we offer Glacier Creek across multiple product lines.

There is only one true Glacier Creek, and we are proud to help illuminate your customer's outdoor spaces with this eye-catching favourite. Be sure to see it in person, if you haven't already.

AVAILABLE IN:

AVARI
MANHATTAN PLANK
TREVISTA 50 TEXTURED,
TREVISTA 50 SMOOTH
TREVISTA 80 TEXTURED,
TREVISTA 80 SMOOTH
TRESCA
SOHO

CONTENTS

- 02 The Best Way
- 04 DesignLoc® & ChromaTec™

PAVERS

- 08 Manhattan Plank
- 09 Trevista® 80 Smooth
- 10 Trevista® 80 Textured
- 11 Richmond® 80
- 12 Adelaide® 80
- 13 Corso®
- 14 Moderna®
- 15 Ardesia®
- 16 Strada® Nova
- 18 Bellagio® Antico®
- 20 Strada® Antico®
- 22 Villa™
- 23 Standard™
- 23 Double Standard™

SLABS

- 26 Avari
- 28 Trevista® 50 Smooth
- 29 Trevista® 50 Textured
- 30 Richmond® 50
- 31 Adelaide® 50
- 32 Tresca™
- 34 Flagstone
- 35 Standard Press™
- 36 Basketweave™
- 37 Porcelain Slabs (NEW)

WALLS

- 40 Soho
- 41 Hazelton
- 42 Garden Lock
- 44 Parkwall®
- 46 Palladio® Antico®
- 48 Parkwall® Antico®
- 50 Antico® Stacker
- 51 Belvedere
- 52 Rockton
- 54 RidgeWall® SRW System

STEPS. CAPS & CURBS

- 58 Camden Step
- 59 Ikon Step (NEW)
- 59 Ridge[™] Step
- 60 Sopra Coping (NEW)
- 60 Montana Cap
- 60 Montana Column Cap
- 60 Riviera Cap
- 61 Dimensional Coping
- 61 Barollo® Round Edge Coping
- 61 Bullnose Column Cap
- 61 Parkwall® Column Cap
- 62 Antico® Curb
- 62 Garden Curb
- 62 Driveway Curb

ENVIRO

- 66 Moderna® Permeable Paver System
- 67 White Solar Reflective Rooftop Paver

MASONRY

- 68 Split-Face Window Sills
- 68 Keystone
- 68 Splash Pad
- 68 Step Risers
- 69 Chimney Caps
- 69 Simplicity Steps

FEATURES

- 70 Forno Antico® Pizza Oven
- 72 Palladio Antico Fire Pit
- 72 Garden Lock Fire Pit

ACCESSORIES

- 74 Joint Sand
- 74 Sealers & Cleaners
- 75 Tools & Other Accessories

RESOURCES

- 78 2019 Colour Chart
- 78 Solar Reflectance Index
- 80 Installation Guide Slabs
- 80 Installation Guide Slabs on Pedestal Set
- 80 Installation Guide Pavers
- 81 Installation Guide Permeable Pavers
- 82 Installation Guide Walls
- 84 BWS Online
- 36 Safety
- 87 Our locations
- 88 Notes
- 89 Resources

LEGEND



Vehicle use permitted



Permeable and/or Eco-Friendly product



Pedestrian traffic only




Vibrating plate permitted (rubber membrane required)



Made with DesignLoc®



Made with ChromaTec™



THE BEST PRODUCTS BUILT USING THE BEST PRACTICES.

THAT'S THE BEST WAY.

Best Way Stone started as a family business in 1965 and we still locally craft our hardscape products using the same best practices to exceed the highest industry standards and customer expectations. All of our pavers and slabs are resistant to slips, de-icing salt, salt water, and chlorine and will not deteriorate from oil or gas spills. Better yet, we back all pavers with our transferable lifetime guarantee.

From our two state-of-the-art manufacturing facilities and our network of dealers across Ontario, Quebec, Michigan, and New York, we're continually finding the better way to support landscapers and homeowners with only the best materials and solid customer service.



We're a family business, so we're pre-conditioned to take our work personally. In a world increasingly dependent on automation, we prefer to apply a personal touch

key ingredients: quality and care. All are manufactured to meet and exceed their respective North American standards set by both

That quality and care is provided with our transferable lifetime guarantee on the structural integrity of our pavers. You can learn more about our transferable lifetime guarantee on our website:

SOLID GROUNDWORK.

Being a family-founded and independently owned business keeps us humble and true to our roots. Even as we've grown and expanded to new locations, we've still maintained our flexibility to quickly respond to both market demands and home-owner needs. This allows us to innovate quickly.

We've built production facilities and equipped them with manufacturing technology and our own proprietary processes that are engineered specifically to ensure our products are well-thought, well-designed and well-made.

One of the most common questions we get from customers purchasing hardscape products is knowing how they will wear over time. Our recent technological advancements provide layers of enriched surfaces and colour bringing product aesthetic & performance to the next level.



The DesignLoc® surface refinement technology is a strategic mix design that produces a highly controlled and refined surface offering.




ChromaTec[™] protective surface enhancer adds a level of protection that helps resist the threat of stains from foreign elements while enhancing the vibrancy of the coated surface.




- Refined finish
- Improved colour integrity
- Smooth touch surface
- Greater strength and durability











PAVERS

$80 \, \text{mm}$

- 08 MANHATTAN PLANK
- 09 TREVISTA® 80 SMOOTH
- 10 TREVISTA® 80 TEXTURED
- 11 RICHMOND® 80
- 12 ADELAIDE® 80

70 m m

- 13 CORSO®
- 14 MODERNA®
- 15 ARDESIA®
- 16 STRADA® NOVA
- 18 BELLAGIO® ANTICO®
- 20 STRADA® ANTICO®

60 m m

- 22 VILLA™
- 23 STANDARD™
- 23 DOUBLE STANDARD™

PHYSICAL & GEOMETRICAL CHARACTERISTICS PRECAST CONCRETE PAVERS

Characteristics	CSA A231.2
Compressive Strength	50 MPa (7252 psi) min.
Freeze-thaw Durability w/ use of deicing salt	Mass loss (max): 225 g/m² at 28 cycles Mass loss (max): 500 g/m² at 49 cycles
Dimensional tolerances ¹	Length and Width: -1.0mm to +2.0mm Thickness: ±3 mm

^{1.} Dimensional tolerances prior to the application of architectural finishes

MANHATTAN PLANK

PAVER / 80MM / 🗐 🕃 📵







BUNDLE OVERVIEW

UNITS



6.50" x 4.33" x 3.15" 165mm x110mm x 80mm Units/bundle: 32 Units/layer: 4



Ε 8.66" x 6.50" x 3.15" 220mm x 165mm x 80mm Units/bundle: 32 Units/layer: 4



10.83" x 4.33" x 3.15" 275mm x 110mm x 80mm Units/bundle: 32 Units/layer: 4



12.99" x 6.50" x 3.15" 330mm x 165mm x 80mm Units/bundle: 16 Units/layer: 2



12.99" x 4.33" x 3.15" 330mm x 110mm x 80mm Units/bundle: 32 Units/layer: 4



17.32" x 4.33" x 3.15" 440mm x 110mm x 80mm Units/bundle: 32 Units/layer: 4



17.32" x 6.50" x 3.15" 440mm x 165mm x 80mm Units/bundle: 16 Units/layer: 2

METRIC

2.42 m

NOTES

- // Contemporary linear finish
- // 80mm thick, ideal for any application
- // Install in a ratio of 2 (4.33") rows to every 1 (6.5") row
- // All sizes sold and packaged together

BUNDLE SPECIFICATIONS

Lineal coverage per layer (E - G)

Coverage	80 ft ²	7.44 m ²
Weight	2890 lbs	1311 kg
Layers	8	
Coverage per layer	10 ft ²	0.93 m ²
Lineal coverage (A-D)	127 ft	38.72 m
Lineal coverage per layer (A-D)	15.875 ft	4.84 m
Lineal coverage (E-G)	63.5 ft	19.36 m

7.94 ft

IMPERIAL

COLOURS

Glacier Creek Grey Mix Ultra Black


 Α	D		(Α		В			D		(С	В		
D	Α		В		D		()		Α		В	(
	Ε	Е		F		(3		Е		Е		F		G	;
В	D		(2	Α		В			D		(С	Α		
С	Α		В		D		()		Α		В		D		
	Е	Е		F		(9		Е		Е		F		(9

TREVISTA® 80 SMOOTH





BUNDLE OVERVIEW



UNITS



19.5" x 13" x 3.15" 495mm x 330mm x 80mm Units/bundle: 16 Units/layer: 2



13" x 13" x 3.15" 330mm x 330mm x 80mm Units/bundle: 32 Units/layer: 4

IMPERIAL



6.5" x 13" x 3.15" 165mm x 330mm x 80mm Units/bundle: 32 Units/layer: 4

METRIC

NOTES

// For pedestrian and/or vehicular use

// Large format paver with a smooth surface

// Sold and packaged together in a
1:2:2 ratio


BUNDLE SPECIFICATIONS


Coverage	83.6 ft ²	7.76 m ²
Weight	3077 lbs	1395.85 kg
Layers	8	
Coverage per layer	10.45 ft ²	0.97 m ²
Lineal coverage	78 ft / 52 ft	23.77 m / 15.85 m
Lineal coverage per layer	9.75 ft / 6.5 ft	2.97 m / 1.98 m


COLOURS

Beige Mix Driftwood Glacier Creek Grey Mix Kashmir Blend


PATTERNS








13" Soldier Course



19.5" Soldier Course




TREVISTA® 80 TEXTURED

PAVER / 80MM / 🗐 🖔 📵



BUNDLE OVERVIEW



UNIT



19.5" x 13" x 3.15" 495mm x 330mm x 80mm Units/bundle: 16 Units/layer: 2



13" x 13" x 3.15" 330mm x 330mm x 80mm Units/bundle: 32 Units/layer: 4

IMPERIAL



6.5" x 13" x 3.15" 165mm x 330mm x 80mm Units/bundle: 32 Units/layer: 4

METRIC

NOTES

// For pedestrian and/or vehicular use

// Large format paver with textured surface

// Sold and packaged together in a 1:2:2 ratio


BUNDLE SPECIFICATIONS


Coverage	83.6 ft ²	7.76 m ²
Weight	3077 lbs	1395.85 kg
Layers	8	
Coverage per layer	10.45 ft ²	0.97 m ²
Lineal coverage	78 ft / 52 ft	23.77 m / 15.85 m
Lineal coverage per layer	9.75 ft / 6.5 ft	2.97 m / 1.98 m

COLOURS

Beige Mix Driftwood Glacier Creek Grey Mix Kashmir Blend


PATTERNS





13" Soldier Course

19.5" Soldier Course




RICHMOND® 80





BUNDLE OVERVIEW



UNIT



6.5" x 13" x 3.15" 165mm x 330mm x 80mm Units/bundle: 168 Units/layer: 21

NOTES

II For pedestrian and/or vehicular usage

// Accent / border for the Trevista® 80 paver


II Textured surface provides striking interest


BUNDLE SPECIFICATIONS

BUNDLE SPECIFICATIONS	IMPERIAL	METRIC
Coverage	98.4 ft ²	9.1 m ²
Weight	3622 lbs	1643 kg
Layers	8	
Coverage per layer	12.3 ft ²	1.14 m ²
Lineal coverage	91 ft / 182 ft	27.7 m / 55.4 m
Lineal coverage per layer	11.38 ft / 22.75 ft	3.47 m / 6.93 m

COLOURS

Beige Mix Grey Mix Kashmir Blend Ultra Black






ADELAIDE® 80





METRIC

BUNDLE OVERVIEW



UNIT



6.5" x 13" x 3.15" 165mm x 330mm x 80mm Units/bundle: 168 Units/layer: 21

NOTES

// For pedestrian and/or vehicular usage

// Accent / border for the Trevista® 80 paver


II Smooth surface provides contemporary finish


BUNDLE SPECIFICATIONS	IMPERIAL
-----------------------	----------

Coverage	98.4 ft ²	9.1 m ²
Weight	3622 lbs	1643 kg
Layers	8	
Coverage per layer	12.3 ft ²	1.14 m ²
Lineal coverage	91 ft / 182 ft	27.7 m / 55.4 m
Lineal coverage per layer	11.38 ft / 22.75 ft	3.47 m / 6.93 m

COLOURS

Grey Sahara Blend Ultra Black






CORSO®





BUNDLE OVERVIEW



UNIT



9.96" x 5.24" x 2.75" 253mm x 133mm x 70mm Units/bundle: 112 Units/layer: 14



7.60" x 5.24" x 2.75" 193mm x 133mm x 70mm Units/bundle: 112 Units/layer: 14

IMPERIAL



METRIC

8.11 m

5.24" x 5.24" x 2.75" 133mm x 133mm x 70mm Units/bundle: 112 Units/layer: 14

NOTES

// For pedestrian and/or vehicular use

II European cobblestone design

// Sold and packaged together in a 1:1:1 ratio

II Install in a 1:1:1 ratio

RIIN	NI F	CDI	CIE	LVAL	IONS
DUN	ULC	JI	LIF	LAI	เบเงอ


Lineal coverage per layer

94 ft ²	8.74 m ²
2907 lbs	1318.78 kg
8	
11.75 ft ²	1.09 m ²
212.8 ft	64.85 m
	2907 lbs 8 11.75 ft ²

26.6 ft

COLOURS

Grey Mix Ultra Black




MODERNA®





BUNDLE OVERVIEW



UNITS



16" x 8/12" x 2.75" 405mm x 205/305mm x 70mm Units/bundle: 64

Units/layer: 8

METRIC

14.4 m*

1.8 m*

NOTES

// For pedestrian and/or vehicular use

// Install by layer for most random finish

II Single shape false joint paver allows for easy and quick installation

// Permeable paver option (see page 66)

BUNDLE SPECIFICATIONS

Coverage	62 ft ²	5.76 m ²
Weight	1918 lbs	869.84 kg
Layers	8	
Coverage per layer	7.75 ft ²	0.72 m ²

47 ft*

5.875 ft*

IMPERIAL


COLOURS


Beige Mix Golden Meadow Grey Mix

PATTERNS

Lineal coverage

Lineal coverage per layer






*16" SOLDIER COURSE

ARDESIA®





BUNDLE OVERVIEW



UNITS



19.29" x 10.41" x 2.75" 490mm x 265mm x 70mm Units/bundle: 64 Units/layer: 8

NOTES

II For pedestrian and/or vehicular use

II Single shape false joint paver allows for easy and quick installation

II Flagstone design provides natural finish

BUNDLE SPECIFICATIONS


IS	IMPERIAL

METRIC

Coverage	76.2 ft ²	7.08 m ²
Weight	2357 lbs	1069.06 kg
Layers	8	
Coverage per layer	9.52 ft ²	0.88 m ²
Lineal coverage	-	-
Lineal coverage per layer	-	-

COLOURS

Beige Mix Grey Mix



STRADA® NOVA

PAVER / 70MM / 🔄 🕃

UNITS



JUMBO 10.28" x 13.78" x 2.75" 261mm x 350mm x 70mm

Units/bundle: 72 Units/section: 24



LARGE

8.19" x 6.88" x 2.75" 208mm x 175mm x 70mm Units/bundle: 200 Units/section: 40



MEDIUM

6.14" x 6.88" x 2.75" 156mm x 175mm x 70mm Units/bundle: 280 Units/section: 40



SMALL

4.13" x 6.88" x 2.75" 103mm x 175mm x 70mm Units/bundle: 384 Units/section: 64

BUNDLE SPECIFICATIONS	IMPERIAL	METRIC
		–

Coverage	72 ft ²	6.6 m ²
Weight	2227 lbs	1010.13 kg
Sections	3	
Coverage per section	24 ft ²	2.2 m ²
Lineal	61.68 ft / 82.68 ft	18.8 m / 25.2 m
Lineal per section	20.56 ft / 27.56 ft	6.27 m / 8.4 m
Coverage per unit	1 ft ²	0.093 / m ²
Units per ft ² / m ²	1	10.91

Coverage	80 ft ²	7.43 m ²
Weight	2474 lbs	1122.37 kg
Sections	5	
Coverage per section	16 ft ²	1.49 m ²
Lineal	115 ft / 136.5 ft	35.05 m / 41.6 m
Lineal per section	23 ft / 27.3 ft	7.01 m / 8.32 m
Coverage per unit	0.4 ft ²	0.037 m ²
Units per ft ² / m ²	2.5	26.92

Coverage	84 ft ²	7.8 m ²
Weight	2598 lbs	1178.49 kg
Sections	7	
Coverage per section	12 ft ²	1.11 m ²
Lineal	147 ft / 160.5 ft	44.8 m / 48.9 m
Lineal per section	21 ft / 22.93 ft	6.4 m / 6.99 m
Coverage per unit	0.3 ft ²	0.028 m ²
Units per ft ² / m ²	3.33	35.9

Coverage	78 ft ²	7.24 m ²
Weight	2413 lbs	1094.31 kg
Sections	6	
Coverage per section	13 ft ²	1.21 m ²
Lineal	129.75 ft / 220.16 ft	39.55 m / 67.2 m
Lineal per section	21.63 ft / 36.69 ft	6.59 m / 11.18 m
Coverage per unit	0.2 ft ²	0.019 / m ²
Units per ft ² / m ²	4.9	53.04



NOTES


- // For pedestrian and/or vehicular use
- // Multiple size paver with antiqued surface treatment
- $\emph{II}\ \ \mbox{Mix of contemporary smooth surface and}$ rustic antiquing treatment
- // Each size is sold and packaged separately

BUNDLE OVERVIEW

JUMB0	

MEDIUN	1			


LARGE		





COLOURS

Beige Mix Golden Meadow Grey Mix Rustic Salmon Mix Sahara Blend Ultra Black (Unavailable in medium)

PATTERNS







Large - 44% Medium - 33% Small - 23%

BELLAGIO® ANTICO®

PAVER / 70MM / 🗐 🕃

UNITS



380 14.96" x 11.22" x 2.75" 380mm x 285mm x 70mm Units/bundle: 72 Units/section: 24



285 11.22" x 7.48" x 2.75" 285mm x 190mm x 70mm Units/bundle: 160 Units/section: 40



190 7.48" x 7.48" x 2.75" 190mm x 190mm x 70mm Units/bundle: 240 Units/section: 40

BUNDLE SPECIFICATIONS IMPERIAL METRIC

Coverage	86 ft ²	7.9 m ²
Weight	2660 lbs	1206.55 kg
Sections	3	
Coverage per section	28.7 ft ²	2.66 m ²
Lineal	66 ft / 89.76 ft	20.12 m / 27.4 m
Lineal per section	22 ft / 29.92 ft	6.71 m / 9.12 m
Coverage per unit	1.19 ft ²	0.11 m ²
Units per ft ² / m ²	0.84	9.11
Coverage	96 ft ²	8.93 m ²
Weight	2969 lbs	1346.84 kg
Sections	4	
Coverage per section	24 ft ²	2.23 m ²
Lineal	100 ft / 150 ft	30.4 m / 45.6 m
Lineal per section	25 ft / 37.5 ft	7.62 m / 11.4 m
Coverage per unit	0.6 ft ²	0.06 m ²
Units per ft ² / m ²	1.67	17.92
Coverage	97 ft ²	9.02 m ²
Weight	3000 lbs	1360.87 kg
Sections	6	
Coverage per section	16.2 ft ²	1.5 m ²
Lineal	150 ft	45.7 m
Lineal per section	25 ft	5.09 m
Coverage per unit	0.4 ft ²	0.04 m ²
Units per ft ² / m ²	2.47	26.61



NOTES

- // For pedestrian and/or vehicular use
- ${\it II}\,$ Provides an embossed antiqued surface
- $\emph{\emph{II}}$ Adds a rustic finish to any landscape
- // All sizes sold and packaged separately

BUNDLE OVERVIEW

380	

190			


285		

COLOURS

Beige Mix Grey Mix


Ultra Black (Not available in 380)

PATTERNS



285 - 23%


190 - 31%



380 - 37%

285 - 37%

190 - 26%



285 - 43%

190 - 36%

STRADA® ANTICO®

PAVER / 70MM / 🗐 🕃

UNITS



JUMBO 10.28" x 13.78" x 2.75" 261mm x 350mm x 70mm Units/bundle: 72 Units/section: 24



LARGE8.19" x 6.88" x 2.75"
208mm x 175mm x 70mm
Units/bundle: 200
Units/section: 40



MEDIUM 6.14" x 6.88" x 2.75" 156mm x 175mm x 70mm Units/bundle: 280 Units/section: 40



SMALL4.13" x 6.88" x 2.75"
103mm x 175mm x 70mm
Units/bundle: 384
Units/section: 64

BUNDLE SPECIFICATIONS	IMPERIAL	METRIC
Coverage	72 ft ²	6.6 m ²
Weight	2227 lbs	1010.13 kg
Sections	3	
Coverage per section	24 ft ²	2.2 m ²
Lineal	61.68 ft / 82.68 ft	18.8 m / 25.2 m
Lineal per section	20.56 ft / 27.56 ft	6.27 m / 8.4 m
Coverage per unit	1 ft ²	0.093 / m ²
Units per ft ² / m ²	1	10.91
Coverage	80 ft ²	7.43 m ²
Weight	2474 lbs	1122.37 kg
Sections	5	
Coverage per section	16 ft ²	1.49 m ²
Lineal	115 ft / 136.5 ft	35.05 m / 41.6 m
Lineal per section	23 ft / 27.3 ft	7.01 m / 8.32 m
Coverage per unit	0.4 ft ²	0.037 m ²
Units per ft ² / m ²	2.5	26.92
Coverage	84 ft ²	7.8 m ²
Weight	2598 lbs	1178.49 kg
Sections	7	
Coverage per section	12 ft ²	1.11 m ²
Lineal	147 ft / 160.5 ft	44.8 m / 48.9 m
Lineal per section	21 ft / 22.93 ft	6.4 m / 6.99 m
Coverage per unit	0.3 ft ²	0.028 m ²
Units per ft ² / m ²	3.33	35.9
Coverage	78 ft ²	7.24 m ²
Weight	2413 lbs	1094.31 kg
Sections	6	
Coverage per section	13 ft ²	1.21 m ²
Lineal	129.75 ft / 220.16 ft	39.55 m / 67.2 m
Lineal per section	21.63 ft / 36.69 ft	6.59 m / 11.18 m

0.2 ft²

4.9

0.019 / m²

53.04

Coverage per unit

Units per ft² / m²




NOTES


- // For pedestrian and/or vehicular use
- // Multiple size paver with tumbled surface and edge treatment
- // Provides old world rustic charm
- // Each size is sold and packaged separately

BUNDLE OVERVIEW

JUMB0	

MEDIUN	1			








COLOURS

Beige Mix Grey Mix

PATTERNS







Large - 44% Medium - 33% Small - 23%





METRIC

UNIT



LARGE 4.72" x 7.09" x 2.36" 120mm x 180mm x 60mm Units/bundle: 378 Units/section: 63



RANDOM 4.72" x 4.72" x 2.36" 120mm x 120mm x 60mm 60mm x 120mm x 60mm Units/bundle: 486



RANDOM 2.36" x 4.72" x 2.36" Units/bundle: 162

BUNDLE SPECIFICATIONS

89 ft ²	
2403 lbs	

Coverage	89 ft ²	8.27 m ²
Weight	2403 lbs	1090 kg
Sections	6	-
Coverage per section	15 ft ²	1.38 m ²
Lineal coverage	150 ft / 223.6 ft	45.7 m / 68.15 m
Lineal coverage per section	25 ft / 37.3 ft	7.62 m / 11.4 m
Units per ft ² / m ²	4.25	45.71

IMPERIAL

Coverage	89 ft ²	8.27 m ²
Weight	2403 lbs	1090 kg
Sections	-	-
Coverage per section	-	-
Lineal coverage	-	-
Lineal coverage per section	-	-

NOTES

II For pedestrian and/or vehicular use

II Inspired by European cobblestone


 $\emph{II}\,$ Smooth surface with subtle edges

II Random packaged together in a 3:1 ratio, sold in full bundles only

BUNDLE OVERVIEW

LARGE						

PATTERNS





Large - 56% Random - 44%

COLOURS

Beige Mix Charcoal (Not available in Random) Grey Mix Salmon Mix Red Mix

RANDOM





Large - 30% Random - 70%

STANDARD™ & DOUBLE STANDARD™



PAVER / 60MM / 🗐 🕃

UNIT



STANDARD 4X8 3.93" x 7.87" x 2.36" 100mm x 200mm x 60mm Units/bundle: Full 477 / Half 18 Units/section: Full 81 / Half 18 (1 section only)



DOUBLE STANDARD 8X8 7.87" x 7.87" x 2.36" 200mm x 200mm x 60mm Units/bundle: 216 Units/seection: 36

JNDLE SPECIFICATIONS	IMPERIAL	METRIC
Coverage	106 ft ²	9.85 m ²
Weight	2862 lbs	1298.18 kg
Sections	6	
Coverage per section	18 ft ²	1.65 m ²
Lineal coverage	156.2 ft / 312.8 ft	47.7 m / 95.4 m
Lineal coverage per section	26 ft / 52.1 ft	7.95 m / 15.9 m
Coverage per unit	0.22 ft ²	0.02 m ²
Units per ft ² / m ²	4.59	49.34
C	94 ft ²	0.70
Coverage		8.73 m ²
Weight	2538 lbs	1151.22 kg
Sections	6	
Coverage per section	16 ft ²	1.46 m ²
Lineal coverage	144 ft	43.89 m
Lineal coverage per section	24 ft	7.32 m
Coverage per unit	0.44 ft ²	0.04 m ²
Units per ft ² / m ²	2.3	24.74

NOTES

// For pedestrian and/or vehicular use

II Smooth surface with subtle edges

II Packaged and sold separately

BUNDLE OVERVIEW

DIINDI E CDECIEICATIONS

PATTERNS








COLOURS

Buff Mix* Red Buff-Brown Mix* Red Mix Charcoal Rustic Buff* Salmon* Grey Salmon Mix Grey Mix



4x8 - 50% 8x8 - 50%



8x8 - 44%

^{*}Not available in 8x8





SLABS

50mm

- 26 AVARI
- 28 TREVISTA® 50 SMOOTH
- 29 TREVISTA® 50 TEXTURED
- 30 RICHMOND 50
- 31 ADELAIDE 50
- 32 TRESCA™

45mm

- 34 FLAGSTONE
- 35 STANDARD™ PRESS
- 36 BASKETWEAVE™
- 37 PORCELAIN SLABS (NEW)

PHYSICAL & GEOMETRICAL CHARACTERISTICS

Precast Concrete Paving Slabs

Characteristics	CSA A231.1
Flexural Strength	4.5 MPa (650 psi) min.
Freeze-thaw durability with use of deicing salt	Mass loss (max): 500 g/m² at 28 cycles Mass loss (max): 1200 g/m² at 49 cycles
Dimensional tolerance ¹	Length and Width: -1.0mm to +2.0mm Thickness: ±3 mm
Concave or Convex Warpage (Up to and including 450 mm)	±2.0 mm
Concave or Convex Warpage (Over 450 mm)	±3.0 mm

^{1.} The dimensional tolerance prior to the application of architectural finishes



AVARI

SLAB / 50MM / 4 1

BUNDLE OVERVIEW



UNIT



28" x 14" x 2" 710mm x 355mm x 50mm

Units/bundle: 30 Units/layer: 3

NOTES

II For pedestrian use only

II Large format soft touch slab

II Smooth surface provides contemporary finish

// Do not use vibrating plate tamper


BUNDLE SPECIFICATIONS IMPERIAL

Coverage	81.6 ft ²	7.58 m ²
Weight	1890 lbs	857 kg
Layers	10	
Coverage per layer	8.16 ft ²	0.76 m ²
Lineal coverage	70 ft / 35 ft	21.3 m / 10.7 m
Lineal coverage per layer	7 ft / 3.5 ft	2.13 m / 1.07 m

METRIC

COLOURS

Driftwood Glacier Creek Grey Mix Kashmir Blend Ultra Black




TREVISTA® 50 SMOOTH





BUNDLE OVERVIEW



UNITS







13" x 13" x 2" 330mm x 330mm x 50mm Units/bundle: 48 Units/layer: 4

IMPERIAL



6.5" x 13" x 2" 165mm x 330mm x50mm Units/bundle: 48 Units/layer: 4

METRIC

NOTES

// For pedestrian use only

// Large format slab with a smooth surface

// Sold and packaged together in a
1:2:2 ratio

// Do not use vibrating plate tamper


BUNDLE SPECIFICATIONS


Coverage	125.4 ft ²	11.64 m ²
Weight	2729 lbs	1237.72 kg
Layers	12	
Coverage per layer	10.45 ft ²	0.97 m ²
Lineal coverage	117 ft / 78 ft	35.64 m / 23.76 m
Lineal coverage per layer	9.75 ft / 6.5 ft	2.97 m / 1.98 m

COLOURS

Beige Mix Driftwood Glacier Creek Grey Mix Kashmir Blend

PATTERNS






13" Soldier Course



19.5" Soldier Course




TREVISTA® 50 TEXTURED





BUNDLE OVERVIEW



UNITS



19.5" x 13" x 2" 495mm x 330mm x 50mm Units/bundle: 24 Units/layer: 2



13" x 13" x 2" 330mm x 330mm x 50mm Units/bundle: 48 Units/layer: 4



6.5" x 13" x 2" 165mm x 330mm x50mm Units/bundle: 48 Units/layer: 4

NOTES

// For pedestrian use only

// Large format slab with textured surface

// Sold and packaged together in a 1:2:2 ratio

// Do not use vibrating plate tamper

BUNDLE SPECIFICATIONS

IMPERIAL	


METRIC


Coverage	125.4 ft ²	11.64 m ²
Weight	2729 lbs	1237.72 kg
Layers	12	
Coverage per layer	10.45 ft ²	0.97 m ²
Lineal coverage	117 ft / 78 ft	35.64 m / 23.76 m
Lineal coverage per layer	9.75 ft / 6.5 ft	2.97 m / 1.98 m


COLOURS

Beige Mix Driftwood Glacier Creek Grey Mix Kashmir Blend


PATTERNS








13" Soldier Course



19.5" Soldier Course




RICHMOND 50





METRIC

BUNDLE OVERVIEW



UNIT



6.5" x 13" x 2" 165mm x 330mm x 50mm Units/bundle: 252 Units/layer: 21

NOTES

II For pedestrian use only

II Accent / border for the Trevista® 50 paver

II Textured surface provides striking finish


// Do not use vibrating plate tamper


BUNDLE SPECIFICATIONS IMPERIAL

Coverage	147.6 ft ²	13.65 m ²
Weight	3212 lbs	1456.84 kg
Layers	12	
Coverage per layer	12.3 ft ²	1.14 m ²
Lineal coverage	136.5 ft / 273 ft	41.55 m / 83.1 m
Lineal coverage per layer	11.38 ft / 22.75 ft	3.46 m / 6.93 m

COLOURS

Beige Mix Grey Mix Kashmir Blend Ultra Black






ADELAIDE 50

SLAB / 50MM /



BUNDLE OVERVIEW



UNIT



6.5" x 13" x 2" 165mm x 330mm x 50mm Units/bundle: 252 Units/layer: 21

NOTES

II For pedestrian use only

// Accent / border for the Trevista® 50 paver

II Smooth surface provides contemporary finish


// Do not use vibrating plate tamper


BUNDLE SPECIFICATIONS

BUNDLE SPECIFICATIONS	IMPERIAL	METRIC	METRIC	
Coverage	147.6 ft ²	13.65 m ²		
Weight	3212 lbs	1456.84 kg		
Layers	12			
Coverage per layer	12.3 ft ²	1.14 m ²		
Lineal coverage	136.5 ft / 273 ft	41.55 m / 83.1 m		
Lineal coverage per layer	11.38 ft / 22.75 ft	3.46 m / 6.93 m		

COLOURS

Grey Sahara Blend Ultra Black





$\mathsf{TRESCA}^\mathsf{TM}$

SLAB / 50MM / 🕕 🕩







UNITS



20x20 19.69" x 19.69" x 2" 500mm x 500mm x 50mm Units/bundle: 40



10x20 9.84" x 19.69" x 2" 250mm x 500mm x 50mm Units/bundle: 60



10x10 9.84" x 9.84" x 2" 250mm x 250mm x 50mm Units/bundle: 120

JNDLE SPECIFICATIONS	IMPERIAL	METRIC
Coverage	111 ft ²	10 m ²
Weight	2339 lbs	1060.86 kg
Weight per unit	58.5 lbs	26.52 kg
Coverage per unit	2.69 ft ²	0.25 m ²
Lineal	65.62 ft	20 m
Lineal per unit	1.64 ft	0.5 m
Coverage	83 ft ²	7.5 m ²
Weight	1794 lbs	813.74 kg
Weight per unit	29.9 lbs	13.56 kg
Coverage per unit	1.35 ft ²	0.125 m ²
Lineal	49.21ft / 98.42 ft	15 m / 30 m
Lineal per unit	0.82 ft / 1.64 ft	0.25 m / 0.5 m
Coverage	83 ft ²	7.5 m ²
Weight	1840 lbs	834.43 kg
Weight per unit	15.4 lbs	6.95 kg
Coverage per unit	0.67 ft ²	0.0625 m ²
Lineal	98.42 ft	30 m
Lineal per unit	0.82 ft	0.25 m



NOTES

- ${\it II}\,$ Subtle texture on surface ideal for patios
- // All sizes sold and packaged separately
- // Do not use vibrating plate tamper

BUNDLE OVERVIEW

20x20


10x10		


10x20


COLOURS

Beige Mix Driftwood Glacier Creek Grey Mix

PATTERNS







20x20 -25% 10x20 - 50%

10x10 - 25%

20x20 -57% 10x20 - 29%


10x10 - 14%

FLAGSTONE





BUNDLE OVERVIEW



UNIT



23.62" x 23.62" x 1.75" 600mm x 600mm x 45mm Units/bundle: 25

NOTES

II For pedestrian use only

II Textured flagstone surface

// Sold in full skids only

// Do not use vibrating plate tamper

BUNDLE SPECIFICATIONS

IMPERIAL	

METRIC

Coverage	97 ft ²	9 m ²
Weight	2103 lbs	953.68 kg
Units	25	
Coverage per unit	3.87 ft ²	0.36 m ²
Lineal coverage	49.21 ft	15 m
Lineal coverage per unit	1.97 ft	0.6 m

COLOURS

Grey Sahara Blend

	l .	
	l .	

STANDARD™ PRESS

SLAB / 45MM /



23.62" x 29.52" x 1.75"

600mm x 750mm x 45mm	IMPERIAL	METRIC
Coverage	121 ft ²	11.25 m ²
Weight	2642 lbs	1198.28 kg
Units	25	
Coverage per unit	4.84 ft ²	0.45 m ²
Lineal coverage	49.21 ft / 61.52 ft	15 m / 18.75 m
Lineal coverage per unit	1.97 ft / 2.46 ft	0.6 m / 0.75 m

24x24

23.62" x 23.62" x 1.75" 600mm x 600mm x 45mm

Coverage	97 ft ²	9 m ²
Weight	2103 lbs	953.68 kg
Units	25	
Coverage per unit	3.87 ft ²	0.36 m ²
Lineal coverage	49.21 ft	15 m
Lineal coverage per unit	1.97 ft	0.6 m

12x24

11.81" x 23.62" x 1.75" 300mm x 600mm x 45mm

Coverage	48 ft ²	4.5 m ²
Weight	1024 lbs	464.59 kg
Units	25	
Coverage per unit	1.93 ft ²	0.18 m ²
Lineal coverage	24.61 ft / 49.21 ft	7.5 m / 15 m
Lineal coverage per unit	0.98 ft / 1.97 ft	0.3 m / 0.6 m

COLOURS

Charcoal (Available in 24x24x1.75 only) Grey (All colours and sizes) Red (Available in 24x24 & 16x16 only) Salmon (Available in 24x24x1.75 only)



15.75" x 15.75" x 1.75"

400mm x 400mm x 45mm	IMPERIAL	METRIC
Coverage	103 ft ²	9.6 m ²
Weight	2070 lbs	939 kg
Units	60	
Coverage per unit	1.72 ft ²	0.16 m ²
Lineal coverage	78.74 ft	24 m
Lineal coverage per unit	1.31 ft	0.4 m

2" (SPECIAL ORDER)

23.62" x 23.62" x 2"

600mm x 600mm x 50mm

81.4 ft ²	7.56 m ²
2083 lbs	945 kg
21	
3.87 ft ²	0.36 m ²
41.34 ft	12.6 m
1.97 ft	0.6 m

2.5" (SPECIAL ORDER)

23.62" x 23.62" x 2.5" 600mm x 600mm x 65mm

58 ft ²	5.4 m ²
2100 lbs	952.3 kg
15	
3.87 ft ²	0.36 m ²
29.53 ft	9 m
1.97 ft	0.6 m

NOTES

II For pedestrian use only. Do not use vibrating plate tamper

// All sizes sold and packaged separately, sold in full bundles only.

// 2" and 2.5" thickness is special order only, minimum quantities apply

BASKETWEAVE™

SLAB / 45MM /



23.62" x 29.52" x 1.75"

600mm x 750mm x 45mm	IMPERIAL	METRIC
Coverage	121 ft ²	11.25 m ²
Weight	2642 lbs	1198.28 kg
Units	25	
Coverage per unit	4.84 ft ²	0.45 m ²
Lineal coverage	49.21 ft / 61.52 ft	15 m / 18.75 m
Lineal coverage per unit	1.97 ft / 2.46 ft	0.6 m / 0.75 m

12x24

11.81" x 23.62" x 1.75" 300mm x 600mm x 45mm

Coverage	48 ft ²	4.5 m ²
Weight	1024 lbs	464.59 kg
Units	25	
Coverage per unit	1.93 ft ²	0.18 m ²
Lineal coverage	24.61 ft / 49.21 ft	7.5 m / 15 m
Lineal coverage per unit	0.98 ft / 1.97 ft	0.3 m / 0.6 m

NOTES

 \emph{II} For pedestrian use only. Do not use vibrating plate tamper

// All sizes sold and packaged separately

// Sold in fulls skids only

// 2" and 2.5" thickness available in the 24x24 unit. Special order item, minimum quantities and lead times required.

COLOURS

White



24x24

23.62" x 23.62" x1.75"

600mm x 600mm x 45mm	IMPERIAL	METRIC
Coverage	97 ft ²	9 m ²
Weight	2103 lbs	953.68 kg
Units	25	
Coverage per unit	3.87 ft ²	0.36 m ²
Lineal coverage	49.21 ft	15 m
Lineal coverage per unit	1.97 ft	0.6 m

PORCELAIN SLABS 🚳

<u>SLAB / 17-18MM / </u>



UNITS



24x24 Rectified 23.62" x 23.62" x 0.71" 600mm x 600mm x 18mm Units/box: 2, Units/bundle: 60



16x32 Rectified 15.94" x 31.89" x 0.67" 405mm x 810mm x 17mm Units/box: 2, Units/bundle: 56

NOTES

- II Easy to install and clean
- // Frost, mold and slip resistant
- // Do not use vibrating plate tamper
- // Designed and made in Italy by



PATTERNS

CHIZLIAL)
	24x24
	16x32


BUNDLE SPECIFICATIONS IMPERIAL METRIC

Coverage	232.5 ft ²	21.6 m ²
Weight	2072 lbs	940 kg
Weight per box	69 lbs	31.3 kg
Coverage per box	7.7 ft ²	0.72 m ²
Lineal	118 ft	35.9 m
Lineal per box	3.94 ft	1.2 m

COLOUR: Country Slate Black, Country Slate Grey, Scout White

Coverage	197.7 ft ²	18.37 m ²
Weight	1537 lbs	697 kg
Weight per box	54.9 lbs	24.9 kg
Coverage per box	7 ft ²	0.65 m ²
Lineal	74.39 ft / 148.82 ft	22.67 m / 45.36 m
Lineal per box	2.66 ft / 5.32 ft	0.81 m / 1.62m

COLOUR: Jasmine, Universal Oak







WALLS

- 40 SOHO
- 41 HAZELTON™
- 42 GARDEN LOCK™
- 44 PARKWALL®
- 46 PALLADIO® ANTICO®
- 48 PARKWALL® ANTICO®
- 50 ANTICO® STACKER
- 51 BELVEDERE
- 52 ROCKTON
- 54 RIDGEWALL® SRW SYSTEM

PHYSICAL & GEOMETRICAL CHARACTERISTICS Dry-cast Wall Units

Characteristics		ASTM C 1372 ²	Best Way Stone
Compressive strength		20.7 MPa (3000 psi) min.	49 MPa (7106 psi) min.
Durability to freeze thaw cycles Mass loss		after 100 cycles 1% (max.)	after 100 cycles 1% (max.)
		after 150 cycles 1.5% (max.)	after 150 cycles 1.5% (max.)
Water absorption		208 kg/m³ max. (13 lb/ft³)	95.5 kg/m³ max. (5.96 lb/ft³)
	length	±3 mm (1/8")	±3 mm (1/8")
Dimension tolerance ¹	width	±3 mm (1/8")	±3 mm (1/8")
height		±3 mm (1/8")	±3 mm (1/8")

- 1. The dimensional tolerance not applicable to split facings or other architectural
- 2. ASTM C1372 Standard specification for Dry-Cast, Segrmental retaining wall units







BLOCK UNITS (4-PACK)



13.78"w x 3.94"h x 8.85"d 350mm x 100mm x 225mm Units/bundle: 10 Units/layer: 5



17.72"w x 3.94"h x 8.85"d 450mm x 100mm x 225mm Units/bundle: 10 Units/layer: 5



21.65"w x 3.94"h x 8.85"d 550mm x 100mm x 225mm Units/bundle: 10 Units/layer: 5



25.59"w x 3.94"h x 8.85"d 650mm x 100mm x 225mm Units/bundle: 10 Units/layer: 5

BUNDLE SPECIFICATIONS IMPERIAL

M	ΕT	RI	C

Coverage	21.5 ft ²	2 m^2
Lineal coverage	65.6 ft	20 m
Weight	2140 lbs	971 kg
Layers	2 / 10	-
Coverage per 4 pack	2.15 ft ²	0.2 m ²
Linear coverage per 4 pack	6.56 ft	2 m
Weight per 4 pack	214 lbs	97 kg
4 packs per bundle	10	-
4 packs per layer	5	-

CORNER UNIT



13.78"w x 3.94"h x 8.85"d 350mm x 100mm x 225mm Units/bundle: 40 Units/layer: 20

Coverage	15 ft ² / 9.6 ft ²	1.4 m ² / 0.9 m ²
Lineal coverage	23 ft / 14.7 ft	7 m / 4.5 m
Weight	1464 lbs	664 kg
Coverage per unit	0.62 ft ²	0.06 m ²
Linear coverage per unit	0.58 ft / 0.37 ft	0.18 m / 0.11 m
Weight per unit	36.6 lbs	16.6 kg

NOTES


// Single-sided soft touch wall, made with DesignLoc® surface refinement techology

// Use Sopra, Montana, Riviera or Garden Lock coping for ideal finish


// Corner creates a 22.5" x 22.5" column. Sold and packaged separately from the block units.

BLOCK

BUNDLE OVERVIEW



CORNER



COLOURS

Driftwood Glacier Creek Grey Mix Kashmir Blend Ultra Black

HAZELTON

WALL SYSTEM / DOUBLE-SIDED



METRIC

UNITS



BLOCK 11.81"w x 4.92"h x 8.85"d 300mm x 125mm x 225mm Units/bundle: 60



CORNER 12.79"w x 4.92"h x 6.88"d 325mm x 125mm x 175mm Units/bundle: 48

NOTES

- // Double-sided textured wall
- // Locking feature allows for straight or set-back
- // Corner creates a 20" x 20" column
- // Block and corner units sold separately

COLOURS

Beige Mix Grey Mix Ultra Black

BUNDLE SPECIFICATIONS IMPERIAL

Coverage	24.21 ft ²	2.25 m ²
Lineal Coverage	59.05 ft	18 m
Weights	2296 lbs	1041.5 kg
Weight per unit	38.3 lbs	17.4 kg
Coverage per unit	0.404 ft ²	0.038 m ²
Lineal coverage per unit	0.984 ft	0.3 m


Coverage	21 ft ² / 11.3 ft ²	1.95 m ² / 1.05 m ²
Lineal Coverage	51.2 ft / 27.6 ft	15.6 m / 8.4 m
Weights	1642 lbs	744 kg
Weight per unit	34.2 lbs	15.5 kg
Coverage per unit	0.44 ft ² / 0.23 ft ²	0.04 m ² / 0.02 m ²
Lineal coverage per unit	1.06 ft / 0.57 ft	0.32 m / 0.17 m


BUNDLE OVERVIEW

BLOCK

CORI	NER_	 		

CROSS SECTIONS






GARDEN LOCK™

WALL SYSTEM / DOUBLE-SIDED

BUNDLE OVERVIEW



TRIPLE UNIT



Large Unit 14.96"w x 4.92"h x 8.85"d 380mm x 125mm x 225mm Units: 25



Medium Unit 9.84"w x 4.92"h x 8.85"d 250mm x 125mm x 225mm Units: 25



Small Unit 7.48"w x 4.92"h x 8.85"d 190mm x 125mm x 225mm Units: 25

NOTES

// Double-sided split face wall

// Can install specific medium blocks vertically, identified with locking feature along the vertical side of block unit

// Triple unit sold and packaged together in a 1:1:1 ratio

BUNDLE SPECIFICATIONS IMPERIAL METRIC


Coverage	27.5 ft ²	2.55 m ²
Lineal Coverage	67.26 ft	20.5 m
Weights	3113 lbs	1412.16 kg
Weight per triple	124.5 lbs	56.5 kg
Coverage per triple	1.1 ft ²	0.1 m ²
Lineal coverage per triple	2.69 ft	0.82 m
Sections	5	-
Coverage per section	5.5 ft ²	0.51 m ²
Lineal coverage per section	13.45 ft	4.1 m

COLOURS

Beige Mix Grey Grey Mix Rustic Salmon Mix Ultra Black*

*Straight coping only

CROSS SECTIONS





UNIT



STRAIGHT COPING 15.74"w x 2.95"h x 10.23"d 400mm x 75mm x 260mm



CORNER 13.46"w x 4.92"h x 8.85"d 342mm x 125mm x 225mm



WEDGE BLOCK 8.07"(5.31)w x 4.92"h x 8.85"d 205(135)mm x 125mm x 225mm



WEDGE COPING 8.23"(5.17)w x 2.95"h x 10.23"d 209(131)mm x 75mm x 260mm

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Lineal Coverage	84 ft	25.6 m
Weight	2458 lbs	1114.75 kg
Units	64	-
Lineal coverage per unit	1.31 ft	0.4 m
Sections	4	-
Lineal coverage per section	21 ft	6.4 m

Coverage	18.3 ft ² / 11.8 ft ²	1.7 m ² / 1.1 m ²
Weight	1786 lbs	810 kg
Units	40	-
Coverage per unit	0.4 ft ² / 0.3 ft ²	0.04 m ² / 0.03 m ²
Lineal coverage	44.9 ft / 29.5 ft	13.68 m / 9 m
Lineal coverage per unit	1.12 ft / 0.74 ft	0.34 m / 0.23 m

Coverage	34.7 ft ² / 23 ft ²	3.22 m ² / 2.14 m ²
Weight	3013 lbs	1366.45 kg
Units	125	
Coverage per unit	0.32 ft ² / 0.21 ft ²	0.03 m ² / 0.02 m ²
Lineal	84.06 ft / 55.38 ft	25.63 m / 16.88 m
Lineal per unit	0.66 ft / 0.46 ft	0.2 m / 0.14 m

Weight	2635 lbs	1195.31 kg
Units	160	
Lineal	87.89 ft / 55.25 ft	26.76 m / 16.82 m
Lineal per unit	0.55 ft / 0.35 ft	0.17 m / 0.11 m

NOTES

- // 20 Wedge blocks and 20 Wedge units make a circle with 53.5" outside diameter and 33" inside diameter.
- // Corner creates a 22.5" x 22.5" column

PARKWALL[®]

PATENTED WALL SYSTEM / DOUBLE-SIDED OPTION / SMOOTH OPTION

UNIT



REGULAR & TAPERED BLOCK 7.87"w x 5.9"h x 11.61"d 200mm x 150mm x 295mm



CORNER 7.87"w x 5.9"h x 11.61"d 200mm x 150mm x 295mm



COPING 23.62"w x 2.95"h x 11.81"d 600mm x 75mm x 300mm

NOTES

- // Can split regular and tapered blocks along joint to remove smooth face and create double-sided finish
- // Alternate a full 4 corner column row of the same indicated corners (Rights / Lefts) to make a 20" x 20" column

BUNDLE SPECIFICATIONS

Coverage	20 ft ²	1.85 m ²	
Lineal Coverage	40 ft	12 m	
Weights	2575 lbs	1167.95 kg	
Units	60	-	
Coverage per unit	0.34 ft ²	0.03 m ²	
Lineal coverage per unit	0.67 ft	0.2 m	

METRIC

IMPERIAL

Coverage	-	-
Lineal Coverage	15.75 ft / 23.23 ft	4.8 m / 7.08 m
Weights	1064 lbs	482.6 kg
Units	24	-
Coverage per unit	-	-
Lineal coverage per unit	0.66 ft / 0.97 ft	0.2 m / 0.3 m

Lineal Coverage	64 ft	19.2 m
Weights	2143 lbs	972 kg
Units	32	-
Lineal coverage per unit	2 ft	0.6 m
Sections	4	-
Lineal coverage per section	16 ft	4.8 m

COLOURS

Beige Mix Grey

Grey Mix


Red Mix Sahara Blend

Salmon Mix


Ultra Black (coping only)




BUNDLE OVERVIEW



CROSS SECTIONS






PALLADIO® ANTICO®

WALL SYSTEM / DOUBLE-SIDED TUMBLED

BUNDLE OVERVIEW



TRIPLE UNIT



Large Unit 14.96"w x 4.92"h x 8.85"d 380mm x 125mm x 225mm Units: 25



Medium Unit 9.84"w x 4.92"h x 8.85"d 250mm x 125mm x 225mm Units: 25



Small Unit 7.48"w x 4.92"h x 8.85"d 190mm x 125mm x 225mm Units: 25

NOTES

II Double-sided tumbled split face wall

// Can install specific medium blocks vertically, identified with locking feature along the side height side of block

// Triple unit sold and packaged together in a 1:1:1 ratio


BUNDLE SPECIFICATIONS IMPERIAL METRIC


Coverage	27.5 ft ²	2.55 m ²
Lineal Coverage	67.26 ft	20.5 m
Weights	3113 lbs	1412.16 kg
Weight per triple	124.5 lbs	56.5 kg
Coverage per triple	1.1 ft ²	0.1 m ²
Lineal coverage per triple	2.69 ft	0.82 m
Sections	5	-
Coverage per section	5.5 ft ²	0.51 m ²
Lineal coverage per section	13.45 ft	4.1 m

COLOURS

Beige Mix Grey Mix

CROSS SECTION







UNIT



STRAIGHT COPING 15.74"w x 2.95"h x 10.23"d 400mm x 75mm x 260mm



CORNER 13.46"w x 4.92"h x 8.85"d 342mm x 125mm x 225mm



WEDGE BLOCK 8.07"(5.31)w x 4.92"h x 8.85"d 205(135)mm x 125mm x 225mm



WEDGE COPING 8.23"(5.17)w x 2.95"h x 10.23"d 209(131)mm x 75mm x 260mm

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Lineal Coverage	84 ft	25.6 m
Weight	2458 lbs	1114.75 kg
Units	64	-
Lineal coverage per unit	1.31 ft	0.4 m
Sections	4	-
Lineal coverage per section	21 ft	6.4 m

Coverage	18.3 ft ² / 11.8 ft ²	1.7 m ² / 1.1 m ²
Weight	1786 lbs	810 kg
Units	40	-
Coverage per unit	0.4 ft ² / 0.3 ft ²	0.04 m ² / 0.03 m ²
Lineal coverage	44.9 ft / 29.5 ft	13.68 m / 9 m
Lineal coverage per unit	1.12 ft / 0.74 ft	0.34 m / 0.23 m

Coverage	34.7 ft ² / 23 ft ²	3.22 m ² / 2.14 m ²
Weight	3013 lbs	1366.45 kg
Units	125	
Coverage per unit	0.32 ft ² / 0.21 ft ²	0.03 m ² / 0.02 m ²
Lineal	84.06 ft / 55.38 ft	25.63 m / 16.88 m
Lineal per unit	0.66 ft / 0.46 ft	0.2 m / 0.14 m

Weight	2635 lbs	1195.31 kg
Units	160	
Lineal	87.89 ft / 55.25 ft	26.76 m / 16.82 m
Lineal per unit	0.55 ft / 0.35 ft	0.17 m / 0.11 m

NOTES

// 20 Wedge blocks and 20 Wedge units make a circle with 53.5" outside diameter and 33" inside diameter.

PARKWALL® ANTICO®

PATENTED TUMBLED WALL SYSTEM / DOUBLE-SIDED OPTION / SMOOTH OPTION

UNIT



REGULAR BLOCK 7.87"w x 5.9"h x 11.61"d 200mm x 150mm x 295mm



CORNER 7.87"w x 5.9"h x 11.61"d 200mm x 150mm x 295mm



COPING 23.62"w x 2.95"h x 11.81"d 600mm x 75mm x 300mm

NOTES

- // Can split along joint to remove smooth face and have double-sided split-face finish
- // Alternate a full 4 corner column row of the same indicated corners (Rights / Lefts) to make a 20" x 20" column

BUNDLE SPECIFICATIONS IMPERIAL

Coverage	20 ft ²	1.85 m ²
Lineal Coverage	40 ft	12 m
Weights	2575 lbs	1168.09 kg
Units	60	-
Coverage per unit	0.33 ft ²	0.03 m ²
Lineal coverage per unit	0.67 ft	0.2 m

METRIC

Coverage	-	-
Lineal Coverage	15.75 ft / 23.23 ft	4.8 m / 7.08 m
Weights	1064 lbs	482.59 kg
Units	24	-
Coverage per unit	-	-
Lineal coverage per unit	0.66 ft / 0.97 ft	0.2 m / 0.3 m


Lineal Coverage	64 ft	19.2 m
Weights	2143 lbs	972 kg
Units	32	-
Lineal coverage per unit	2 ft	0.6 m
Sections	4	-
Lineal coverage per section	16 ft	4.8 m

COLOURS


Beige Mix Grey Mix




BUNDLE OVERVIEW



CROSS SECTION






ANTICO® STACKER

STACK WALL / TUMBLED



BUNDLE OVERVIEW



UNIT



11.81"w x 3.92"h x 7.87"d 300mm x 100mm x 200mm Units/bundle: 96

NOTES

II Tumbled unit with smooth surface

// Versatile stacking block

// Corner creates a 20" x 20" column

COLOURS

Beige Mix Grey Mix Rustic Salmon Mix Sahara Blend Ultra Black

BUNDLE SPECIFICATIONS IMPERIAL METRIC

Coverage	31 ft ² / 20.67 ft ²	2.88 m ² / 1.92 m ²
Lineal Coverage	94.5 ft / 63 ft	19.2 m / 28.8 m
Weights	2861 lbs	1297.6 kg
Weight per unit	29.8 lbs	13.5 kg
Coverage per unit	0.32 ft ² / 0.21 ft ²	0.03 m ² / 0.02 m ²
Lineal coverage per unit	0.98 ft / 0.66 ft	0.2 m / 0.3 m
Sections	4	-
Coverage per section	7.75 ft ² / 5.17 ft ²	0.72 m ² / 0.48 m ²
Lineal coverage per section	23.62 ft / 15.75 ft	4.8 m / 7.2 m

BELVEDERE

DOUBLE-SIDED / EMBOSSED FINISH



UNITS



BLOCK - 6 PACK 6/4"w x 9"d x 3"h & 6"h (153/102 x 229 x 76 & 153mm)



12/10"w x 9"d x 3"h & 6"h (305/254x 229x 76 & 153mm)

18/16"w x 9"d x 3"h & 6"h (457/406 x 229 x 76 & 153mm)



COPING - 3 PACK

6/4"w x 10.25"d x 2.25"h (153/102mm x 260mm x 57mm)

12/10"w x 10.25"d x 2.25"h (305/254mm x 260mm x 57mm)

18/16"w x 10.25"d x 2.25"h (457/406mm x 260mm x 57mm)



CORNER - DOUBLE PACK 14/15"w x 9"d x 3"h (356/381mm x 229mm x 76mm)

15/14"w x 9"d x 6"h (381/356mm x 229mm x 153mm)

BUNDLE SPECIFICATIONS IMPERIAL

METRIC

Coverage	27 ft ²	2.51 m ²
Lineal coverage (3"h+6"h)	72 ft	22 m
Weight	2475 lbs	1123 kg
6 packs	12	-
Coverage per 6 pack	2.25 ft ²	0.21 m ²
Linear coverage per 6 pack	6 ft	1.8 m
Weight per layer 6 pack	206 lbs	93.6 kg

Lineal coverage	66 ft	20.12 m
Weight	1550 lbs	703 kg
3 packs	24	-
Linear coverage per 3 pack	2.75 ft	0.84 m
Weight per 3 pack	65 lbs	29 kg

Coverage	24 ft ²	2.23 m ²
Lineal coverage (3"h+6"h)	38.7 ft	11.8 m
Weights	1520 lbs	690 kg
Double packs	16	-
Coverage per double pack	1.5 ft ²	0.14 m ²
Lineal coverage per double pack	2.42 ft	0.74 m
Weight per double pack	95 lbs	43.1 kg

BUNDLE OVERVIEW

6 PACK BLOCKS (3" & 6" ROWS ALTERNATE)

NOTES

- // Half of the Triple Coping units have one finished edge
- // 27" x 27" x 2.5" Column Cap available, 10 units per pallet
- // For more information about the Belvedere visit www.bestwaystone.com

COLOURS

Manitou Blend Windsor Blend

ROCKTON

DOUBLE-SIDED / EMBOSSED FINISH



BLOCK UNITS (6 PACK)



12"w x 10.5"d x 6"h (305mm x 267mm x 153mm) Units/bundle: 3 Units/layer: 1



21"w x 10.5"d x 6"h (533mm x 267mm x 153mm) Units/bundle: 6 Units/layer: 2



30"w x 10.5"d x 6"h (762mm x 267mm x 153mm) Units/bundle: 3 Units/layer: 1



42"w x 10.5"d x 6"h (1067mm x 267mm x 153mm) Units/bundle: 6 Units/layer: 2

BUNDLE SPECIFICATIONS IMPERIAL

METRIC

Coverage	21 ft ²	1.95 m ²
Lineal coverage	42 ft	12.8 m
Weight	2500 lbs	1134 kg
Layers (6 packs)	3	-
Coverage per layer (6 pack)	7 ft ²	0.65 m ²
Linear coverage per layer (6 pack)	14 ft	4.26 m
Weight per layer (6 pack)	833 lbs	378 kg




CORNER

12"w x 10.5"d x 6"h (305mm x 267mm x 153mm) Units/bundle: 24

Coverage	31.5 ft ²	2.9 m ²
Lineal coverage	63 ft	19.2 m
Weight	2500 lbs	1134 kg
Coverage per unit	1.31 ft ²	0.12 m ²
Linear coverage per unit	2.6 ft	0.79 m
Weight per unit	104 lbs	47.25 kg

BUNDLE OVERVIEW




NOTES

- // Block units sold and packaged together
- // Corner creates a 22.5"x22.5" column
- // For more information about the Rockton visit www.bestwaystone.com

COLOURS

Fond du Lac Manitou Blend





RIDGEWALL®

UNITS



BLOCK UNIT 39.4"w x 7.68"h x 17.1"d 1000mm x 195mm x 435mm



90° CORNER UNIT 36.9"w x 7.68"h x 17.1"d 937.5mm x 195mm x 435mm



45° CORNER UNIT 39.4"w x 7.68"h x 17.1"d 1000mm x 195mm x 435mm



COPING UNIT 39.4"w x x 7.68"h x 19.7"d 1000mm x195mm x 500mm

NDLE SPECIFICATIONS	IMPERIAL	METRIC
Coverage	13.23 ft ²	1.2 m ²
Lineal Coverage	19.68 ft	6 m
Weights	2370 lbs	1075.2 kg
Units	6	-
Coverage per unit	2.1 ft ²	0.2 m ²
Lineal coverage per unit	3.28 ft	1 m
Coverage	17.22 ft ²	1.62 m ²
Lineal Coverage	26.97 ft	8.24 m
Weights	2340 lbs	1061.4 kg
Units	6	-
Coverage per unit	2.87 ft ²	0.27 m ²
Lineal coverage per unit	4.49 ft	1.37 m
Coverage	13.5 ft ²	1.26 m ²
Lineal Coverage	21.45 ft	6.56 m
Weights	2226 lbs	1009.8 kg
Units	6	-
Coverage per unit	2.25 ft ²	0.21 m ²
Lineal coverage per unit	3.57 ft	1.09 m
Coverage	13.23 ft ²	1.2 m ²
Lineal Coverage	19.68 ft	6 m
Weights	2982 lbs	1352.4 kg

3.28 ft

Lineal coverage per unit

1 m



BUNDLE OVERVIEW (ALL UNITS)

NOTES


- // When installing the Ridgewall, install units ridge-to-ridge and key-to-key where possible
- // Engineering services available through Best Way Stone, call 1-800-BESTWAY (237-8929) for more information.

COLOURS

Beige Mix* Grey Grey Mix*

*Only available in coping unit


CROSS SECTION



GEOGRID REINFORCED RIDGEWALL CROSS SECTION WITH LEVEL BACKFILL AND NO SURCHARGE

// For more technical information and guides on the RidgeWall SRW system visit bestwayston.com/ridgewall

RIDGE & KEY SYSTEM







STEPS, CAPS & CURBS

Steps

- 58 72" CAMDEN STEP (NEW)
- 58 48" CAMDEN STEP & FILLERS
- 59 IKON STEP (NEW)
- 59 RIDGESTEP™

Caps

- 60 SOPRA COPING (NEW)
- 60 MONTANA CAP
- 60 MONTANA COLUMN CAP
- 60 RIVIERA CAP
- 61 DIMENSIONAL
- 61 BAROLLO™ ROUND EDGE
- 61 BULLNOSE COLUMN CAP
- 61 PARKWALL® COLUMN CAP

Curbs

- 62 ANTICO® CURB
- 62 GARDEN CURB
- 62 DRIVEWAY CURB

STEPS

CAMDEN STEP



		B. F. A.	
1	1	SAC STATE	

72"w x 6"h x 16"d 1830mm x 152mm x 406mm

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Weight	2144 lbs	972 kg
Units	4	-
Lineal	24 ft	7.31 m
Lineal per unit	6 ft	1.83 m

COLOUR: Sahara Blend, Ultra Black



48"w x 6"h x 16"d 1219mm x 152mm x 406mm

Weight	1324 lbs	600.73 kg
Units	6	-
Lineal	24 ft	7.32 m
Lineal per unit	4 ft	1.22 m

COLOUR: Sahara Blend, Ultra Black

14" FILLER



14"w x 7"d x 6"h 356mm x 178mm x 152mm

Weight	46.5 lbs	21 kg
Units	32	-
Lineal	-	-
Lineal per unit	-	-

COLOUR: Sahara Blend, Ultra Black

28" FILLER



28"w x 7"d x 6"h 711mm x 178mm x 152mm

Weight	93 lbs	42 kg
Units	16	-
Lineal	-	-
Lineal per unit	-	-

COLOUR: Sahara Blend, Ultra Black

STEPS

IKON STEP





39.4"w x 6.7"h x 14"d 1000mm x 170mm x 355mm

1830 lbs 828 kg Weight Units Lineal 19.68 ft 6 m Lineal per unit 3.28 ft 1 m

COLOUR: Grey, Sahara Blend, Ultra Black

RIDGE™ STEP



39.4"w x 7.68"h x 19.7"d 1000mm x 195mm x 500mm

Weight	2982 lbs	1352.4 kg
Units	6	
Lineal	19.68 ft	6 m
Lineal per unit	3.28 ft	1 m

COLOUR: Beige Mix, Grey, Grey Mix

CAPS

SOPRA COPING



28" x 14" x 2.36" 710mm x 355mm x 60mm

MONTANA CAP



21.3" x 10.6" x 2" 540mm x 270mm x 50mm

MONTANA COLUMN CAP



23.62" x 23.62" x 2.95" 600mm x 600mm x 75mm

RIVIERA CAP



23.6" x 11.8" x 2.36" 600mm x 300mm x 60mm

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

	_	
Weight	2079 lbs	943 kg
Units	27	-
Lineal	63 ft	19.2 m
Lineal per unit	2.3 ft	0.7 m

COLOUR: Grey, Sahara Blend, Ultra Black

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Weight	825 lbs	374 kg
Units	22	-
Lineal	38.9 ft	11.9 m
Lineal per unit	1.77 ft	0.54 m

COLOUR: Ebony, Granite, Sandstone

Weight	1096 lbs	496 kg
Units	8	-
Lineal	-	-
Lineal per unit	-	-

COLOUR: Ebony, Granite, Sandstone

Weight	873 lbs	396 kg
Units	18	
Lineal	35.4 ft	10.8 m
Lineal per unit	1.97 ft	0.6 m

COLOUR: Ebony, Granite, Sandstone

DIMENSIONAL double pack



24" COPING 24"w x 13"d x 2.5"h 600 x 330 x 65mm



18" COPING 18"w x 13"d x 2.5"h 450 x 330x 65mm

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Coverage	7.56 ft ² / 5.68 ft ²	0.704 m ² / 0.528 m ²
Lineal coverage	63 ft	19.2 m
Weight	1950 lbs	884.5 kg
Double packs	18	-
Linear coverage per double pack	3.5 ft	1.07 m
Weight per double pack	108 lbs	49.1 kg

COLOUR: Manitou Blend, Windsor Blend

BAROLLO™ ROUND EDGE



9.84" x 12.46" x 2.95" 250mm x 317mm x 75mm

Weight	2136 lbs	968.86 kg
Units	81	
Lineal	66.42 ft	20.25 m
Lineal per unit	0.82 ft	0.25 m

COLOUR: Grey, Sahara Blend, Ultra Black

BULLNOSE COLUMN CAP



23.62" x 23.62" x 2.95" 600mm x 600mm x 75mm

Weight	1036 lbs	470 kg
Units	8	
Lineal	-	-
Lineal per unit	-	-

COLOUR: Grey, Sahara Blend, Ultra Black

PARKWALL® COLUMN CAP



23.62" x 23.62" x 2.95" 600mm x 600mm x 75mm

Weight	2280 lbs	1034 kg
Units	16	
Lineal	-	-
Lineal per unit	-	-

COLOUR: Grey, Sahara Blend, Ultra Black

CURBS

ANTICO® CURB



15.75" x 5.91" x 3.94" 400mm x 150mm x 100mm

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Weight	1841 lbs	835.19 kg
Units	64	-
Lineal	84 ft	25.6 m
Lineal per unit	1.31 ft	0.4 m

COLOUR: Beige Mix, Grey Mix, Rustic Salmon Mix

GARDEN CURB



31.5" x 5.91" x 3.94" 800mm x 150mm x 100mm

Weight	2355 lbs	1068.12 kg
Units	40	-
Lineal	105 ft	32 m
Lineal per unit	2.63 ft	0.8 m

COLOUR: Charcoal, Grey, Red

DRIVEWAY CURB



39.4" x 5.9" x 5.9" 1000mm x 150mm x 150mm

Weight	2193 lbs	994.55 kg
Units	20	
Lineal	65.6 ft	20 m
Lineal per unit	3.28 ft	1 m

COLOUR: Charcoal, Grey, Red







ENVIRO

- 66 MODERNA® PERMEABLE
- 67 WHITE SOLAR REFLECTIVE ROOFTOP PAVER

MASONRY

- 68 WINDOW SILLS
- 68 KEYSTONES
- 68 SPLASH PAD
- 68 STEP RISERS
- 69 CHIMNEY CAPS
- 69 SIMPLICITY STEPS

FEATURES

+ ACCESSORIES


- 70 FORNO ANITCO® PIZZA OVEN
- 72 PALLADIO ANTICO® FIRE PIT
- 72 GARDEN LOCK FIRE PIT
- 74 JOINT SAND
- 74 SEALERS & CLEANERS
- 75 AGGREGATES, TOOLS + MORE

MODERNA®





BUNDLE OVERVIEW



UNIT



16" x 8/12" x 2.75" 405mm x 205/305mm x 70mm Units/bundle: 64 Units/layer: 8

METRIC

NOTES

// For pedestrian and/or vehicular use

// Install by layer for most random finish

II Single shape stone allows for easy and quick installation


BUNDLE SPECIFICATIONS IMPERIAL

Coverage	62 ft ²	5.76 m ²
Weight	1918 lbs	869.84 kg
Layers	8	
Coverage per layer	7.75 ft ²	0.72 m ²
Lineal coverage	47 ft*	14.4 m*
Lineal coverage per layer	5.875 ft*	1.8 m*


COLOURS

Beige Mix Golden Meadow Grey Mix

PATTERN



PICP SYSTEM COMPONENTS




WHITE SOLAR REFLECTIVE ROOFTOP PAVER





BUNDLE OVERVIEW



UNIT



23.62" x 23.62" x 1.75" 600mm x 600mm x 45mm Units/bundle: 25

PEDESTALS AVAILABLE



METRIC

NOTES

II For pedestrian use only

// Smooth white surface for maximum reflectivity

// Meets SRI LEED® requirements for low slope roofing

// 2" and 2.5" thickness available. Special order item, minimum quantities and lead time required.

BUNDLE SPECIFICATIONS

Coverage	97 ft ²	9 m²
Weight	2103 lbs	953.68 kg
Units	25	
Coverage per unit	3.87 ft ²	0.36 m ²
Lineal coverage	49.21 ft	15 m
Lineal coverage per unit	1.97 ft	0.6 m

IMPERIAL

COLOUR

White

PEDESTAL PATTERN

- 1		
1		

MASONRY

WINDOW SILLS



36" x 5.9" x 3.62" 914mm x 150mm x 90mm



36" x 5.9" x 2.95" 914mm x 150mm x 75mm

KEYSTONE



12.5"x 8.75"/5.75" x3" 310"x 222/146mm x 75mm

SPLASH PAD



23.62"x10.83"x3.15" 600mm x 275mm x 80mm

STEP RISERS

30" x 6" x 3.74" 600mm x 150mm x 95mm

24" x 6 "x 3.74" 600mm x 150mm x 95mm

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Weight	2659 lbs	1206 kg
Units	44	-
Lineal	132 ft	40 m
Lineal per unit	3 ft	0.9 m
Weight	2895 lbs	1313.24 kg
Units	56	-
Lineal	168 ft	51.2 m
Lineal per unit	3 ft	0.9 m

COLOUR: Charcoal (3" Only), Grey, White

Weight	1085 lbs	492.24 kg
Units	40	-

COLOUR: Grey, White

Weight	1774 lbs	804.56 kg
Units	32	-

COLOUR: Grey

Weight	2310 lbs	1050 kg
Units	42	-
Weight	1848 lbs	840 kg
Units	42	-

COLOUR: Grey

CHIMNEY CAPS

9X9

8.86" x 8.86" x 2.95" 225mm x 225mm x 75mm



9X13

8.86" x 13" x 2.95" 225mm x 330mm x 75mm

U-CAP

8.86" x 13" x 2.95" 225mm x 330mm x 75mm

STRINGER

15.5" x 5.5" x 2.95" 394mm x 140mm x 75mm

SIMPLICITY STEPS



#1 36" x 12"" x 7" / 910mm x 305mm x 178mm **#2** 36" x 24" " x 7" / 910mm x 610mm x 178mm

#1 48" x 12" " x 7" / 1215mm x 305mm x 178mm #2 48" x 24" " x 7" / 1215mm x 610mm x 178mm

60" #1 / #2

#1 60" x 12" " x 7" / 1520mm x 305mm x 178mm #2 60" x 24" " x 7" / 1520mm x 610mm x 178mm

72" #1 / #2

#1 72" x 12" " x 7" / 1825mm x 305mm x 178mm #2 72" x 24" " x 7" / 1825mm x 610mm x 178mm

FILLER

12" 12" x 4.5" " x 7" / 305mm x 115mm x 178mm 24" 24" x 5.25"" x 7" / 610mm x 135mm x 178mm

PLATFORM

36" 36" x 36" " x 7" / 910mm x 910mm x 178mm **48**" 48" x 36" " x 7" / 1215mm x 910mm x 178mm

II Simplicity steps units sold in full bundles only

BUNDLE SPECS IMPERIAL

Weight	1334 lbs	605.09 kg
Units	20	-
Weight	1494 lbs	677.67 kg
Units	20	-
Weight	1128 lbs	511.65 kg
Units	20	-
Weight	1808 lbs	820 kg
Units	96	-

METRIC

COLOUR: White

#1/#2 #1/#2

Weight	1665 lbs / 1637 lbs	755.23 kg / 742.67 kg
Units	15 / 10	-
Weight	1712 lbs / 1874 lbs	776.35 kg / 850 kg
Units	12 / 10	-
Weight	893 lbs / 1207 lbs	404.83 kg / 547.26 kg
Units	5 / 5	-
Weight	1018 lbs / 1347 lbs	461.53 kg / 611.06 kg
Units	5 / 5	-
	12" / 24"	12" / 24"
Weight	30 lbs / 63 lbs	13.71 kg / 28.61 kg
Units	-	-
	36" / 48"	36" / 48"
Weight	1054 lbs / 1460 lbs	478 kg / 662.4 kg

COLOUR: White

FORNO ANTICO® PIZZA OVEN

OUTDOOR FEATURE

UNITS



ANTICO® STACKER

7.87"w x 11.81"d x 3.93"h 200mm x 300mm x 100mm Units: 48



ANTICO® STACKER (PRE-CUT)

7.87"w x 7.87"d x 3.93"h 200mm x 200mm x 100mm Units: 9



ANTICO® STACKER ACCENT

7.87"w x 11.81"d x 3.93"h 200mm x 300mm x 100mm Units: 14



ANTICO® STACKER ACCENT (PRE-CUT)

7.87"w x 3.93"d x 3.93"h 200mm x 100mm x 100mm Units: 2



COUNTER

42"w x 30"d x 2.25"h 1067mm x 762mm x 57mm Units: 1

ALL-IN-ONE KIT INCLUDES



BASE 39.4"w / 1000mm x 23.6"d / 600mm

PIZZA OVEN

- // Sold separately
- // Rust resistant stainless steel design
- // High grade powder coat finish
- // Quick heat up time
- // Cover included
- // Oven dimensions are 28" w x 29.25" d

BASE & COUNTER

37.7" / 957mm

// Pre-cut blocks included

ACCESSORIES (INCLUDED)







NOTES

II All units packaged together

II Easy on-site assembly

// Oven sold with kit or separately

II Quick heat up time, ideal for 2 pizzas at a time

COLOURS

BASE - Grey Mix w/ Ultra Black accent

BASE - Sahara Blend w/ Ultra Black accent

OVEN - Charcoal or Red

INSTALLATION GUIDE

UNITS



ANTICO® STACKER (8 x 12 side up)

ANTICO® STACKER (4 x 12 side up)
ANTICO® STACKER (4 x 8 side up)

ACCENT (8 x 12 side up)

ACCENT (4 x 12 side up) **ACCENT** (4 x 8 side up)

ACCENT (PRE-CUT) (4 x 4 side up)


ANTICO® STACKER (PRE-CUT) (8 x 8 side up) (4 x 8 side up)

COUNTER












LAYER 5




LAYER 2




LAYER 6




LAYER 3



LAYER 7




LAYER 4




LAYER 8




FRONT PROFILE




BACK PROFILE



LEFT PROFILE



RIGHT PROFILE



PALLADIO® ANTICO® & GARDEN LOCK™ FIRE PIT KIT

OUTDOOR FEATURE

PALLADIO® ANTICO® FIRE PIT (2 ROWS + CAP)




WEDGE BLOCK 8.07"(5.31)w x 8.85"d x 4.92"h 205(135)mm x 225mm x 125mm 40 UNITS



WEDGE COPING 8.23"(5.17)w x 10.23"d x 2.95"h 209(131)mm x 260mm x 75mm 20 UNITS

COLOURS

Beige Mix, Grey Mix



GARDEN LOCK™ FIRE PIT (2 ROWS + CAP)



WEDGE BLOCK 8.07"(5.31)w x 8.85"d x 4.92"h 205(135)mm x 225mm x 125mm 40 UNITS



WEDGE COPING 8.23"(5.17)w x 10.23"d x 2.95"h 209(131)mm x 260mm x 75mm 20 UNITS

COLOURS

Beige Mix, Grey, Grey Mix, Rustic Salmon Mix



FIRE PIT INSERT RING // 31.5"o x 12" h



ACCESSORY ITEMS

JOINT SAND





POLYMERIC SAND

50lbs (22.7kg) 63 bags / bundle // Regular paver coverage aprpox. 100 sqft/bag // Antico paver coverage approx. 80 sqft/bag

COLOURS: Beige, Black and Grey

BOMIX PREDRIED JOINT SAND - BROWN

66lbs (30kg) 63 bags/bundle

// Regular paver coverage appox.100 sqft/bag // Antico paver coverage approx. 80 sqft/bag

SEALERS & CLEANERS









SEAL KING SEALERS & CLEANERS

// water and acrylic based (19L & 4L Pails) // high gloss and satin finish // efflorescence remover // oil and grease remover // seal grip





GST CLEAN CONCRETE

// effectively removes concrete residue // effective on pavers, concrete and brick // environmentally safe product // water clean up

KIMBOL SEALERS & CLEANERS

// water and acrylic based // high gloss and satin finish // efflorescence remover // oil and grease remover

ADHESIVES

BUTYL TAPE

1/4" Bead Roll 20 Lineal Feet 40 rolls/case

LANDSCAPE CONCRETE PAVERS & WALL ADHESIVE

Small Tube 10 Ounces 12 tubes/case Large Tube 28 Ounces 12 tubes/case

AGGREGATES

BRICKSAND

Bag / Yard 50lbs (22.7kg) / Approx. 50 bags/bundle *Regular paver coverage appoximately 100 sqft/bag

CONCRETE SAND

Bag / Yard 50lbs (22.7kg) / Approx.

*1 yard covers approximately 300 sqft at 1" thickness

LIMESTONE SCREENING

Bag / Yard 50lbs (22.7kg) / Approx.

*1 yard covers approximately 150 sqft at 2" thickness

3/8" GRAVEL (Clear)

Yard

*1 yard covers approximately 150 sqft at 2" thickness

3/4" GRAVEL (Clear)

Bag Only 50lbs (22.7kg)

*1 yard covers approximately 150 sqft at 2" thickness

3/4" CRUSHER RUN

Bag / Yard 50lbs (22.7kg) / Approx.

*1 yard covers approximately 150 sqft at 2" thickness

1/4" CHIP (HPB)

Bag / Yard 50lbs (22.7kg) / Approx.

*1 yard covers approximately 150 sqft at 2" thickness

EDGE RESTRAINTS

SNAP EDGE PAVER RESTRAINT

PLASTIC 8' Units

BRICKSTOP PAVER EDGE RESTRAINT

PLASTIC 8' Units 160 lineal feet/box 20 units/box METAL 8'4" Units 400 lineal feet/box 48 units/box

SPIKES 10" Steel approx. 50lbs 250 pcs/box

FABRICS

SYNTHETIC GRID

Tieback 6' x 150' (1.83m x 45.72m)

CONSTRUCTION FABRIC

Nonwoven Geotextile 5' x 360' (1.52m x 109.7m) Nonwoven Geotextile 4' x 50' (1.2m x 15.2m) Nonwoven Geotextile 3' x 50' (0.9m x 15.2m)

Weed Control Roll

ICE CONTROL

BRITECH ICE MELT SYSTEM

Call for more information.

PRECAST CONCRETE

PARKING LOT BUMPER CURBS

96x12x8" (2438x305x203mm) 520 lbs / 236.4 kg (unit) 96x10x6" (2438x254x152mm) 360 lbs / 163.6 kg (unit)

SOLAR LIGHTS

Call for more information.

TOOLS

Pave Tool Quick-E Line Caulking guns Gloves Hand tampers Mallets Levels Plate Tampers Shovels

String lines Wheel barrows

+ MORE











RESOURCES

- 78 2019 COLOUR CHART
- 80 INSTALLATION GUIDE SLABS
- 80 INSTALLATION GUIDE SLABS ON PEDESTAL SET
- 80 INSTALLATION GUIDE PAVERS
- 81 INSTALLATION GUIDE PERMEABLE PAVERS
- 82 INSTALLATION GUIDE WALLS
- 85 BWS ONLINE
- 86 SAFETY
- 87 OUR LOCATIONS
- 88 NOTES
- 89 RESOURCES

2019 COLOUR CHART

	''																								
	Beige Mix	Driftwood	Glacier Creek	Grey Mix	Kashmir Blend	Ultra Black	Buff Mix	Buff Brown	Charcoal	Ebony	Fond du lac	Golden Meadow	Granite	Grey	Manitou	Sahara Blend	Salmon	Salmon Mix	Sandstone	Red	Red Mix	Rustic Buff	Rustic Salmon Mix	White	Windsor
PAVERS																									
Adelaide® 80																									
Ardesia [®]																									
Bellagio® Antico®																									
Corso®																									
Double Standard™																									
Manhattan Plank																									
Moderna®																									
Richmond™ 80																									
Standard™																									
Strada® Antico®																									
Strada® Nova																									
Trevista® 80 Smooth																									
Trevista® 80 Textured																									
Villa™																									
SLABS																									
Adelaide® 50																									
Avari																									
Basketweave™ 24x30																									
Basketweave [™] 24x24																									
Basketweave™ 12x24																									
Flagstone™																									
Richmond™ 50																									
SR Paver																									
Standard Press™ 24x30																									
Standard Press™ 24x24																									
Standard Press™ 16x16																									
Standard Press™ 12x24																									
Tresca™																									
Trevista® 50 Smooth																									
Trevista® 50 Textured																									

SOLAR REFLECTANCE INDEX (SRI)

- Non-Roof Applications & Parking Cover Applications LEED 2009 (Initial SRI 29+)
- Parking Cover Applications LEED v4 (Initial SRI 39+)
- Low-Sloped Roof LEED v4 (Initial SRI 82+)

COLOUR (PRECAST CONCRETE)	SRI	COLOUR (PRECAST CONCRETE)	SRI
Beige Mix	27	Red	27
Buff Brown	21	Red Mix	22
Driftwood	29	Sahara Blend	31
Glacier Creek	34	Salmon	26
Grey	35	Salmon Mix	21
Grey Mix	24	White (Basketweave)	51
Kashmir Blend	33	White (Solar Reflective Paver)	82

COLOUR (PORCELAIN)	SRI
Country Black Slate	21
Country Grey Slate	30
Scout White	56
Universal Oak	37

										1										1					
			şek		end						o	adow				pu		×					Rustic Salmon Mix		
	Beige Mix	Driftwood	Glacier Creek	Grey Mix	Kashmir Blend	Ultra Black	Buff Mix	Buff Brown	Charcoal	Ebony	Fond du lac	Golden Meadow	Granite	Grey	Manitou	Sahara Blend	Salmon	Salmon Mix	Sandstone	P	Red Mix	Rustic Buff	stic Salı	White	Windsor
	Be		99	ű	Ka	=	B	- Ba	5	品	요	09	Gr	9	ğ	Sa	Sa	Sa	Sa	Red	- Se	- ₹	₹	Š	×
WALLS									1	1										1	1				
Antico° Stacker																								\longrightarrow	
Belvedere™																									
Garden Lock™																									
Hazlelton																									
Palladio® Antico®																									
Parkwall®																									
Parkwall® Antico																									I
RidgeWall®																									1
Rockton																									1
Soho																									1
COPINGS																									
Barollo®																									
Belvedere™																									
Bullnose Column Cap																									
Dimensional																									
Garden Lock™																									
Montana																									
Montana Column Cap																									
Palladio® Antico®																									
Parkwall®																									Ī
Parkwall® Antico																									
Parkwall® Column Cap																									Ī
Riviera Coping																									Ī
Sopra Coping																									Ī
STEPS																									
Camden Step™																									
Ikon Step																									
Ridge Step™																									
CURBS																									
Antico°																									
Driveway																									
Garden																									
outuott																									—

 ${\tt Colour\, swatches\, and\, photographs\, are\, not\, exact\, representations\, of\, colour,\, but\, are\, given\, to\, provide\, close\, reference.}$ Measurements and product dimensions are nominal.


Registered trademarks, logos and product names are the property of Best Way Stone Limited*. 02-2019 DesignLoc®, ChromaTec®, EcoScape®, Antico® Pavers & Walls

 $Parkwall°, Parkwall° \ Antico°, Palladio° \ Antico°, Garden \ Lock" \ US \ Patents \ 6398458 \ \& \ 6178715; \ Canadian \ Patent \ 2193942.$ ${\sf RidgeWall}^{\circ}\, {\sf US}\, {\sf Patent}\, {\sf Pending}\, 20140270989; \, {\sf Canadian}\, {\sf Patent}\, {\sf Pending}\, 2809704.$ Moderna® US Patents D701619 & D689624; Canadian Industrial Design Registrations 138841 & 138842.

INSTALLATION GUIDES - SLABS & PAVERS


SLAB INSTALLATION TYPICAL CROSS SECTION

- Best Way Stone" precast concrete slab 1 3/4" to 2" (45 to 50mm)
- 2 Sand joint fill
- 3 Bedding Sand 1" (25mm)
- 4 Geotextile 12" (300mm) wide
- 5 Plastic edge
- 6 Extra width equal to foundation thickness
- 7 Lawr
- 8 Nail
- 9 Compacted aggregate base 0 3/4 " (0-20mm)
- 10 Geotextile
- 11 Subgrade




SLABS ON PEDESTAL SET

- Roof deck
- 2 Waterproof membrane
- 3 Protection board
- 4 Rigid insulation
- 5 Adjustable pedestal
- Best Way Stone" precast concrete slab 1 3/4" to 2 1/2" (45-65mm) thickness conforming to ASTM C 1782 and CSA A231.1
- 7 Best Way Stone* Trevista 50 slabs, 2* (50mm) thickness conforming to ASTM C 1782 and CSA A231.1
- 8 Roof drain



TYPICAL PAVER CROSS SECTION WITH PLASTIC EDGE


- Best Way Stone® precast concrete paver 2 3/8" (60mm) thick min.
- 2 Sand joint fill
- 3 Bedding Sand 1" (25mm)
- Extra width equal to foundation thickness
- 5 Lawn
- 6 Plastic edge
- 7 Nail
- 8 Geotextile
- Compacted aggregate base 0 3/4 " (0-20mm)
- 10 Subgrade



INSTALLATION GUIDES - PERMEABLE PAVER SYSTEM


SEGMENTAL PERMEABLE PAVEMENT – FULL EXFILTRATION

- 1 Moderna® Permeable Paver by Best Way Stone®
- 2 Joint filling material ASTM No 8 (CSA 2.5-10mm) aggregate
- 3 Bedding course 1 1/5" to 2" (40 to 50 mm) ASTM No 8 (CSA 2.5–10mm) aggregate
- 4 Base course 4" (100mm) ASTM No 57 (CSA 5–28mm) aggregate foundation thickness
- 5 Subbase course ASTM No 2 (CSA 40-80mm) aggregate
- 6 Geotextile
- 7 Subgrade
- 8 Concrete edge




SEGMENTAL PERMEABLE PAVEMENT – PARTIAL EXFILTRATION

- 1 Moderna® Permeable Paver by Best Way Stone®
- 2 Joint filling material ASTM No 8 (CSA 2.5–10mm) aggregate
- 3 Bedding course 1 1/5" to 2" (40 to 50 mm) ASTM No 8 (CSA 2.5–10mm) aggregate
- Base course 4" (100mm) ASTM No 57 (CSA 5–28mm) aggregate foundation thickness
- 5 Subbase course ASTM No 2 (CSA 40-80mm) aggregate
- 6 Geotextile
- 7 Subgrade
- 8 Concrete edge
- 9 Perforated drain connected to drainage system




SEGMENTAL PERMEABLE PAVEMENT – NO EXFILTRATION

- 1 Moderna® Permeable Paver by Best Way Stone®
- 2 Joint filling material ASTM No 8 (CSA 2.5-10mm) aggregate
- 3 Bedding course 1 1/5" to 2" (40 to 50 mm) ASTM No 8 (CSA 2.5–10mm) aggregate
- 4 Base course 4" (100mm) ASTM No 57 (CSA 5–28mm) aggregate foundation thickness
- 5 Subbase course ASTM No 2 (CSA 40-80mm) aggregate
- 6 Geotextile
- 7 Subgrade
- 8 Concrete edge
- 9 Perforated drain connected to drainage system
- 10 Impermeable membrane




INSTALLATION GUIDES - RETAINING WALLS




a. EXCAVATE THE AREA

- 1. Check for existing utilities or structures in the area of construction.
- 2. Dig a trench. Calculate the width of the area by adding 6" of space before the face of the wall, and 12" behind the wall block.
- 3. Calculate the depth of the trench by the buriel depth of the wall. Consider that good practice is to have at least 10% of the total wall height buried below final grade.




b. PREPARE THE FOUNDATION

- 1. Cover the back and the base of the trench with geotextile. Extend the geotextile along the back of the excavated area to eventually above the drainage fill once in place at the top of the wall.
- 2. Spread 0-3/4" (0-20mm) stone in the trench, and compact using a vibrating plate compactor or a juming jack. Make sure your area remains level after compaction. The compacted area must be at least 6" (150mm) thick. Add more stone if needed and compact again.




c. CONSTRUCT THE FIRST COURSE

- 1. Begin placing your first course of the Best Way Stone blocks along your levelled pad. Ensure the alignment and level are consistant.
- 2. The desired exposed face of the wall must be placed side by side with each block touching the next. There should be no space between block faces of the exposed side of the wall.
- 3. Add a perferated drain pipe at the back of the wall on top of the levelled stone base. Ensure to connect this pipe to the existing drainage system keeping water from accumulating behind the wall.



d. ADD THE BACKFILL

- 1. Add 0-3/4" (0-20mm) clean stone backfill to the rear of the wall, burying the perferated drain pipe. Ensure the geotextile remains along the backside as you backfill all the way up the wall, and does not fall into the backfill material.
- 2. Level the clean stone before constructing the next course. Ensure to fill all voids in the back of the wall with backfill.



e. THE REMAINING COURSES

- 1. When constructing the remaining courses ensure to clean off the top of blocks of the previous row. Make sure the blocks are installed with the appropriate side facing up following the locking system.
- 2. Backfill behind each constructed course with the same clean stone.
- 3. In order to maximize the strength of the wall, ensure that the joints of the row being constructed do not align with the row directly below or above. The joints of a course should match alternating courses.

STYLE FROM SUBSTANCE.



SAFETY

CAUTION! Product strapping under extreme tensions

Cut straps are sharp and may result in severe physical injury if proper precautions are not taken. Removal and handling of straps must be done with caution while wearing necessary protective equipment (Gloves, Goggles, Safety Boots, and Protective Clothing).

Concrete Materials must be cut in well-ventilated areas only. Use of a "Wet-Cut" Saw or other similar method is recommended to reduce hazardous dust production. Approved respirators, safety goggles, hearing protection, and gloves should be worn at all times.

Bundled material must always be transported and stored using appropriate equipment, meeting the regulations of local legislation (Transportation tie-down, vehicle weight limitations, and public storage location). Stacking more than two bundles on top of each other is not recommended.

Best Way Stone Limited® assumes no liability or responsibility for loss or damage resulting from the improper use or handling of our products, or from failure to follow instructions, warnings, and/or advisories on the product label and on the MSDS Precast Concrete Sheet (available upon request).

BEFORE OPENING ANY PRODUCTS:

Please check for correct colour and product (shape/size/design). Opening of this package (removal of strapping and/or shrink wrapping) assumes full acceptance of product by the purchaser. Material may not be returned or exchanged once the original packaging has been removed.

All concrete products may have significant colour variance between production lots. It is recommended that installation occur from multiple bundles simultaneously to ensure proper colour variance blending for both colour mixes and solid colours. In the case of a single-bundle installation, material should be installed from opposite ends of the bundle simultaneously.

Defective material delivered to the purchaser over the accepted norm will be replaced. (Please Note: Chipped and Cracked products are often used in areas where cutting is required. As such, please remove chipped or cracked products for this purpose). The purchaser must inform the manufacturer in writing within five days of delivery. Any materials in question must be available for inspection by Best Way Stone® before any credit or adjustment can be made.

PLEASE NOTE: If materials are completely or partially installed, they will be deemed acceptable and there will be no exceptions made for defective or unsatisfactory material.

OUR LOCATIONS

WOODBRIDGE

8821 Weston Road Woodbridge, ON L4L 1A6

1-800-BESTWAY (2378929)

T (905) 851-5122


T (416) 747-0988

F (905) 851-7603

// Located in the heart of Woodbridge

// 5 KM from HWY 407

// 3 KM from HWY 400



UXBRIDGE

65 Anderson Boulevard Uxbridge, ON L9P 0C7


T (905) 640-5845

F (905) 640-9773

// Located on the border of Uxbridge & Stouffville

// 15 KM from HWY 407

// 15 KM from HWY 404



NOTES

RESOURCES

SETTING A BASE

The quality of work put into establishing a solid foundation is vital to the overall performance of your landscape design.

When properly constructed, a solid base foundation helps prevent paver settling, shifting, and water accumulation.
Use of edge restraints and jointing sand is recommended as best practice by ICPI (Interlocking Concrete Pavement Institute).

When choosing and installing jointing sand, please ensure to follow the directions given by the manufacturer. To find out more about base preparation and installation practices, visit www.icpi.org.

COLOUR DISTRIBUTION

When installing stone, we recommend you select a mix of materials from several different bundles to ensure a balanced distribution of surface colour textures and colour mixtures.

Always verify colours and products chosen for your concrete landscape project with your contractor or landscape designer prior to installation. Physical or printed colour samples are only representations of the chosen product. If you notice a discrepancy, notify us immediately before continuing with your project. Full installation is understood as your acceptance of the product's condition.

CONCRETE CARE

Maintaining the surface of your concrete pavers is essential to their aesthetic. Sealing your concrete pavers can enhance the colour, but it's optional as our pavers are just as durable with or without the addition of sealants. If you plan on sealing your concrete products, always follow the manufacturer's instructions for proper application.

Unfortunately, even materials as durable as concrete can scratch, chip, or stain if handled incorrectly. When compacting our pavers, ensure that a rubber membrane is added to protect textured surfaces from potential damage. Use a rubber blade when removing snow from the surface of our pavers to prevent surface scratching and damage. Best Way Stone is not responsible for the damage left by the misuse of compaction or snow removal equipment.

EFFLORESCENCE

Efflorescence is that white, powdery substance that appears on the surface of concrete and it's a naturally occurring process. Efflorescence does not affect the structural integrity or strength of the product and will usually wear off over time – although special cleaners can be used to speed up its removal. For more information visit www.icpi.org.

WHERE TO FIND OUR PRODUCTS

Best Way Stone has an extensive network of dealers throughout Ontario, Quebec, and North-East Michigan. Visit our website to find a dealer near you:

www.bestwaystone.com/find-a-dealer

CHOOSING A CONTRACTOR

Although not required, hiring a qualified contractor makes installing stone a much more efficient and less stressful experience. When hiring a qualified professional we recommend they follow industry standard guidelines.

When hiring a contractor, we recommend collecting project references and samples of previous work. Make sure they offer a comprehensive warranty, and have all the required insurance and licenses. Any contractor will understand the industry standards for installing stone – you can download a copy to these quidelines by visiting www.icpi.org.













1-800-BESTWAY (237-8929) BESTWAYSTONE.COM

WOODBRIDGE (HEAD OFFICE) UXBRIDGE

8821 Weston Road 65 Anderson Boulevard Woodbridge, ON L4L 1A6 Uxbridge, ON L9P 0C7 T 416-747-0988 T 905-640-5845 F 905-651-7603 F 905-640-9773