



2022 PRODUCT GUIDE



Create
Plan
Build






Stone Finder

Every project is different, and we have the right products to suit your style needs.

Visit bestwaystone.com/stonefinder or look for it right on our homepage and find the stone that's right for you.





— We have **the best team**

The BWS Family

Best Way Stone is about endurance: products that last, styles that last, and as a family-owned and operated business since 1965, we want our relationships to last, too. That's why we continue to craft our products locally, independently, and back it with a transferable lifetime guarantee. We're family, and we're here for you.

Independently Owned; Family Operated

Best Way Stone is one of only a few independent family-owned, pre-cast concrete manufacturing businesses. And that philosophy permeates everything we do. Our team is family – and one that puts your family's needs first. Even as we've grown and expanded to new locations, we've still maintained our flexibility to respond quickly to both market demands and home-owner needs. This allows us to innovate quickly.

Our Dealer Network

Our extended family includes an extensive network of dealers located throughout Ontario, Quebec, and North-East Michigan. Our dealers will help you visualize your landscape by pairing the right products with your project design and style needs.

The Right Partner

Hiring a qualified hardscaper makes installing hardscape products a much more efficient experience. When hiring a qualified professional we recommend they follow industry-standard guidelines.

We recommend collecting project references and samples of previous work. Make sure they offer a comprehensive warranty and have all the required insurance and licenses.

Any certified contractor will understand the industry standards for installing hardscape products – you can download a copy of these guidelines by visiting icpi.org.


Visit our website to find a hardscaper near you:

bestwaystone.com/hardscaper



Visit our website to find
a dealer near you:

bestwaystone.com/dealers



INDEX

PAVERS

- 10 Manhattan Plank
- 11 Trevista® 80 Smooth
- 12 Trevista® 80 Textured
- 13 Richmond® 80
- 14 Adelaide® 80
- 15 Corso®
- 16 Moderna®
- 17 Ardesia®
- 18 Strada® Nova
- 20 Napa (NEW)
- 21 Ashford
- 22 Standard™
- 23 Double Standard™

SLABS

- 26 Spectra (NEW)
- 27 Avari
- 28 Tresca
- 30 Ventura
- 31 Balsam
- 32 Opus
- 33 Lyra
- 34 Riverton (NEW)
- 35 BW300
- 36 Trevista® 50 Smooth
- 37 Trevista® 50 Textured
- 38 Richmond® 50
- 39 Adelaide® 50
- 40 Huntington (NEW)
- 41 Highrise (NEW)
- 42 Flagstone
- 43 Standard Press™
- 44 Basketweave™
- 45 Dado Ceramica Porcelain

WALLS

- 49 Barnbeam (NEW)
- 50 Soho
- 51 Arlington
- 52 Hazelton™
- 53 Antico® Stacker
- 54 Garden Lock™
- 56 Parkwall®
- 58 Ikon
- 59 RidgeWall® SRW System
- 62 Rockton
- 63 Belvedere

STEPS, CAPS & CURBS

- 66 Camden Step
- 67 Ikon Step
- 67 Ridge™ Step
- 68 Sopra Coping
- 68 Montana Cap
- 68 Montana Column Cap
- 68 Riviera Cap
- 69 Dimensional Coping
- 69 Barollo® Coping
- 69 Bullnose Column Cap
- 69 Parkwall® Column Cap
- 70 Arlington Curb (NEW)
- 70 Antico® Curb
- 70 Garden Curb
- 70 Driveway Curbs

ENVIRO

- 74 Moderna® Permeable Paver
- 75 Solar Reflective Rooftop Paver

MASONRY & BUILDER

- 76 Split-Face Window Sills
- 76 Keystone
- 76 Splash Pad
- 76 Step Risers
- 77 Chimney Caps
- 77 Simplicity Steps

ACCESSORIES

- 78 Joint Sand
- 78 Sealers & Cleaners
- 79 Tools & Other Accessories

RESOURCES

- 82 2022 Colour Chart
- 82 Solar Reflectance Index
- 84 Installation Guide - Slabs
- 84 Installation Guide - Slabs on Pedestal Set
- 84 Installation Guide - Pavers
- 85 Installation Guide - Permeable Pavers
- 86 Installation Guide - Walls
- 88 Care & Considerations
- 89 Outdoor Design Centre
- 90 Safety Precautions
- 91 Our Locations

LEGEND



Vehicle use permitted



Permeable and/or
Eco-Friendly product



Pedestrian
traffic only



Vibrating plate permitted
(rubber membrane required)



Made with DesignLoc®



Enhanced with ChromaTec™



Enhanced with NanoBlast™

— We have a good foundation

Manufacturing Leads Design

Hardscaping solutions should be designed to last. So our philosophy is that manufacturing processes should always influence product design.

Thoughtful Innovation

We've built production facilities and equipped them with manufacturing technology and our own proprietary processes that are engineered specifically to ensure our products are well-planned, well-designed and well-made.

With two state-of-the-art manufacturing facilities, and dealers to support you across Ontario, Quebec, and Michigan, we're completely independent and able to both hear and respond to your needs.



Our products are resistant to the elements & meet or exceed all industry standards.



We manufacture our products using two key ingredients: quality and care. All are manufactured to meet and exceed their respective North American standards set by both the CSA and ASTM.




That commitment to quality is backed by our transferable lifetime guarantee on the structural integrity of our pavers. You can learn more about our transferable lifetime guarantee on our website: bestwaystone.com/warranty

Designed to Last Generations.


One of the most common questions we get from customers purchasing hardscape products is how they will wear over time. Our recent technological advancements provide layers of enriched surfaces and colour, bringing product aesthetics and performance to the next level.



The DesignLoc surface refinement technology is a strategic mix design that produces a highly controlled and refined surface offering.




TRADITIONAL





DESIGNLOC



ChromaTec protective surface enhancer adds a level of protection that helps resist the threat of stains from foreign elements while enhancing the vibrancy of the coated surface.




DESIGNLOC




CHROMATEC



NanoBlast provides a fine blasting to the surface of the product, exposing specially selected granite aggregates, while leaving a durable and highly defined smooth finish for increased comfort.

NEW



OUTDOOR ELEMENTS • COLLECTION •

BRINGING
OUTDOOR
LIVING TO
THE NEXT
LEVEL



FIRE PITS
FIREPLACES
COUNTERS
OVENS
SURROUNDS
STORAGE



EXPLORE OUR
GROWING COLLECTION
OF EASY TO BUILD
OUTDOOR ELEMENTS AT
[BESTWAYSTONE.COM/
OUTDOORELEMENTS](https://bestwaystone.com/outdoorelements)





PAVERS



Signature Series

mm

10	MANHATTAN PLANK	80
11	TREVISTA® SMOOTH	80
12	TREVISTA® TEXTURED	80
13	RICHMOND®	80
14	ADELAIDE®	80
20	NAPA (NEW)	60

Classic Series

mm



15	CORSO®	70
16	MODERNA®	70
17	ARDESIA®	70
18	STRADA® NOVA	70
21	ASHFORD	60
22	STANDARD™	60
23	DOUBLE STANDARD™	60

PHYSICAL & GEOMETRICAL CHARACTERISTICS

Precast Concrete Pavers

Characteristics	CSA A231.2
Compressive Strength	50 MPa (7252 psi) min.
Freeze-thaw Durability w/ use of deicing salt	Mass loss (max): 225 g/m ² at 28 cycles Mass loss (max): 500 g/m ² at 49 cycles
Dimensional tolerances ¹	Length and Width: -1.0mm to +2.0mm Thickness: ±3 mm


1. Dimensional tolerances prior to the application of architectural finishes

MANHATTAN PLANK

SIGNATURE SERIES PAVER / 80MM /   



BUNDLE OVERVIEW



UNITS



A
6.50 x 4.33 x 3.15 in
165 x 110 x 80 mm
Units/bundle: 32
Units/layer: 4



B
10.83 x 4.33 x 3.15 in
275 x 110 x 80 mm
Units/bundle: 32
Units/layer: 4



C
12.99 x 4.33 x 3.15 in
330 x 110 x 80 mm
Units/bundle: 32
Units/layer: 4



D
17.32 x 4.33 x 3.15 in
440 x 110 x 80 mm
Units/bundle: 32
Units/layer: 4



E
8.66 x 6.50 x 3.15 in
220 x 165 x 80 mm
Units/bundle: 32
Units/layer: 4



F
12.99 x 6.50 x 3.15 in
330 x 165 x 80 mm
Units/bundle: 16
Units/layer: 2



G
17.32 x 6.50 x 3.15 in
440 x 165 x 80 mm
Units/bundle: 16
Units/layer: 2

NOTES

Provides a contemporary linear finish. Manhattan Plank is 80mm thick, ideal for any application. Install in a ratio of 2 (4.33") rows to every 1 (6.5") row. All sizes are sold and packaged together. The DesingLoc surface technology provides a highly refined, colour enriched finish.

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	80 ft ²	7.44 m ²
Weight	2944.5 lbs	1338 kg
Layers	8	
Coverage per layer	10 ft ²	0.93 m ²
Lineal coverage (A-D)	127 ft	38.72 m
Lineal coverage per layer (A-D)	15.875 ft	4.84 m
Lineal coverage (E-G)	63.5 ft	19.36 m
Lineal coverage per layer (E - G)	7.94 ft	2.42 m

COLOURS

Glacier Creek
Grey Mix
Ultra Black

PATTERN




TREVISTA® 80 SMOOTH

SIGNATURE SERIES PAVER / 80MM




BUNDLE OVERVIEW



UNITS



19.5 x 13 x 3.15 in
495 x 330 x 80 mm
Units/bundle: 16
Units/layer: 2



13 x 13 x 3.15 in
330 x 330 x 80 mm
Units/bundle: 32
Units/layer: 4



6.5 x 13 x 3.15 in
165 x 330 x 80 mm
Units/bundle: 32
Units/layer: 4

NOTES

For pedestrian and/or vehicular use. Trevista 80 Smooth is a large format paver with a smooth modern surface. Sold and packaged together in a 1:2:2 ratio. The DesignLoc surface technology provides a highly refined, colour enriched finish.

BUNDLE SPECIFICATIONS

IMPERIAL




METRIC

Coverage	83.6 ft ²	7.76 m ²
Weight	3077 lbs	1395.85 kg
Layers	8	
Coverage per layer	10.45 ft ²	0.97 m ²
Lineal coverage	78 ft / 52 ft	23.77 m / 15.85 m
Lineal coverage per layer	9.75 ft / 6.5 ft	2.97 m / 1.98 m

COLOURS

Beige Mix
Carrara
Glacier Creek
Grey Mix


PATTERNS



13" Soldier Course



19.5" Soldier Course




TREVISTA® 80 TEXTURED

SIGNATURE SERIES PAVER / 80MM /   



BUNDLE OVERVIEW



UNIT



19.5 x 13 x 3.15 in
495 x 330 x 80 mm
Units/bundle: 16
Units/layer: 2



13 x 13 x 3.15 in
330 x 330 x 80 mm
Units/bundle: 32
Units/layer: 4



6.5 x 13 x 3.15 in
165 x 330 x 80 mm
Units/bundle: 32
Units/layer: 4

NOTES

For pedestrian and/or vehicular use. Trevista 80 Textured is a large format paver with an elegant and traditional texture. Sold and packaged together in a 1:2:2 ratio. The DesignLoc surface technology provides a highly refined, colour enriched finish.

BUNDLE SPECIFICATIONS

IMPERIAL



METRIC

Coverage	83.6 ft ²	7.76 m ²
Weight	3077 lbs	1395.85 kg
Layers	8	
Coverage per layer	10.45 ft ²	0.97 m ²
Lineal coverage	78 ft / 52 ft	23.77 m / 15.85 m
Lineal coverage per layer	9.75 ft / 6.5 ft	2.97 m / 1.98 m

COLOURS

Beige Mix
Carrara
Glacier Creek
Grey Mix


PATTERNS



13" Soldier Course



19.5" Soldier Course



RICHMOND® 80

SIGNATURE SERIES PAVER / 80MM /



BUNDLE OVERVIEW



UNIT



6.5 x 13 x 3.15 in
165 x 330 x 80 mm
Units/bundle: 168
Units/layer: 21

NOTES

For pedestrian and/or vehicular usage. Can be used on its own, or as an accent and/or border for the Trevista® 80 pavers. Subtle textured surface provides striking interest.

BUNDLE SPECIFICATIONS

IMPERIAL



METRIC

Coverage	98.4 ft ²	9.1 m ²
Weight	3622 lbs	1643 kg
Layers	8	
Coverage per layer	12.3 ft ²	1.14 m ²
Lineal coverage	91 ft / 182 ft	27.7 m / 55.4 m
Lineal coverage per layer	11.38 ft / 22.75 ft	3.47 m / 6.93 m

COLOURS

Glacier Creek
Grey Mix
Ultra Black

PATTERNS



ADELAIDE® 80

SIGNATURE SERIES PAVER / 80MM /   



BUNDLE OVERVIEW



UNIT



6.5 x 13 x 3.15 in
165 x 330 x 80 mm
Units/bundle: 168
Units/layer: 21

NOTES

For pedestrian and/or vehicular usage.
Can be used on its own or as a modern
accent and/or border for the Trevista® 80
pavers. The smooth surface provides a
contemporary finish.

BUNDLE SPECIFICATIONS

IMPERIAL



METRIC

Coverage	98.4 ft ²	9.1 m ²
Weight	3622 lbs	1643 kg
Layers	8	
Coverage per layer	12.3 ft ²	1.14 m ²
Lineal coverage	91 ft / 182 ft	27.7 m / 55.4 m
Lineal coverage per layer	11.38 ft / 22.75 ft	3.47 m / 6.93 m

COLOURS

Glacier Creek
Grey
Ultra Black

PATTERNS




CORSO®

CLASSIC SERIES PAVER / 70MM /  



BUNDLE OVERVIEW



UNIT



9.96 x 5.24 x 2.75 in
253 x 133 x 70 mm
Units/bundle: 112
Units/layer: 14



7.60 x 5.24 x 2.75 in
193 x 133 x 70 mm
Units/bundle: 112
Units/layer: 14



5.24 x 5.24 x 2.75 in
133 x 133 x 70 mm
Units/bundle: 112
Units/layer: 14

NOTES

For pedestrian and/or vehicular use.
Corso provides a European cobblestone
aesthetic with a highly detailed texture.
All sizes are sold and packaged together
in a 1:1:1 ratio.

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	94 ft ²	8.74 m ²
Weight	2907 lbs	1318.78 kg
Layers	8	
Coverage per layer	11.75 ft ²	1.09 m ²
Lineal coverage	212.8 ft	64.85 m
Lineal coverage per layer	26.6 ft	8.11 m

COLOURS

Grey Mix
Ultra Black

PATTERN




MODERNA®


CLASSIC SERIES PAVER / 70MM /   



BUNDLE OVERVIEW



UNITS



16 x 8/12 x 2.75 in
405 x 205/305 x 70 mm
Units/bundle: 64
Units/layer: 8

NOTES

For pedestrian and/or vehicular use. Install by layer for most random finish. Single shape false joint paver allows for easy and quick installation. Moderna can also be installed as a permeable paver.

BUNDLE SPECIFICATIONS

IMPERIAL



METRIC

Coverage	62 ft ²	5.76 m ²
Weight	1918 lbs	869.84 kg
Layers	8	
Coverage per layer	7.75 ft ²	0.72 m ²
Lineal coverage	47 ft*	14.4 m*
Lineal coverage per layer	5.875 ft*	1.8 m*

COLOURS

Beige Mix
Grey Mix

PATTERNS




*16" SOLDIER COURSE

ARDESIA®


CLASSIC SERIES PAVER / 70MM /  



BUNDLE OVERVIEW



UNITS



19.29 x 10.41 x 2.75 in
490 x 265 x 70 mm
Units/bundle: 64
Units/layer: 8

NOTES

For pedestrian and/or vehicular use. Single shape false joint paver allows for easy and quick installation. The Flagstone surface design provides a natural finish.

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	76.2 ft ²	7.08 m ²
Weight	2357 lbs	1069.06 kg
Layers	8	
Coverage per layer	9.52 ft ²	0.88 m ²
Lineal coverage	-	-
Lineal coverage per layer	-	-

COLOURS

Beige Mix
Grey Mix

PATTERN



STRADA[®] NOVA

CLASSIC SERIES PAVER / 70MM /  

UNITS



JUMBO
10.28 x 13.78 x 2.75 in
261 x 350 x 70 mm
Units/bundle: 72
Units/row: 9



LARGE
8.19 x 6.88 x 2.75 in
208 x 175 x 70 mm
Units/bundle: 200
Units/row: 25



SMALL
4.13 x 6.88 x 2.75 in
103 x 175 x 70 mm
Units/bundle: 384
Units/row: 48

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Coverage	72 ft ²	6.6 m ²
Weight	2227 lbs	1010.13 kg
Rows*	8	
Coverage per row*	9 ft ²	0.82 m ²
Lineal coverage	61.68 ft / 82.68 ft	18.8 m / 25.2 m
Lineal coverage per row*	7.71 ft / 10.34 ft	2.35 m / 3.15 m
Coverage per unit	1 ft ²	0.093 / m ²
Units per ft ² / m ²	1	10.91

Coverage	80 ft ²	7.43 m ²
Weight	2474 lbs	1122.37 kg
Rows*	8	
Coverage per row*	10 ft ²	0.93 m ²
Lineal coverage	115 ft / 136.5 ft	35.05 m / 41.6 m
Lineal coverage per row*	14.37 ft / 17.06 ft	4.38 m / 5.2 m
Coverage per unit	0.4 ft ²	0.037 m ²
Units per ft ² / m ²	2.5	26.92

Coverage	78 ft ²	7.24 m ²
Weight	2413 lbs	1094.31 kg
Rows*	8	
Coverage per row*	9.75 ft ²	0.9 m ²
Lineal coverage	129.75 ft / 220.2 ft	39.55 m / 67.2 m
Lineal coverage per row*	16.2 ft / 27.5 ft	4.94 m / 8.4 m
Coverage per unit	0.2 ft ²	0.019 / m ²
Units per ft ² / m ²	4.9	53.04




NOTES

For pedestrian and/or vehicular use.
Multiple size paver with antiqued surface treatment. Each size is sold and packaged separately.


*Sold in full bundles only.

BUNDLE OVERVIEW


JUMBO



LARGE




SMALL





COLOURS

Beige Mix
Grey Mix
Ultra Black


PATTERNS



Jumbo 1/2 Off-Set



Small 1/2 Off-Set



Jumbo 39%
Large 46%
Small 15%

BUNDLE OVERVIEW



UNIT



2.36" x 9.45" x 2.36"
60mm x 240mm x 60mm
Units/bundle: 585

NOTES

For pedestrian and/or vehicular use. Provides a classic smooth surface with subtle edges. Herringbone pattern provides contemporary finish. Can use independently or provides an ideal accent/border stone for 60mm slabs.

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	90.6 ft ²	8.42 m ²
Weight	2545 lbs	1154.4 kg
Layers	9	
Coverage per layer	10.07 ft ²	0.936 m ²
Lineal coverage	115.02 ft / 460.7 ft	35.1 m / 123.9 m
Lineal coverage per layer	12.78 ft / 51.19 ft	3.9 m / 15.6 m


COLOURS

Carrara
Ultra Black


PATTERNS




1/2 Off-Set



Parquet




Herringbone




45° Herringbone

ASHFORD


CLASSIC SERIES PAVER / 60MM /  



BUNDLE OVERVIEW



UNITS



13 x 8.66 x 2.36 in
330 x 220 x 60 mm
Units/bundle: 54
Units/layer: 6



8.66 x 8.66 x 2.36 in
220 x 220 x 60 mm
Units/bundle: 72
Units/layer: 8



8.66 x 4.33 x 2.36 in
220 x 110 x 60 mm
Units/bundle: 54
Units/layer: 6

NOTES

For pedestrian and/or vehicular use. Provides a classic smooth surface with subtle edges. Install in a 3:4:3 ratio. Can border/accent with Napa, Balsam and other 60mm options for consistent grades.

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC


Coverage	93.75 ft ²	8.71 m ²
Weight	2812 lbs	1156 kg
Layers	9	
Coverage per layer	10.42	0.97 m ²
Lineal coverage	130 ft	39.6 m
Lineal coverage per layer	14.44 ft	4.4 m

COLOURS


Grey Mix

New colours coming soon

PATTERNS



8.66" Soldier Course




13" Soldier Course

STANDARD

CLASSIC SERIES PAVER / 60MM /  



BUNDLE OVERVIEW



UNIT



3.93" x 7.87" x 2.36"
100mm x 200mm x 60mm
Units/bundle: Full 477 / Half 18
Units/row*: Full 53 / Half 2

NOTES

For pedestrian and/or vehicular use. Provides a classic smooth surface with subtle edges.

*Sold in full bundles only.



BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	106 ft ²	9.85 m ²
Weight	2862 lbs	1298.18 kg
Rows*	9	
Coverage per row*	11.78 ft ²	1.09 m ²
Lineal coverage	156.2 ft / 312.8 ft	47.7 m / 95.4 m
Lineal coverage per row*	17.35 ft / 34.75 ft	5.3 m / 10.6 m
Coverage per unit*	0.22 ft ²	0.02 m ²
Units per ft ² / m ²	4.59	49.34

COLOURS

- Buff Mix
- Buff-Brown Mix
- Charcoal
- Grey
- Grey Mix
- Red
- Red Mix
- Salmon Mix

PATTERNS




DOUBLE STANDARD

CLASSIC SERIES PAVER / 60MM /  



BUNDLE OVERVIEW



UNIT



7.87" x 7.87" x 2.36"
200mm x 200mm x 60mm
Units/bundle: 216
Units/row: 24

NOTES

For pedestrian and/or vehicular use. Provides a smooth square surface with subtle edges.

*Sold in full bundles only.

BUNDLE SPECIFICATIONS

IMPERIAL



METRIC

Coverage	94 ft ²	8.73 m ²
Weight	2538 lbs	1151.2 kg
Rows	9	
Coverage per row	10.44 ft ²	0.97 m ²
Lineal coverage	144 ft	43.9 m
Lineal coverage per row	16 ft	4.88 m
Coverage per unit	0.44 ft ²	0.04 m ²
Units per ft ² / m ²	2.3	24.74

COLOURS

Charcoal
Grey
Grey Mix
Red Mix
Salmon Mix

PATTERNS





SLABS



Enhanced Series

mm

26	SPECTRA (NEW)	50
27	AVARI	50
28	TRESCA™	50



Signature Series

mm

30	VENTURA	60
31	BALSAM	60
32	OPUS	60
33	LYRA	60
34	RIVERTON (NEW)	60
35	BW300	60
36	TREVISTA® SMOOTH	50
37	TREVISTA® TEXTURED	50
38	RICHMOND	50
39	ADELAIDE	50

Classic Series

mm

40	HUNTINGTON (NEW)	70
41	HIGHRISE (NEW)	50
42	FLAGSTONE	40
43	STANDARD™ PRESS	40
44	BASKETWEAVE™	40



Porcelain

mm

45	DADO CERAMICA	20
----	---------------	----



PHYSICAL & GEOMETRICAL CHARACTERISTICS

Precast Concrete Paving Slabs

Characteristics	CSA A231.1
Flexural Strength	5.0 MPa (725 psi) min.
Freeze-thaw durability with use of deicing salt	Mass loss (max): 225 g/m ² at 28 cycles Mass loss (max): 500 g/m ² at 49 cycles
Dimensional tolerance ¹	Length and Width: -1.0mm to +2.0mm Thickness: ±3 mm
Concave or Convex Warpage (Up to and including 450 mm)	±2.0 mm
Concave or Convex Warpage (Over 450 mm)	±3.0 mm


¹ The dimensional tolerance prior to the application of architectural finishes

SPECTRA NEW

ENHANCED SERIES SLAB / 50MM /  



BUNDLE OVERVIEW



UNIT



23.62 x 23.62 x 2 in
600 x 600 x 50 mm
Units/bundle: 20

NOTES

For pedestrian use only. Large format slab with a shot blasted, soft touch surface. The NanoBlast technology provides a detailed contemporary finish enhanced by granite aggregates throughout.

Plate tamper not recommended.

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC


Coverage	77.5 ft ²	6.47 m ²
Weight	1840 lbs	834.6 kg
Layers	10	
Coverage per layer	7.75 ft ²	0.72 m ²
Lineal coverage	39.4 ft	12 m
Lineal coverage per layer	3.94 ft	1.2 m

COLOURS


Brightsand
Eclipse
Silverlight
Storm



PATTERNS



Tile Joint




1/2 Off-Set



BUNDLE OVERVIEW



UNIT



28 x 14 x 2 in
710 x 355 x 50 mm
Units/bundle: 30
Units/layer: 3

NOTES

For pedestrian use only. Large format rectangular slab with soft touch surface. Provides a contemporary smooth finish. DesignLoc technology provides a highly refined finish, protected and enhanced by ChromaTec. Accent or border with Richmond 50 or Adelaide 50.

Plate tamper not recommended.

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	81.6 ft ²	7.58 m ²
Weight	1890 lbs	857 kg
Layers	10	
Coverage per layer	8.16 ft ²	0.76 m ²
Lineal coverage	70 ft / 35 ft	21.3 m / 10.7 m
Lineal coverage per layer	7 ft / 3.5 ft	2.13 m / 1.07 m


COLOURS

Carrara
Glacier Creek
Grey Mix


PATTERNS




3/4 Off-Set *Best Practice*



1/2 Off-Set




Herringbone



Tile Joint

UNITS



20x20
19.69 x 19.69 x 2 in
500 x 500 x 50 mm
Units/bundle: 40



10x20
9.84 x 19.69 x 2 in
250 x 500 x 50 mm
Units/bundle: 60



10x10
9.84 x 9.84 x 2 in
250 x 250 x 50 mm
Units/bundle: 120

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Coverage	107.7 ft ²	10 m ²
Weight	2369 lbs	1077 kg
Weight per unit	58.5 lbs	26.52 kg
Coverage per unit	2.69 ft ²	0.25 m ²
Lineal coverage	65.62 ft	20 m
Lineal coverage per unit	1.64 ft	0.5 m
Coverage	80.7 ft ²	7.5 m ²
Weight	1775.4 lbs	806 kg
Weight per unit	29.9 lbs	13.56 kg
Coverage per unit	1.35 ft ²	0.125 m ²
Lineal coverage	49.21ft / 98.42 ft	15 m / 30 m
Lineal coverage per unit	0.82 ft / 1.64 ft	0.25 m / 0.5 m
Coverage	80.7 ft ²	7.5 m ²
Weight	1775.4 lbs	806 kg
Weight per unit	15.4 lbs	6.95 kg
Coverage per unit	0.67 ft ²	0.0625 m ²
Lineal coverage	98.42 ft	30 m
Lineal coverage per unit	0.82 ft	0.25 m




NOTES

For pedestrian use only. The subtle surface texture provides an ideal application for patios and pool decks. DesignLoc technology provides a highly refined finish, protected and enhanced by ChromaTec. Accent or border with Richmond 50 or Adelaide 50.


All sizes sold and packaged separately.
Plate tamper not recommended.

BUNDLE OVERVIEW


20x20



10x10






10x20




COLOURS

Glacier Creek
Grey Mix

PATTERNS



1/2 Off-Set




20x20 - 57%
10x20 - 29%
10x10 - 14%

VENTURA

SIGNATURE SERIES SLAB / 60MM /  




BUNDLE OVERVIEW




UNITS



15.67 x 23.5 x 2.36 in
398 x 597 x 60 mm
Units/bundle: 18
Units/layer: 2



15.67 x 15.67 x 2.36 in
398 x 398 x 60 mm
Units/bundle: 27
Units/layer: 3



7.87 x 15.67 x 2.36 in
199 x 398 x 60 mm
Units/bundle: 27
Units/layer: 3

NOTES

Large format slab with subtle textured surface for pedestrian use only. DesignLoc technology provides a highly refined finish, with integral colouring. Border or accent with Lyra, Napa or Riverton.

Sold and packaged together in a 2:3:3 ratio. Plate tamper not recommended.


BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	115.1 ft ²	10.69 m ²
Weight	3486 lbs	1581 kg
Layers	9	
Coverage per layer	12.79 ft ²	1.19 m ²
Lineal coverage	88.1 / 58.75 ft	26.86 / 17.91 m
Lineal coverage per layer	9.79 / 6.53 ft	2.98 / 1.99 m

COLOURS

Carrara
Glacier Creek

PATTERNS



BALSAM

SIGNATURE SERIES SLAB / 60MM /



BUNDLE OVERVIEW



UNIT



31.5 x 7.87 x 2.36 in
800 x 200 x 60 mm
Units/bundle: 50
Units/layer: 5

NOTES

For pedestrian use only. Elongated plank format slab with wood grain finish. DesignLoc technology provides a highly refined and detailed finish, with integral colouring.

Plate tamper not recommended.

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	86 ft ²	8 m ²
Weight	2322 lbs	1053 kg
Layers	10	
Coverage per layer	8.6 ft ²	0.8 m ²
Lineal coverage	131.25 ft / 32.8 ft	40 m / 10 m
Lineal coverage per layer	13.1 ft / 3.28 ft	4 m / 1 m


COLOURS

Glacier Creek
Muskoka
Silver Birch


PATTERNS




Tile Joint




Parquet




Herringbone



1/2 Off-Set



3/4 Off-Set




45 Herringbone

OPUS

SIGNATURE SERIES SLAB / 60MM /  



BUNDLE OVERVIEW



UNIT



23.62 x 23.62 x 2.36 in
600 x 600 x 60 mm
Units/bundle: 18

NOTES

For pedestrian use only. Large format square slab with modern smooth finish. DesignLoc technology provides a highly refined finish, with integral colouring. Can border or accent with Lyra, Riverton Balsam or Napa for maximum design.

Plate tamper not recommended.

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	69.7 ft ²	6.47 m ²
Weight	2091 lbs	948.5 kg
Layers	9	
Coverage per layer	7.75 ft ²	0.72 m ²
Lineal coverage	35.4 ft	10.79 m
Lineal coverage per layer	3.94 ft	1.2 m


COLOURS

Carrara
Harbour Grey
Pearl
Ultra Black

PATTERNS



Tile Joint



1/2 Off-Set

LYRA


SIGNATURE SERIES SLAB / 60MM /



BUNDLE OVERVIEW



UNIT



11.81 x 23.62 x 2.36 in
300 x 600 x 60mm
Units/bundle: 54
Units/layer: 6

NOTES

For pedestrian use only. Medium format slab with a soft touch surface. Provides a contemporary finish. DesignLoc technology allows for a highly refined surface, with integral colouring.

Plate tamper not recommended.

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	104.6 ft ²	9.72 m ²
Weight	3035 lbs	1376.6 kg
Layers	9	
Coverage per layer	11.62 ft ²	1.08 m ²
Lineal coverage	106.3 ft / 53.15 ft	16.2 m / 32.4 m
Lineal coverage per layer	11.81 ft / 5.9 ft	1.8 m / 3.6 m


COLOURS

Carrara
Harbour Grey
Pearl
Ultra Black


PATTERNS




3/4 Off-Set *Best Practice*



1/2 Off-Set




Herringbone




Tile Joint

BUNDLE OVERVIEW



UNIT



11.81 x 23.62 x 2.36 in
300 x 600 x 60mm
Units/bundle: 54
Units/layer: 6

NOTES

For pedestrian use only. Medium format slab with a soft touch 45 degree embossed surface texture. Provides a contemporary finish. DesignLoc technology allows for a highly refined surface, with integral colouring. Compliment with Lyra and/or Opus for maximum design aesthetic.

Plate tamper not recommended.

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC


Coverage	104.6 ft ²	9.72 m ²
Weight	3015 lbs	1367.6 kg
Layers	9	
Coverage per layer	11.62 ft ²	1.08 m ²
Lineal coverage	106.3 ft / 53.15 ft	16.2 m / 32.4 m
Lineal coverage per layer	11.81 ft / 5.9 ft	1.8 m / 3.6 m

COLOURS

Harbour Grey
Pearl
Ultra Black



PATTERNS



3/4 Off-Set *Best Practice*

1/2 Off-Set

Herringbone


Tile Joint

BW300


SIGNATURE SERIES SLAB / 60MM / 



BUNDLE OVERVIEW



UNIT



11.81 x 23.62 x 2.36 in
300 x 600 x 60 mm
Units/bundle: 18

NOTES

For pedestrian use only. Contemporary rectangular slab with highly detailed cross-stitch texturing. Can accent or border with multiple 60mm slabs available.

BW300 does not include spacer bars.
Plate tamper not recommended.

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	34.8 ft ²	3.23 m ²
Weight	990.6 lbs	449.3 kg
Units	18	
Coverage per unit	1.93 ft ²	0.18 m ²
Lineal coverage	35.4 ft / 17.7 ft	10.79 m / 5.4 m
Lineal coverage per unit	1.97 ft / 0.98 ft	0.6 m / 0.3 m


COLOURS

Nightfall
Pearl
Phantom


PATTERNS




Tile Joint



1/2 Off-Set



Herringbone




3/4 Off-Set

TREVISTA® 50 SMOOTH

SIGNATURE SERIES SLAB / 50MM /  



BUNDLE OVERVIEW



UNITS



19.5 x 13 x 2 in
495 x 330 x 50 mm
Units/bundle: 24
Units/layer: 2



13 x 13 x 2 in
330 x 330 x 50 mm
Units/bundle: 48
Units/layer: 4



6.5 x 13 x 2 in
165 x 330 x 50 mm
Units/bundle: 48
Units/layer: 4

NOTES

For pedestrian use only. Large format slabs with a smooth modern finish. DesignLoc technology provides a highly refined surface, with integral colouring. Border or accent with Adelaide 50, Lyra, Richmond 50 or Tresca.

Sold and packaged together in a 1:2:2 ratio. Plate tamper not recommended.

BUNDLE SPECIFICATIONS

IMPERIAL



METRIC

Coverage	125.4 ft ²	11.64 m ²
Weight	3010 lbs	1365 kg
Layers	12	
Coverage per layer	10.45 ft ²	0.97 m ²
Lineal coverage	117 ft / 78 ft	35.64 m / 23.76 m
Lineal coverage per layer	9.75 ft / 6.5 ft	2.97 m / 1.98 m

COLOURS

Beige Mix
Carrara
Glacier Creek
Grey Mix


PATTERNS



13" Soldier Course



19.5" Soldier Course




TREVISTA® 50 TEXTURED

SIGNATURE SERIES SLAB / 50MM /  



BUNDLE OVERVIEW



UNITS



19.5 x 13 x 2 in
495 x 330 x 50 mm
Units/bundle: 24
Units/layer: 2



13 x 13 x 2 in
330 x 330 x 50 mm
Units/bundle: 48
Units/layer: 4



6.5 x 13 x 2 in
165 x 330 x 50 mm
Units/bundle: 48
Units/layer: 4

NOTES

For pedestrian use only. Large format slabs with natural textured finish. DesignLoc technology provides a highly refined and detailed surface, with integral colouring. Border or accent with Adelaide 50, Lyra, Richmond 50 or Tresca.

Sold and packaged together in a 1:2:2 ratio. Plate tamper not recommended.




BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	125.4 ft ²	11.64 m ²
Weight	3010 lbs	1365 kg
Layers	12	
Coverage per layer	10.45 ft ²	0.97 m ²
Lineal coverage	117 ft / 78 ft	35.64 m / 23.76 m
Lineal coverage per layer	9.75 ft / 6.5 ft	2.97 m / 1.98 m

COLOURS

Beige Mix
Carrara
Glacier Creek
Grey Mix


PATTERNS



13" Soldier Course



19.5" Soldier Course




RICHMOND 50

SIGNATURE SERIES SLAB / 50MM /  



BUNDLE OVERVIEW



UNIT



6.5 x 13 x 2 in
165 x 330 x 50 mm
Units/bundle: 252
Units/layer: 21

NOTES

For pedestrian use only. Can be used on its own, or as an accent and/or border for 50mm line of slabs. Subtle textured surface provides striking interest.

Plate tamper not recommended.

BUNDLE SPECIFICATIONS

IMPERIAL



METRIC

Coverage	147.6 ft ²	13.65 m ²
Weight	3542 lbs	1606.5 kg
Layers	12	
Coverage per layer	12.3 ft ²	1.14 m ²
Lineal coverage	136.5 ft / 273 ft	41.55 m / 83.1 m
Lineal coverage per layer	11.38 ft / 22.75 ft	3.46 m / 6.93 m

COLOURS

Glacier Creek
Grey Mix
Ultra Black

PATTERNS




ADELAIDE 50


SIGNATURE SERIES SLAB / 50MM /  



BUNDLE OVERVIEW



UNIT



6.5 x 13 x 2 in
165 x 330 x 50 mm
Units/bundle: 252
Units/layer: 21

NOTES

For pedestrian use only. Can be used on its own or as a modern accent and/or border for 50mm line of slabs. The smooth surface provides a contemporary finish.

Plate tamper not recommended.



BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	147.6 ft ²	13.65 m ²
Weight	3542 lbs	1606.5 kg
Layers	12	
Coverage per layer	12.3 ft ²	1.14 m ²
Lineal coverage	136.5 ft / 273 ft	41.55 m / 83.1 m
Lineal coverage per layer	11.38 ft / 22.75 ft	3.46 m / 6.93 m


COLOURS

Glacier Creek
Grey
Ultra Black


PATTERNS



BUNDLE OVERVIEW



UNITS



15.67 x 23.5 x 2.75 in
398 x 597 x 70 mm
Units/bundle: 16
Units/layer: 2



15.67 x 15.67 x 2.75 in
398 x 398 x 70 mm
Units/bundle: 24
Units/layer: 3



7.83 x 15.67 x 2.75 in
199 x 398 x 70 mm
Units/bundle: 24
Units/layer: 3

NOTES

Large format slab with a smooth modern surface. Border or accent with Corso or Strada Nova.

Sold and packaged together in a 2:3:3 ratio.
Plate tamper not recommended.

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC


Coverage	102.3 ft ²	9.5 m ²
Weight	3165 lbs	1435 kg
Layers	8	
Coverage per layer	12.79 ft ²	1.19 m ²
Lineal coverage	78.32 / 52.23 ft	23.88 / 15.92 m
Lineal coverage per layer	9.79 / 6.53 ft	2.98 / 1.99 m

COLOURS

Grey Mix

New colours coming soon


PATTERNS



24" Soldier Course




16" Soldier Course



CLASSIC SERIES SLAB / 50MM / 

BUNDLE OVERVIEW



UNIT



23.62 x 23.62 x 2 in
600 x 600 x 50 mm
Units/bundle: 21

NOTES

A large format slab with a smooth surface finish. The Highrise slab brings a modern touch to a traditional paving and rooftop terracing slab.

Sold in full bundles only.
Plate tamper not recommended.

BUNDLE SPECIFICATIONS

IMPERIAL



METRIC

Coverage	81.4 ft ²	7.56 m ²
Weight	2083 lbs	945 kg
Units	21	
Coverage per unit	3.87 ft ²	0.36 m ²
Lineal coverage	41.34 ft	12.6 m
Lineal coverage per unit	1.97 ft	0.6 m

COLOURS

Grey

PATTERNS




FLAGSTONE

CLASSIC SERIES SLAB / 40MM / 



BUNDLE OVERVIEW



UNIT



23.62 x 23.62 x 1.57 in
600 x 600 x 40 mm
Units/bundle: 25

NOTES

For pedestrian use only. Naturally inspired flagstone finish. Classic slab, does not include spacer bars.

*Sold in full bundles only.
Plate tamper not permitted.

BUNDLE SPECIFICATIONS

IMPERIAL



METRIC

Coverage	97 ft ²	9 m ²
Weight	1925 lbs	873 kg
Units	25	
Coverage per unit	3.87 ft ²	0.36 m ²
Lineal coverage	49.21 ft	15 m
Lineal coverage per unit	1.97 ft	0.6 m

COLOURS

Grey
Nightfall (NEW)

PATTERNS



STANDARD™ PRESS

CLASSIC SERIES SLAB / 40MM, 50MM & 65MM / 



24x30

23.62 x 29.52 x 1.57 in
600 x 750 x 40 mm

	IMPERIAL	METRIC
Coverage	121 ft ²	11.25 m ²
Weight	2410 lbs	1093 kg
Units	25	
Coverage per unit	4.84 ft ²	0.45 m ²
Lineal coverage	49.21 ft / 61.52 ft	15 m / 18.75 m
Lineal coverage per unit	1.97 ft / 2.46 ft	0.6 m / 0.75 m

24x24

23.62 x 23.62 x 1.57 in
600 x 600 x 40 mm

Coverage	97 ft ²	9 m ²
Weight	1925 lbs	873 kg
Units	25	
Coverage per unit	3.87 ft ²	0.36 m ²
Lineal coverage	49.21 ft	15 m
Lineal coverage per unit	1.97 ft	0.6 m

12x24

11.81 x 23.62 x 1.57 in
300 x 600 x 40 mm

Coverage	48 ft ²	4.5 m ²
Weight	963 lbs	435.8 kg
Units	25	
Coverage per unit	1.93 ft ²	0.18 m ²
Lineal coverage	24.61 ft / 49.21 ft	7.5 m / 15 m
Lineal coverage per unit	0.98 ft / 1.97 ft	0.3 m / 0.6 m

COLOURS

Charcoal (Available in 600x600x40mm only)

Grey (All colours and sizes)

Red (Available in 600x600 & 400x400 only)

16x16

15.75 x 15.75 x 1.75 in
400 x 400 x 45 mm

	IMPERIAL	METRIC
Coverage	103 ft ²	9.6 m ²
Weight	2070 lbs	939 kg
Units	60	
Coverage per unit	1.72 ft ²	0.16 m ²
Lineal coverage	78.74 ft	24 m
Lineal coverage per unit	1.31 ft	0.4 m

24x24 (50MM SPECIAL ORDER)

23.62 x 23.62 x 2 in
600 x 600 x 50 mm

81.4 ft ²	7.56 m ²	58 ft ²	5.4 m ²
2083 lbs	945 kg	2100 lbs	952.3 kg
21		15	
3.87 ft ²	0.36 m ²	3.87 ft ²	0.36 m ²
41.34 ft	12.6 m	29.53 ft	9 m
1.97 ft	0.6 m	1.97 ft	0.6 m

24x24 (65MM SPECIAL ORDER)

23.62 x 23.62 x 2.5 in
600 x 600 x 65 mm

81.4 ft ²	7.56 m ²	58 ft ²	5.4 m ²
2083 lbs	945 kg	2100 lbs	952.3 kg
21		15	
3.87 ft ²	0.36 m ²	3.87 ft ²	0.36 m ²
41.34 ft	12.6 m	29.53 ft	9 m
1.97 ft	0.6 m	1.97 ft	0.6 m

NOTES

For pedestrian use only. Classic slabs do not include spacer bars.
All sizes sold and packaged separately. Sold in full bundles only.
The use of a plate tamper is not permitted.

BASKETWEAVE™

CLASSIC SERIES SLAB / 40MM, 50MM & 65MM / 



24x30

23.62 x 29.52 x 1.57 in
600 x 750 x 40 mm

	IMPERIAL	METRIC
Coverage	121 ft ²	11.25 m ²
Weight	2410 lbs	1093 kg
Units	25	
Coverage per unit	4.84 ft ²	0.45 m ²
Lineal coverage	49.21 ft / 61.52 ft	15 m / 18.75 m
Lineal coverage per unit	1.97 ft / 2.46 ft	0.6 m / 0.75 m

12x24

11.81 x 23.62 x 1.57 in
300 x 600 x 40 mm

Coverage	48 ft ²	4.5 m ²
Weight	963 lbs	435.8 kg
Units	25	
Coverage per unit	1.93 ft ²	0.18 m ²
Lineal coverage	24.61 ft / 49.21 ft	7.5 m / 15 m
Lineal coverage per unit	0.98 ft / 1.97 ft	0.3 m / 0.6 m

24x24

23.62 x 23.62 x 1.57 in
600 x 600 x 40 mm

	IMPERIAL	METRIC
Coverage	97 ft ²	9 m ²
Weight	1925 lbs	873 kg
Units	25	
Coverage per unit	3.87 ft ²	0.36 m ²
Lineal coverage	49.21 ft	15 m
Lineal coverage per unit	1.97 ft	0.6 m

24x24 (50MM SPECIAL ORDER)

23.62 x 23.62 x 2 in
600 x 600 x 50 mm

81.4 ft ²	7.56 m ²
2083 lbs	945 kg
21	
3.87 ft ²	0.36 m ²
41.34 ft	12.6 m
1.97 ft	0.6 m

24x24 (65MM SPECIAL ORDER)

23.62 x 23.62 x 2.5 in
600 x 600 x 65 mm

58 ft ²	5.4 m ²
2100 lbs	952.3 kg
15	
3.87 ft ²	0.36 m ²
29.53 ft	9 m
1.97 ft	0.6 m

NOTES


For pedestrian use only. Classic slabs, does not include spacer bars.
All sizes sold and packaged separately. Sold in full bundles only.
The use of a plate tamper is not permitted.

COLOURS

White



UNITS



24x24 - Rectified Edge

23.62 x 23.62 x 0.79 in
600 x 600 x 20 mm
Units/box: 2, Units/bundle: 60



16x32 - Rectified Edge

15.94 x 31.89 x 0.79 in
405 x 810 x 20mm
Units/box: 2, Units/bundle: 56

NOTES

Designed and made in Italy. Light weight for easy installation. Easy to clean, and frost, mold and slip resistant. Sold by full bundle or boxes of 2. The use of a plate tamper is not permitted.

*Bundle weight includes pallet

BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	232.5 ft ²	21.6 m ²
Weight*	2116 lbs	960 kg
Weight per box	69 lbs	31.2 kg
Coverage per box	7.7 ft ²	0.72 m ²
Lineal	118 ft	35.9 m
Lineal per box	3.94 ft	1.2 m


COLOURS: Country Black Slate, Country Grey Slate, Scout White

Coverage	197.7 ft ²	18.37 m ²
Weight*	1940 lbs	880 kg
Weight per box	54.9 lbs	24.9 kg
Coverage per box	7 ft ²	0.65 m ²
Lineal	74.39 ft / 148.82 ft	22.67 m / 45.36 m
Lineal per box	2.66 ft / 5.32 ft	0.81 m / 1.62m



COLOURS: Jasmine, Universal Oak

PATTERNS

24x24



16x32







WALLS



Signature Series

- 49 BARNBEAM (NEW)
- 50 SOHO

Classic Series

- 51 ARLINGTON
- 52 HAZELTON™
- 53 ANTICO STACKER
- 54 GARDEN LOCK™
- 56 PARKWALL®
- 58 IKON
- 59 RIDGEWALL® SRW SYSTEM

Rosetta

- 62 ROCKTON
- 63 BELVEDERE

PHYSICAL & GEOMETRICAL CHARACTERISTICS

Dry-cast Wall Units

Characteristics		ASTM C 1372 ²
Compressive strength		20.7 MPa (3000 psi) min.
Durability to freeze thaw cycles Mass loss		after 100 cycles 1% (max.)
		after 150 cycles 1.5% (max.)
Water absorption		208 kg/m ³ max. (13 lb/ft ³)
Dimension tolerance ¹	length	±3 mm (1/8")
	width	±3 mm (1/8")
	height	±3 mm (1/8")

1. The dimensional tolerance not applicable to split facings or other architectural finish

2. ASTM C1372 Standard specification for Dry-Cast, SRW units



Barnbeam Weatherwood




Arlington Nightfall

BARNBEAM WALL + CURB NEW

SIGNATURE SERIES WALL / WETCAST DOUBLE-SIDED / DRY STACK



BUNDLE OVERVIEW



UNIT



40w x 6h x 8d in
1015w x 152h x 203d mm
Units/bundle: 16

NOTES

The Barnbeam wall combines the natural grains and details of wood with the durability of concrete. These three sided units are produced using Best Way Stone's wetcast technology allowing for maximum detail, and integral colouring throughout the surface.


BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	26.6 ft ²	2.47 m ²
Lineal Coverage	53.3 ft	16.24 m
Weight	2527 lbs	1146 kg
Weight per unit	158 lbs	71.7 kg
Coverage per unit	1.66ft ²	0.15 m ²
Lineal coverage per unit	3.33 ft	1.01 m

COLOURS


Weatherwood

1/2 OFF-SET




Create 1/2 unit (20"w) to start alternating rows.

TYPICAL CROSS SECTIONS



CORNER CONSTRUCTION



Alternate overlap each row.

SOHO

SIGNATURE SERIES WALL / SINGLE-SIDED / 



BLOCK UNITS (4-PACK)



13.78w x 3.94h x 8.85d in
350w x 100h x 225d mm
Units/bundle: 15
Units/layer: 5



17.72w x 3.94h x 8.85d in
450w x 100h x 225d in
Units/bundle: 15
Units/layer: 5



21.65w x 3.94h x 8.85d in
550w x 100h x 225d mm
Units/bundle: 15
Units/layer: 5



25.59w x 3.94h x 8.85d in
650w x 100h x 225d mm
Units/bundle: 15
Units/layer: 5

CORNER UNIT



13.78w x 3.94h x 8.85d in
350w x 100h x 225d mm
Units/bundle: 60
Units/layer: 20

NOTES

A single-sided smooth wall, made with DesignLoc® surface refinement technology. Use Arlington or Garden Lock coping for ideal finish. Soho's corner creates a 22.5" x 22.5" column. Sold and packaged separately from the block units.

COLOURS

- Carrara
- Glacier Creek
- Grey Mix
- Ultra Black


NEW PACKAGING

BUNDLE SPECIFICATIONS	IMPERIAL	METRIC
Coverage	19.35 ft ²	1.8 m ²
Lineal coverage	59.04 ft	18 m
Weight	1926 lbs	873.6 kg
Layers	3	-
Coverage per 4 pack	2.15 ft ²	0.2 m ²
Linear coverage per 4 pack	6.56 ft	2 m
Weight per 4 pack	214 lbs	97 kg
4 packs per bundle	9	-
4 packs per layer	3	-

Coverage	22.5 ft ² / 14.4 ft ²	2.1 m ² / 1.35 m ²
Lineal coverage	69 ft / 44.4 ft	10.5 m / 6.75 m
Weight	2196 lbs	996 kg
Coverage per unit	0.62 ft ²	0.06 m ²
Linear coverage per unit	1.15 ft / 0.74 ft	0.18 m / 0.11 m
Weight per unit	36.6 lbs	16.6 kg


BUNDLE OVERVIEW

BLOCK



NEW PACKAGING

CORNER



ARLINGTON

CLASSIC SERIES WALL SYSTEM / DOUBLE-SIDED SMOOTH WALL

UNITS



BLOCK

15.75w x 4.92h x 8.85d in
400w x 125h x 225d mm



CORNER

15.75w x 4.92h x 8.85d in
400w x 125h x 225d mm



COPING

15.75w x 2.36h x 10.23d in
400w x 60h x 260d mm

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Coverage	26.9 ft ²	2.5 m ²
Lineal Coverage	65.6 ft	20 m
Weight	2600 lbs	1179.3 kg
Units	50	-
Coverage per unit	0.53 ft ²	0.05 m ²
Lineal coverage per unit	1.31 ft	0.4 m

Coverage	26.9 / 15 ft ²	2.5 / 1.39 m ²
Lineal Coverage	65.6 ft	20 m
Weight	2595 lbs	1177 kg
Units	50	-
Coverage per unit	0.53 / 0.3 ft ²	0.05 / 0.027
Lineal coverage per unit	1.31 / 0.74 ft	0.4 / 0.225 m

Lineal Coverage	94.5 ft	28.8 m
Weight	2146 lbs	973.4 kg
Units	72	-
Lineal coverage per unit	1.31 ft	0.4 m
Sections	4	-
Lineal coverage per section	23.6 ft	7.2 m

NOTES

Smooth double-sided wall unit with a locking feature that works in tandem with Garden Lock and Hazelton.


COLOURS

Grey Mix
Nightfall

New colours coming soon

BUNDLE OVERVIEW

BLOCK & CORNER	COPING




*Set-back can be erected to 36" matching Garden Lock.

HAZELTON

CLASSIC SERIES WALL SYSTEM / DOUBLE-SIDED



UNITS



BLOCK
11.81w x 4.92h x 8.85d in
300w x 125h x 225d mm
Units/bundle: 60



CORNER
12.8w x 4.92h x 6.9d in
325w x 125h x 175d mm
Units/bundle: 48

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Coverage	24.21 ft ²	2.25 m ²
Lineal Coverage	59.05 ft	18 m
Weight	2296 lbs	1041.5 kg
Weight per unit	38.3 lbs	17.4 kg
Coverage per unit	0.404 ft ²	0.038 m ²
Lineal coverage per unit	0.984 ft	0.3 m


Coverage	21 ft ² / 11.3 ft ²	1.95 m ² / 1.05 m ²
Lineal Coverage	51.2 ft / 27.6 ft	15.6 m / 8.4 m
Weight	1642 lbs	744 kg
Weight per unit	34.2 lbs	15.5 kg
Coverage per unit	0.44 ft ² / 0.23 ft ²	0.04 m ² / 0.02 m ²
Lineal coverage per unit	1.06 ft / 0.57 ft	0.32 m / 0.17 m

NOTES


A double-sided textured wall with a locking system that allows for vertical or set-back designs. The corner creates a 20" x 20" column. Block and corner units are sold separately. Arlington, Montana, Riviera, or Garden Lock coping are ideal to complete Hazelton wall.

BUNDLE OVERVIEW

BLOCK





CORNER



COLOURS

Beige Mix
Grey Mix
Ultra Black

TYPICAL CROSS SECTIONS




ANTICO® STACKER

STACK WALL / TUMBLED



BUNDLE OVERVIEW



UNIT



11.81w x 3.92h x 7.87d in
300w x 100h x 200d mm
Units/bundle: 96

NOTES

A tumbled unit with smooth antiqued surface. Stacker is a versatile stacking block that can be applied to multiple applications such as garden walls, outdoor kitchens, columns, water and fire features. Creates a 19.5" x 19.5" column base.

COLOURS

Beige Mix
Grey Mix
Ultra Black

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	31 ft ² / 20.67 ft ²	2.88 m ² / 1.92 m ²
Lineal Coverage	94.5 ft / 63 ft	19.2 m / 28.8 m
Weight	2861 lbs	1297.6 kg
Weight per unit	29.8 lbs	13.5 kg
Coverage per unit	0.32 ft ² / 0.21 ft ²	0.03 m ² / 0.02 m ²
Lineal coverage per unit	0.98 ft / 0.66 ft	0.2 m / 0.3 m
Sections	4	-
Coverage per section	7.75 ft ² / 5.17 ft ²	0.72 m ² / 0.48 m ²
Lineal coverage per section	23.62 ft / 15.75 ft	4.8 m / 7.2 m


GARDEN LOCK™

CLASSIC SERIES WALL SYSTEM / SPLIT-FACE / DOUBLE-SIDED

BUNDLE OVERVIEW



TRIPLE UNIT



Large Unit
14.96w x 4.92h x 8.85d in
380w x 125h x 225d mm
Units: 25



Medium Unit
9.84w x 4.92h x 8.85d in
250w x 125h x 225d mm
Units: 25



Small Unit
7.48w x 4.92h x 8.85d in
190w x 125h x 225d mm
Units: 25

NOTES

A double-sided split face wall that can be installed vertically or set-back. Specific medium blocks can be installed on their side, identified with locking feature along the vertical side of block unit. Triple units are sold and packaged together in a 1:1:1 ratio. Use Arlington or Garden Lock coping for best finish.

BUNDLE SPECIFICATIONS



	IMPERIAL	METRIC
Coverage	27.5 ft ²	2.55 m ²
Lineal Coverage	67.26 ft	20.5 m
Weight	3113 lbs	1412.16 kg
Weight per triple	124.5 lbs	56.5 kg
Coverage per triple	1.1 ft ²	0.1 m ²
Lineal coverage per triple	2.69 ft	0.82 m
Sections	5	-
Coverage per section	5.5 ft ²	0.51 m ²
Lineal coverage per section	13.45 ft	4.1 m

COLOURS

Beige Mix
Grey
Grey Mix
Ultra Black*
Winterborn


*Straight coping only

TYPICAL CROSS SECTIONS





UNIT



STRAIGHT COPING

15.74w x 2.95h x 10.23d in
400w x 75h x 260d mm



CORNER

13.46w x 4.92h x 8.85d in
342w x 125h x 225d mm



WEDGE BLOCK

8.07(5.31)w x 4.92h x 8.85d in
205(135)w x 125d x 225d mm



WEDGE COPING

8.23(5.17)w x 2.95h x 10.23d in
209(131)w x 75h x 260d mm

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Lineal Coverage	84 ft	25.6 m
Weight	2458 lbs	1114.75 kg
Units	64	-
Lineal coverage per unit	1.31 ft	0.4 m
Sections	4	-
Lineal coverage per section	21 ft	6.4 m

Coverage	18.3 ft ² / 11.8 ft ²	1.7 m ² / 1.1 m ²
Weight	1786 lbs	810 kg
Units	40	-
Coverage per unit	0.4 ft ² / 0.3 ft ²	0.04 m ² / 0.03 m ²
Lineal coverage	44.9 ft / 29.5 ft	13.68 m / 9 m
Lineal coverage per unit	1.12 ft / 0.74 ft	0.34 m / 0.23 m

Coverage	34.7 ft ² / 23 ft ²	3.22 m ² / 2.14 m ²
Weight	3013 lbs	1366.45 kg
Units	125	
Coverage per unit	0.32 ft ² / 0.21 ft ²	0.03 m ² / 0.02 m ²
Lineal coverage	84.06 ft / 55.38 ft	25.63 m / 16.88 m
Lineal coverage per unit	0.66 ft / 0.46 ft	0.2 m / 0.14 m

Weight	2635 lbs	1195.31 kg
Units	160	
Lineal coverage	87.89 ft / 55.25 ft	26.76 m / 16.82 m
Lineal coverage per unit	0.55 ft / 0.35 ft	0.17 m / 0.11 m

NOTES

// 20 Wedge blocks and 20 Wedge units make a circle with 53.5" outside diameter and 33" inside diameter.

// Corner creates a 22.3" x 22.3" column base

UNITS



REGULAR & TAPERED BLOCK

7.87w x 5.9h x 11.61d in
200w x 150h x 295d mm



CORNER

7.87w x 5.9h x 11.61d in
200w x 150h x 295d mm



COPING

23.62w x 2.95h x 11.81d in
600w x 75h x 300d mm

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Coverage	20 ft ²	1.85 m ²
Lineal Coverage	40 ft	12 m
Weight	2575 lbs	1167.95 kg
Units	60	-
Coverage per unit	0.34 ft ²	0.03 m ²
Lineal coverage per unit	0.67 ft	0.2 m

Coverage	-	-
Lineal Coverage	15.75 ft / 23.23 ft	4.8 m / 7.08 m
Weight	1064 lbs	482.6 kg
Units	24	-
Coverage per unit	-	-
Lineal coverage per unit	0.66 ft / 0.97 ft	0.2 m / 0.3 m

Lineal Coverage	64 ft	19.2 m
Weight	2144 lbs	972 kg
Units	32	-
Lineal coverage per unit	2 ft	0.6 m
Sections	4	-
Lineal coverage per section	16 ft	4.8 m

NOTES


A single sided split face wall, with a double-sided option. Regular and tapered blocks can be split along back joint to remove smooth face and create double-sided finish. Can be installed vertically or set-back, front-facing or reversed, or any combination. Alternate a full 4 corner column row of the same indicated corners (Rights / Lefts) to make a 19.5" x 19.5" column base.

COLOURS


Beige Mix
Grey
Grey Mix
Ultra Black (coping only)
Winterborn




BUNDLE OVERVIEW



REGULAR & TAPERED BLOCK





CORNERS



COPING

TYPICAL CROSS SECTIONS



DESIGN VERSATILITY

Split-Face Vertical



Smooth-Face Accent



In or Out-Set Accent



Smooth-Face In or Out-Set



Combination Accenting




No block manipulation required. Simply turn the block, or set in and out as desired along the patented locking feature.

IKON

CLASSIC SERIES WALL / SMOOTH FINISH / LARGE SRW



BUNDLE OVERVIEW



UNITS



BLOCK
39.4w x 6.7h x 14d in
1000w x 170h x 355d mm
Units/bundle: 9



COPING
39.4w x 6.7h x 14d in
1000w x 170h x 355d mm
Units/bundle: 9

NOTES

Large format segmental retaining wall with a double-sided smooth finish. Units can be reversed to set-back the wall system. Engineering details and services available for the Ikon wall system.

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

	IMPERIAL	METRIC
Coverage	16.5 ft ²	1.53 m ²
Lineal Coverage	29.53 ft	9 m
Weight	2745 lbs	1245 kg
Weight per unit	305 lbs	138.3 kg
Coverage per unit	1.83 ft ²	0.17 m ²
Lineal coverage per unit	3.28 ft	1 m

COLOURS

Grey
Ultra Black

DESIGN OPTIONS

VERTICAL



Alternate the direction of units each row. Off-set locking feature align to create vertical finish.

30MM OFF-SET




Install units in the same direction. Off-set locking feature creates a 30mm set back.

30MM CUSTOMIZED OFF-SET



Manipulate the direction of units at desired rows. Off-set locking feature allows for customized design and finish.

Off-Set Locking System



RIDGEWALL®

LARGE SEGMENTAL RETAINING WALL SYSTEM / ENGINEERING SERVICES AVAILABLE



UNITS



BLOCK UNIT

39.4w x 7.68h x 17.1d in
1000w x 195h x 435d mm



90° CORNER UNIT

36.9w x 7.68h x 17.1d in
937.5w x 195h x 435d mm



45° CORNER UNIT

39.4w x 7.68h x 17.1d in
1000w x 195h x 435d mm



COPING UNIT

39.4w x 7.68h x 19.7d in
1000w x 195h x 500d mm

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Coverage	13.23 ft ²	1.2 m ²
Lineal Coverage	19.68 ft	6 m
Weight	2370 lbs	1075.2 kg
Units	6	-
Coverage per unit	2.1 ft ²	0.2 m ²
Lineal coverage per unit	3.28 ft	1 m

Coverage	17.22 ft ²	1.62 m ²
Lineal Coverage	26.97 ft	8.24 m
Weight	2340 lbs	1061.4 kg
Units	6	-
Coverage per unit	2.87 ft ²	0.27 m ²
Lineal coverage per unit	4.49 ft	1.37 m


Coverage	13.5 ft ²	1.26 m ²
Lineal Coverage	21.45 ft	6.56 m
Weight	2226 lbs	1009.8 kg
Units	6	-
Coverage per unit	2.25 ft ²	0.21 m ²
Lineal coverage per unit	3.57 ft	1.09 m

Coverage	13.23 ft ²	1.2 m ²
Lineal Coverage	19.68 ft	6 m
Weight	2982 lbs	1352.4 kg
Units	6	-
Coverage per unit	2.1 ft ²	0.2 m ²
Lineal coverage per unit	3.28 ft	1 m

RIDGEWALL[®]

LARGE SEGMENTAL RETAINING WALL SYSTEM

BUNDLE OVERVIEW (ALL UNITS)




NOTES

When installing the Ridgewall, install units ridge-to-ridge and key-to-key where possible. Can be installed vertically or with 50mm set-back. Engineering services available, call 1-800-BESTWAY (237-8929) or contact your sales rep for more information.


COLOURS


Grey
Grey Mix (Coping Only)

RIDGE & KEY SYSTEM




TYPICAL CROSS SECTION







Ridge-to-Ridge & Key-to-Key Installation (Best Practice where possible)



90 Corner - Row 1 & 2 (Continue same sequence for following rows) + typical grid placement



45 Corner - Row 1 & 2 (Continue same sequence for following rows) + typical grid placement




90 & 45 Corner - Finished

ROCKTON


DOUBLE-SIDED / EMBOSSED NATURAL FINISH




BLOCK UNITS (6 PACK)




12w x 6h x 10.5d in
305w x 153h x 267d mm
Units/bundle: 3
Units/layer: 1




21w x 6h x 10.5d in
533w x 153h x 267d mm
Units/bundle: 6
Units/layer: 2



30w x 6h x 10.5d in
762w x 153h x 267d mm
Units/bundle: 3
Units/layer: 1



42w x 6h x 10.5d in
1067w x 153h x 267d mm
Units/bundle: 6
Units/layer: 2




CORNER
21w x 6h x 10.5d in
533w x 153h x 267d mm
Units/bundle: 24

BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	21 ft ²	1.95 m ²
Lineal coverage	42 ft	12.8 m
Weight	2626 lbs	1134 kg
Layers (6 packs)	3	-
Coverage per layer (6 pack)	7 ft ²	0.65 m ²
Linear coverage per layer (6 pack)	14 ft	4.26 m
Weight per layer (6 pack)	833 lbs	378 kg

Coverage	31.5 ft ²	2.9 m ²
Lineal coverage	63 ft	19.2 m
Weight	2619 lbs	1134 kg
Coverage per unit	1.31 ft ²	0.12 m ²
Linear coverage per unit	2.6 ft	0.79 m
Weight per unit	104 lbs	47.25 kg

BUNDLE OVERVIEW (6 Pack)



NOTES

Rockton provides a large format natural finish. Corner units create a 22.5"x22.5" column. Block units sold and packaged together. Each bundle layer represents a 6 pack.

COLOURS

Fond du Lac
Manitou Blend

BELVEDERE

DOUBLE-SIDED / EMBOSSED NATURAL FINISH



UNITS



BLOCK - 6 PACK

6/4w x 3&6h x 9d in
153/102w x 76&153h x 229d mm



12/10w x 3&6h x 9d in
305/254w x 76&153h x 229d mm

18/16w x 3/6h x 9d in
457/406w x 76&153h x 229d mm



COPING - 3 PACK

6/4w x 2.25h x 10.25d in
153/102w x 57h x 260d mm



12/10w x 2.25h x 10.25d in
305/254w x 57h x 260d mm

18/16w x 2.25h x 10.25d in
457/406w x 57h x 260d mm



CORNER - DOUBLE PACK

14/15w x 3h x 9d in
356/381w x 76h x 229d mm

15/14w x 6h x 9d in
381/356w x 153h x 229d mm

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	27 ft ²	2.51 m ²
Lineal coverage (3"h+6"h)	72 ft	22 m
Weight	2475 lbs	1123 kg
6 packs	12	-
Coverage per 6 pack	2.25 ft ²	0.21 m ²
Linear coverage per 6 pack	6 ft	1.8 m
Weight per layer 6 pack	206 lbs	93.6 kg

Lineal coverage	66 ft	20.12 m
Weight	1550 lbs	703 kg
3 packs	24	-
Linear coverage per 3 pack	2.75 ft	0.84 m
Weight per 3 pack	65 lbs	29 kg

Coverage	24 ft ²	2.23 m ²
Lineal coverage (3"h+6"h)	38.7 ft	11.8 m
Weight	1520 lbs	690 kg
Double packs	16	-
Coverage per double pack	1.5 ft ²	0.14 m ²
Lineal coverage per double pack	2.42 ft	0.74 m
Weight per double pack	95 lbs	43.1 kg

BUNDLE OVERVIEW



6 PACK BLOCKS (3" & 6" ROWS ALTERNATE)



NOTES

Half of the Triple Coping units have one finished edge. Creates a 27" x 27" x 2.5" column base. Column Cap available, 10 units per pallet.

COLOURS

Manitou Blend
Windsor Blend





STEPS, CAPS & CURBS

Steps

- 66 CAMDEN STEP
- 67 IKON STEP
- 67 RIDGE™ STEP

Caps

- 68 SOPRA COPING
- 68 MONTANA CAP
- 68 MONTANA COLUMN CAP
- 68 RIVIERA CAP
- 69 DIMENSIONAL
- 69 BAROLLO™ ROUND EDGE
- 69 BULLNOSE COLUMN CAP
- 69 PARKWALL® COLUMN CAP

Curbs

- 70 ARLINGTON CURB (NEW)
- 70 ANTICO® CURB
- 70 GARDEN CURB
- 70 DRIVEWAY CURB

STEPS



CAMDEN STEP



72w x 6h x 16d in
1830w x 152h x 406d mm

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Weight	2144 lbs	972 kg
Units	4	-
Lineal coverage	24 ft	7.31 m
Lineal coverage per unit	6 ft	1.83 m

COLOUR: Ebony



48w x 6h x 16d in
1219w x 152h x 406d mm

Weight	1324 lbs	600.73 kg
Units	6	-
Lineal coverage	24 ft	7.32 m
Lineal coverage per unit	4 ft	1.22 m

COLOUR: Ebony

14" FILLER



14w x 7d x 6h in
356w x 178d x 152h mm

Weight	2232 lbs	1008 kg
Units	48	-
Lineal	-	-
Lineal per unit	-	-

COLOUR: Ebony

28" FILLER



28w x 7d x 6h in
711w x 178d x 152h mm

Weight	2232 lbs	1008 kg
Units	24	-
Lineal coverage	-	-
Lineal coverage per unit	-	-

COLOUR: Ebony

IKON STEP



39.4w x 6.7h x 14d in
1000w x 170h x 355d mm

Weight	2745 lbs	1245 kg
Units	9	
Lineal coverage	29.5 ft	9 m
Lineal coverage per unit	3.28 ft	1 m

COLOUR: Grey, Ultra Black

RIDGE™ STEP



39.4w x 7.68h x 19.7d in
1000w x 195h x 500d mm

Weight	2982 lbs	1352.4 kg
Units	6	
Lineal coverage	19.68 ft	6 m
Lineal coverage per unit	3.28 ft	1 m


COLOUR: Grey, Grey Mix



CAPS



SOPRA COPING



28w x 14d x 2.36h in
710w x 355d x 60h mm

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Weight	2079 lbs	943 kg
Units	27	-
Lineal coverage	63 ft	19.2 m
Lineal coverage per unit	2.3 ft	0.7 m

COLOUR: Grey, Sahara Blend, Ultra Black

MONTANA CAP



21.3w x 10.6d x 2h in
540w x 270d x 50h mm

BUNDLE SPECIFICATIONS


IMPERIAL

METRIC

Weight	825 lbs	374 kg
Units	22	-
Lineal coverage	38.9 ft	11.9 m
Lineal coverage per unit	1.77 ft	0.54 m

COLOUR: Ebony, Granite, Sandstone

MONTANA COLUMN CAP




23.62w x 23.62d x 2.95h in
600w x 600d x 75h mm

Weight	1096 lbs	496 kg
Units	8	-
Lineal coverage	-	-
Lineal coverage per unit	-	-

COLOUR: Ebony, Granite, Sandstone

RIVIERA CAP



23.6w x 11.8d x 2.36h in
600w x 300d x 60h mm

Weight	873 lbs	396 kg
Units	18	-
Lineal coverage	35.4 ft	10.8 m
Lineal coverage per unit	1.97 ft	0.6 m

COLOUR: Ebony, Granite, Sandstone



DIMENSIONAL Double Pack



24" COPING
24w x 13d x 2.5h in
600w x 330d x 65h mm



18" COPING
18w x 13d x 2.5h in
450w x 330d x 65h mm

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Coverage	7.56 ft ² / 5.68 ft ²	0.704 m ² / 0.528 m ²
Lineal coverage	63 ft	19.2 m
Weight	1950 lbs	884.5 kg
Double packs	18	-
Linear coverage per double pack	3.5 ft	1.07 m
Weight per double pack	108 lbs	49.1 kg

COLOUR: Manitou Blend, Windsor Blend

BAROLLO™ ROUND EDGE



9.84w x 12.46d x 2.95h in
250w x 317d x 75h mm

Weight	2136 lbs	968.86 kg
Units	81	
Lineal coverage	66.42 ft	20.25 m
Lineal coverage per unit	0.82 ft	0.25 m

COLOUR: Grey, Ultra Black

BULLNOSE COLUMN CAP



23.62w x 23.62d x 2.95h in
600w x 600d x 75h mm

Weight	1036 lbs	470 kg
Units	8	
Lineal coverage	-	-
Lineal coverage per unit	-	-

COLOUR: Ebony, Grey, Sahara Blend

PARKWALL® COLUMN CAP



23.62w x 23.62d x 2.95h in
600w x 600d x 75h mm

Weight	2280 lbs	1034 kg
Units	16	
Lineal coverage	-	-
Lineal coverage per unit	-	-

COLOUR: Grey, Sahara Blend, Ultra Black

CURBS



Garden Curb



Driveway Curb

ARLINGTON CURB NEW



15.75w x 4.92h x 8.85d in
400w x 125h x 225d mm

BUNDLE SPECIFICATIONS


IMPERIAL

METRIC

Weight	2725 lbs	1236 kg
Units	50	-
Lineal coverage	65.6 ft	20 m
Lineal coverage per unit	1.31 ft	0.4 m

COLOUR: Grey Mix, Nightfall

ANTICO® CURB




15.75w x 5.91h x 3.94d in
400w x 150h x 100d mm

Weight	1841 lbs	835.19 kg
Units	64	-
Lineal coverage	84 ft	25.6 m
Lineal coverage per unit	1.31 ft	0.4 m

COLOUR: Beige Mix, Grey Mix

GARDEN CURB



31.5w x 5.91h x 3.94d in
800w x 150h x 100d mm

Weight	2355 lbs	1068.12 kg
Units	40	-
Lineal coverage	105 ft	32 m
Lineal coverage per unit	2.63 ft	0.8 m

COLOUR: Charcoal, Grey, Red

DRIVEWAY CURB



39.4w x 5.9h x 5.9d in
1000w x 150h x 150d mm

Weight	2193 lbs	994.55 kg
Units	20	-
Lineal coverage	65.6 ft	20 m
Lineal coverage per unit	3.28 ft	1 m

COLOUR: Charcoal, Grey, Red



Antico Curb





ENVIRO

74 MODERNA® PERMEABLE PAVER

75 SOLAR REFLECTIVE ROOFTOP PAVER



MASONRY + BUILDER

76 WINDOW SILLS

76 KEYSTONE

76 SPLASH PAD

76 STEP RISERS

77 CHIMNEY CAPS


77 SIMPLICITY STEPS

MODERNA®


PERMEABLE PAVER / 70MM /   



BUNDLE OVERVIEW



UNIT



NOTES

For pedestrian and/or vehicular use. Install by layer for most random finish. Single shape false joint paver allows for easy and quick installation of your permeable project.

BUNDLE SPECIFICATIONS


IMPERIAL

Coverage	62 ft ²	5.76 m ²
Weight	1918 lbs	869.84 kg
Layers	8	
Coverage per layer	7.75 ft ²	0.72 m ²
Lineal coverage	47 ft*	14.4 m*
Lineal coverage per layer	5.875 ft*	1.8 m*

COLOURS

Beige Mix
Grey Mix

PATTERN




SOLAR REFLECTIVE ROOFTOP PAVER

ENVIRO SLAB / 50MM & 65MM / 



BUNDLE OVERVIEW



UNIT



23.62 x 23.62 x 2 in
600 x 600 x 50 mm
Units/bundle: 21

NOTES

For pedestrian and rooftop terracing use only. Provides a smooth white surface for maximum reflectivity. Meets SRI LEED® requirements for low slope roofing of 82+. Special order item, minimum quantities and lead time required. Available in 2.5" thickness with qualifying volumes and adequate lead times.

2" BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	81.4 ft ²	7.56 m ²
Weight	2083 lbs	945 kg
Units	21	
Coverage per unit	3.87 ft ²	0.36 m ²
Lineal coverage	41.34 ft	12.6 m
Lineal coverage per unit	1.97 ft	0.6 m

COLOUR

SR White

2.5" BUNDLE SPECIFICATIONS (Special Order)

	IMPERIAL	METRIC
Coverage	58 ft ²	5.4 m ²
Weight	2100 lbs	952.3 kg
Units	15	
Coverage per unit	3.87 ft ²	0.36 m ²
Lineal coverage	29.53 ft	9 m
Lineal coverage per unit	1.97 ft	0.6 m

PEDESTALS AVAILABLE



MASONRY & BUILDER

WINDOW SILLS



36w x 5.9h x 3.62d in
914w x 150h x 90d mm



36w x 5.9h x 2.95d in
914w x 150h x 75d mm

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Weight	2659 lbs	1206 kg
Units	44	-
Lineal	132 ft	40 m
Lineal per unit	3 ft	0.9 m

Weight	2895 lbs	1313.24 kg
Units	56	-
Lineal	168 ft	51.2 m
Lineal per unit	3 ft	0.9 m

COLOURS: Charcoal (3" Only), Grey, White

KEYSTONE



8.75/5.75w x 12.5h x 3d in
222/146w x 310h x 75d mm

Weight	1085 lbs	492.24 kg
Units	40	-

COLOURS: Grey, White

SPLASH PAD



23.62w x 10.83d x 3.15h in
600w x 275d x 80h mm

Weight	1774 lbs	804.56 kg
Units	32	-

COLOUR: Grey

STEP RISERS

29.52w x 5.9h x 3.74d in
750w x 150h x 95d mm

23.62w x 5.9h x 3.74d in
600w x 150h x 95d mm

Weight	2310 lbs	1050 kg
Units	42	-


Weight	1848 lbs	840 kg
Units	42	-

COLOUR: Grey

CHIMNEY CAPS

9X9

8.86w x 8.86d x 2.95h in
225w x 225d x 75h mm



9X13

8.86w x 13d x 2.95h in
225w x 330d x 75h mm

U-CAP

8.86w x 13d x 2.95h in
225w x 330d x 75h mm

STRINGER

15.5w x 5.5d x 2.95h in
394w x 140d x 75h mm

BUNDLE SPECS

IMPERIAL

METRIC

Weight	1334 lbs	605.09 kg
Units	20	-

Weight	1494 lbs	677.67 kg
Units	20	-

Weight	1128 lbs	511.65 kg
Units	20	-

Weight	1808 lbs	820 kg
Units	96	-

COLOUR: White

SIMPLICITY STEPS

36"

#1 36w x 12d x 7h in / 910w x 305d x 178h mm

#2 36w x 24d x 7h in / 910w x 610d x 178h mm

48"

#1 48w x 12d x 7h in / 1215w x 305d x 178h mm

#2 48w x 24d x 7h in / 1215w x 610d x 178h mm

FILLER

12" 12w x 4.5d x 7h in / 305w x 115d x 178h mm

24" 24w x 5.25d x 7h in / 610w x 135d x 178h mm

#1 / #2

#1 / #2

Weight	1665 lbs / 1637 lbs	755.23 kg / 742.67 kg
Units	15 / 10	-

Weight	1712 lbs / 1874 lbs	776.35 kg / 850 kg
Units	12 / 10	-

12" / 24"

12" / 24"

Weight	30 lbs / 63 lbs	13.71 kg / 28.61 kg
Units	-	-

COLOUR: White

Simplicity steps units sold in full bundles only



ACCESSORY ITEMS

JOINT SAND



POLYMERIC SAND

Bag 50lbs (22.7kg) 63 bags / bundle
// Signature paver and slab coverage approx. 80-100 sqft/bag
// Classic paver coverage approx. 60-80 sqft/bag

COLOURS: Beige, Black and Grey

SEALERS & CLEANERS



SEAL KING SEALERS & CLEANERS

// Water and acrylic based (19L & 4L Pails)
// High gloss and satin finish
// Cleaning Products



KIMBOL SEALERS & CLEANERS

// Water and acrylic based
// Regular and Super Shine
// Cleaning Products

ADHESIVES

BUTYL TAPE

1/4" Bead Roll	20 Lineal Feet	40 rolls/case
----------------	----------------	---------------

LANDSCAPE CONCRETE PAVERS & WALL ADHESIVE

Small Tube	10 Ounces	12 tubes/case
Large Tube	28 Ounces	12 tubes/case

AGGREGATES

BRICKSAND

Bag / Yard	50lbs (22.7kg) / Approx.	50 bags/bundle
------------	--------------------------	----------------

*Regular paver coverage approximately 100 sqft/bag

CONCRETE SAND

Bag / Yard	50lbs (22.7kg) / Approx.
------------	--------------------------

*1 yard covers approximately 300 sqft at 1" thickness

LIMESTONE SCREENING

Bag / Yard	50lbs (22.7kg) / Approx.
------------	--------------------------

*1 yard covers approximately 150 sqft at 2" thickness

3/8" GRAVEL (Clear)

Yard

*1 yard covers approximately 150 sqft at 2" thickness

3/4" GRAVEL (Clear)

Bag Only	50lbs (22.7kg)
----------	----------------

1/4" CHIP (HPB)

Bag / Yard	50lbs (22.7kg) / Approx.
------------	--------------------------

*1 yard covers approximately 150 sqft at 2" thickness

EDGE RESTRAINTS

SNAP EDGE PAVER RESTRAINT

PLASTIC	8' Units
---------	----------

BRICKSTOP PAVER EDGE RESTRAINT

PLASTIC	8' Units	160 lineal feet/box	20 units/box
METAL	8'4" Units	400 lineal feet/box	48 units/box

SPIKES	10" Steel	approx. 50lbs	250 pcs/ box
--------	-----------	---------------	--------------

SALT

Bagged	44lbs (20kg)	56 bags / bundle
--------	--------------	------------------

FABRICS

SYNTHETIC GRID

Tieback	6' x 150' (1.83m x 45.72m)
---------	----------------------------

CONSTRUCTION FABRIC

Nonwoven Geotextile	5' x 360' (1.52m x 109.7m)
---------------------	----------------------------

Nonwoven Geotextile	4' x 50' (1.2m x 15.2m)
---------------------	-------------------------

Nonwoven Geotextile	3' x 50' (0.9m x 15.2m)
---------------------	-------------------------

Weed Control Roll

PRECAST CONCRETE

PARKING LOT BUMPER CURBS

96x12x8" (2438x305x203mm)	520 lbs / 236.4 kg (unit)
---------------------------	---------------------------

96x10x6" (2438x254x152mm)	360 lbs / 163.6 kg (unit)
---------------------------	---------------------------

TOOLS

Pave Tool Quick-E Line

Caulking guns

Gloves

Hand tampers

Mallets

Levels

Plate Tampers

Shovels

String lines

Wheel barrows

+ MORE







RESOURCES

- 82 2022 COLOUR CHART
- 82 SOLAR REFLECTANCE INDEX
- 83 INSTALLATION GUIDE - SLABS
- 83 INSTALLATION GUIDE - SLABS ON PEDESTAL SET
- 83 INSTALLATION GUIDE - PAVERS
- 84 INSTALLATION GUIDE - PERMEABLE PAVERS
- 85 INSTALLATION GUIDE - WALLS
- 88 CARE & CONSIDERATIONS
- 89 OUTDOOR DESIGN CENTER
- 90 SAFETY PRECAUTIONS
- 91 OUR LOCATIONS

2022 COLOUR CHART

	Beige Mix	Brightsand	Buff Brown	Buff Mix	Carrara	Charcoal	Eclipse	Glacier Creek	Granite	Grey	Grey Mix	Harbour Grey	Muskoka	Nightfall	Pearl	Phantom	Red	Red Mix	Salmon Mix	Silver Birch	Silverlight	Storm	Ultra Black	White
PAVERS																								
Adelaide 80																								
Ardesia																								
Ashford																								
Corso																								
Double Standard																								
Manhattan Plank																								
Moderna																								
Richmond 80																								
Standard																								
Strada Nova																								
Trevista 80 Smooth																								
Trevista 80 Textured																								
SLABS																								
Adelaide 50																								
Avari																								
Balsam																								
Basketweave 24x30																								
Basketweave 24x24																								
Basketweave 12x24																								
BW300																								
Flagstone																								
Lyra																								
Opus																								
Richmond 50																								
Riverton																								
Spectra																								
SR Paver																								
Standard Press 24x30																								
Standard Press 24x24																								
Standard Press 16x16																								
Standard Press 12x24																								
Tresca																								
Trevista 50 Smooth																								
Trevista 50 Textured																								
Ventura																								

COLOUR (PRECAST CONCRETE)	SRI	COLOUR (PRECAST CONCRETE)	SRI	COLOUR (PORCELAIN)	SRI
Beige Mix	27	Pearl	44	Country Black Slate	21
Buff Brown	21	Red	27	Country Grey Slate	30
Carrara	30	Red Mix	22	Jasmine	55
Glacier Creek	34	Sahara Blend	31	Scout White	56
Grey	35	Salmon Mix	21	Universal Oak	37
Grey Mix	24	White (Basketweave)	51		
Harbour Grey	33	White (Solar Reflective Paver)	82		

- Non-Roof Applications & Parking Cover Applications LEED 2009 (Initial SRI 29+)
- Parking Cover Applications LEED v4 (Initial SRI 39+)
- Low-Sloped Roof LEED v4 (Initial SRI 82+)

	Beige Mix	Carrara	Charcoal	Ebony	Fond du lac	Glacier Creek	Granite	Grey	Grey Mix	Harbour Grey	Manitou Blend	Nightfall	Red	Sahara Blend	Sandstone	Silver Birch	Ultra Black	Weatherwood	Windsor Blend	Winterborn
WALLS																				
Arlington																				
Antico Stacker																				
Barnbeam																				
Belvedere																				
Garden Lock																				
Hazlelton																				
Ikon																				
Parkwall																				
RidgeWall																				
Rockton																				
Soho																				
COPINGS																				
Barollo																				
Belvedere																				
Bullnose Column Cap																				
Dimensional																				
Garden Lock																				
Montana																				
Montana Column Cap																				
Parkwall																				
Parkwall Column Cap																				
Riviera Cap																				
Sopra Coping																				
STEPS																				
Camden Step																				
Ikon Step																				
Ridge Step																				
CURBS																				
Antico																				
Driveway																				
Garden																				

● Coping Only

Colour swatches and photographs are not exact representations of colour, but are given to provide close reference.


Measurements and product dimensions are nominal.

Registered trademarks, logos and product names are the property of Best Way Stone Limited®. 02-2022 DesignLoc®, ChromaTec®, EcoScape®, Antico® Pavers & Walls

Parkwall®, Parkwall® Antico®, Palladio® Antico®, Garden Lock™ US Patents 6398458 & 6178715; Canadian Patent 2193942.

RidgeWall® US Patent Pending 20140270989; Canadian Patent Pending 2809704.


Moderna® US Patents D701619 & D689624; Canadian Industrial Design Registrations 138841



INSTALLATION GUIDES - SLABS & PAVERS


SLAB INSTALLATION TYPICAL CROSS SECTION

- 1 Best Way Stone® precast concrete slab 1 3/4" to 2" (45 to 50mm)
- 2 Sand joint fill
- 3 Bedding Sand 1" (25mm)
- 4 Geotextile 12" (300mm) wide
- 5 Plastic edge
- 6 Extra width equal to foundation thickness
- 7 Lawn
- 8 Nail
- 9 Compacted aggregate base 0 3/4" (0-20mm)
- 10 Geotextile
- 11 Subgrade




SLABS ON PEDESTAL SET

- 1 Roof deck
- 2 Waterproof membrane
- 3 Protection board
- 4 Rigid insulation
- 5 Adjustable pedestal
- 6 Best Way Stone® precast concrete slab 1 3/4" to 2 1/2" (45-65mm) thickness conforming to ASTM C 1782 and CSA A231.1
- 7 Best Way Stone® Trevista 50 slabs, 2" (50mm) thickness conforming to ASTM C 1782 and CSA A231.1
- 8 Roof drain



TYPICAL PAVER CROSS SECTION WITH PLASTIC EDGE


- 1 Best Way Stone® precast concrete paver 2 3/8" (60mm) thick min.
- 2 Sand joint fill
- 3 Bedding Sand 1" (25mm)
- 4 Extra width equal to foundation thickness
- 5 Lawn
- 6 Plastic edge
- 7 Nail
- 8 Geotextile
- 9 Compacted aggregate base 0 3/4" (0-20mm)
- 10 Subgrade



INSTALLATION GUIDES - PERMEABLE PAVER SYSTEM


SEGMENTAL PERMEABLE PAVEMENT – FULL EXFILTRATION

- 1 Moderna® Permeable Paver by Best Way Stone®
- 2 Joint filling material ASTM No 8 (CSA 2.5–10mm) aggregate
- 3 Bedding course 1 1/5" to 2" (40 to 50 mm) ASTM No 8 (CSA 2.5–10mm) aggregate
- 4 Base course 4" (100mm) ASTM No 57 (CSA 5–28mm) aggregate foundation thickness
- 5 Subbase course ASTM No 2 (CSA 40–80mm) aggregate
- 6 Geotextile
- 7 Subgrade
- 8 Concrete edge




SEGMENTAL PERMEABLE PAVEMENT – PARTIAL EXFILTRATION

- 1 Moderna® Permeable Paver by Best Way Stone®
- 2 Joint filling material ASTM No 8 (CSA 2.5–10mm) aggregate
- 3 Bedding course 1 1/5" to 2" (40 to 50 mm) ASTM No 8 (CSA 2.5–10mm) aggregate
- 4 Base course 4" (100mm) ASTM No 57 (CSA 5–28mm) aggregate foundation thickness
- 5 Subbase course ASTM No 2 (CSA 40–80mm) aggregate
- 6 Geotextile
- 7 Subgrade
- 8 Concrete edge
- 9 Perforated drain connected to drainage system




SEGMENTAL PERMEABLE PAVEMENT – NO EXFILTRATION

- 1 Moderna® Permeable Paver by Best Way Stone®
- 2 Joint filling material ASTM No 8 (CSA 2.5–10mm) aggregate
- 3 Bedding course 1 1/5" to 2" (40 to 50 mm) ASTM No 8 (CSA 2.5–10mm) aggregate
- 4 Base course 4" (100mm) ASTM No 57 (CSA 5–28mm) aggregate foundation thickness
- 5 Subbase course ASTM No 2 (CSA 40–80mm) aggregate
- 6 Geotextile
- 7 Subgrade
- 8 Concrete edge
- 9 Perforated drain connected to drainage system
- 10 Impermeable membrane




INSTALLATION GUIDES - RETAINING WALLS




a. EXCAVATE THE AREA

1. Check for existing utilities or structures in the area of construction.
2. Dig a trench. Calculate the width of the area by adding 6" of space before the face of the wall, and 12" behind the wall block.
3. Calculate the depth of the trench by the burial depth of the wall. Consider that good practice is to have at least 10% of the total wall height buried below final grade.




b. PREPARE THE FOUNDATION

1. Cover the back and the base of the trench with geotextile. Extend the geotextile along the back of the excavated area to eventually above the drainage fill once in place at the top of the wall.
2. Spread 0-3/4" (0-20mm) stone in the trench, and compact using a vibrating plate compactor or a jumping jack. Make sure your area remains level after compaction. The compacted area must be at least 6" (150mm) thick. Add more stone if needed and compact again.




c. CONSTRUCT THE FIRST COURSE

1. Begin placing your first course of the Best Way Stone blocks along your levelled pad. Ensure the alignment and level are consistent.
2. The desired exposed face of the wall must be placed side by side with each block touching the next. There should be no space between block faces of the exposed side of the wall.
3. Add a perforated drain pipe at the back of the wall on top of the levelled stone base. Ensure to connect this pipe to the existing drainage system keeping water from accumulating behind the wall.



d. ADD THE BACKFILL

1. Add 0-3/4" (0-20mm) clean stone backfill to the rear of the wall, burying the perforated drain pipe. Ensure the geotextile remains along the backside as you backfill all the way up the wall, and does not fall into the backfill material.
2. Level the clean stone before constructing the next course. Ensure to fill all voids in the back of the wall with backfill.



e. THE REMAINING COURSES

1. When constructing the remaining courses ensure to clean off the top of blocks of the previous row. Make sure the blocks are installed with the appropriate side facing up following the locking system.
2. Backfill behind each constructed course with the same clean stone.
3. In order to maximize the strength of the wall, ensure that the joints of the row being constructed do not align with the row directly below or above. The joints of a course should match alternating courses.

Care & Considerations



Setting a base

The quality of work put into establishing a solid foundation is vital to the overall performance of your landscape design.

When properly constructed, a solid base foundation helps prevent paver settling, shifting, and water accumulation. Use of edge restraints and jointing sand is recommended as best practice by ICPI (Interlocking Concrete Pavement Institute).

When choosing and installing jointing sand, please ensure to follow the directions given by the manufacturer. To find out more about base preparation and installation practices, visit icpi.org.

Colour distribution

When installing stone, we recommend you select a mix of materials from several different bundles to ensure a balanced distribution of surface colour textures and colour mixtures.

Always verify colours and products chosen for your concrete landscape project with your contractor or landscape designer prior to installation. Physical or printed colour samples are only representations of the chosen product. If you notice a discrepancy, notify us immediately before continuing with your project. Full installation is understood as your acceptance of the product's condition.

Concrete care

Maintaining the surface of your concrete pavers is essential to their aesthetic. Sealing your concrete pavers can enhance the colour, but it's optional as our pavers are just as durable with or without the addition of sealants. If you plan on sealing your concrete products, always follow the manufacturer's instructions for proper application.

Unfortunately, even materials as durable as concrete can scratch, chip, or stain if handled incorrectly. When compacting our pavers, ensure that a rubber membrane is added to protect textured surfaces from potential

damage. Use a rubber blade when removing snow from the surface of our pavers to prevent surface scratching and damage. Best Way Stone is not responsible for the damage left by the misuse of compaction or snow removal equipment.

Efflorescence

Efflorescence is that white, powdery substance that appears on the surface of concrete and it's a naturally occurring process. Efflorescence does not affect the structural integrity or strength of the product and will usually wear off over time – although special cleaners can be used to speed up its removal. For more information visit icpi.org.

Choosing a Contractor

Although not required, hiring a qualified contractor makes installing stone a much more efficient and less stressful experience. When hiring a qualified professional we recommend they follow industry standard guidelines.

When hiring a contractor, we recommend collecting project references and samples of previous work. Make sure they offer a comprehensive warranty, and have all the required insurance and licenses. Any contractor will understand the industry standards for installing stone – you can download a copy to these guidelines by visiting icpi.org.

Our guarantee – carved in stone

Best Way Stone Limited provides a transferable lifetime guarantee on the structural integrity of its Interlocking Paving Stone products for residential use. For complete information visit bestwaystone.com/about.



Uxbridge Outdoor Design Centre

Speak to our customer service experts to help bring your design to life. Feel free to bring samples home along with some peace of mind.



Outdoor Design Centre

65 Anderson Boulevard
Uxbridge, ON



SAFETY PRECAUTIONS

CAUTION! Product strapping under extreme tensions

Cut straps are sharp and may result in severe physical injury if proper precautions are not taken. Removal and handling of straps must be done with caution while wearing necessary protective equipment (Gloves, Goggles, Safety Boots, and Protective Clothing).

Concrete Materials must be cut in well-ventilated areas only. Use of a "Wet-Cut" Saw or other similar method is recommended to reduce hazardous dust production. Approved respirators, safety goggles, hearing protection, and gloves should be worn at all times.

Bundled material must always be transported and stored using appropriate equipment, meeting the regulations of local legislation (Transportation tie-down, vehicle weight limitations, and public storage location). Stacking more than two bundles on top of each other is not recommended.

Best Way Stone Limited® assumes no liability or responsibility for loss or damage resulting from the improper use or handling of our products, or from failure to follow instructions, warnings, and/or advisories on the product label and on the MSDS Precast Concrete Sheet (available upon request).

BEFORE OPENING ANY PRODUCTS:

Please check for correct colour and product (shape/size/design). Opening of this package (removal of strapping and/or shrink wrapping) assumes full acceptance of product by the purchaser. Material may not be returned or exchanged once the original packaging has been removed.

All concrete products may have significant colour variance between production lots. It is recommended that installation occur from multiple bundles simultaneously to ensure proper colour variance blending for both colour mixes and solid colours. In the case of a single-bundle installation, material should be installed from opposite ends of the bundle simultaneously.

Defective material delivered to the purchaser over the accepted norm will be replaced. (Please Note: Chipped and Cracked products are often used in areas where cutting is required. As such, please remove chipped or cracked products for this purpose). The purchaser must inform the manufacturer in writing within five days of delivery. Any materials in question must be available for inspection by Best Way Stone® before any credit or adjustment can be made.

PLEASE NOTE: If materials are completely or partially installed, they will be deemed acceptable and there will be no exceptions made for defective or unsatisfactory material.

OUR LOCATIONS

WOODBIDGE


8821 Weston Road
Woodbridge, ON L4L 0K9

1-800-BESTWAY (2378929)

T (905) 851-5122

T (416) 747-0988

F (905) 851-7603




UXBRIDGE


65 Anderson Boulevard
Uxbridge, ON L9P 0C7


T (905) 640-5845


F (905) 640-9773




NOTES













2022 PRODUCT GUIDE

Connect with us @bestwaystone



1-800-BESTWAY (237-8929)
BESTWAYSTONE.COM

WOODBIDGE (HEAD OFFICE)

8821 Weston Road
Woodbridge, ON L4L 0K9
T 416-747-0988
F 905-851-7603

UXBRIDGE

65 Anderson Boulevard
Uxbridge, ON L9P 0C7
T 905-640-5845
F 905-640-9773