




**BEST WAY
STONE®**

2023 PRODUCT GUIDE




Create
Plan
Build



Stone Finder

Every project is different, and we have the right products to suit your style needs.

Visit bestwaystone.com/stonefinder or look for it right on our homepage and find the stone that's right for you.



We have the best team

The BWS Family

Best Way Stone is about endurance: products that last, styles that last, and as a family-owned and operated business since 1965, we want our relationships to last, too. That's why we continue to craft our products locally, independently, and back it with a transferable lifetime guarantee. We're family, and we're here for you.

Independently Owned; Family Operated

Best Way Stone is one of only a few independent family-owned, pre-cast concrete manufacturing businesses. And that philosophy permeates everything we do. Our team is family – and one that puts your family's needs first. Even as we've grown and expanded to new locations, we've still maintained our flexibility to respond quickly to both market demands and home-owner needs. This allows us to innovate quickly.

Our Dealer Network

Our extended family includes an extensive network of dealers located throughout Ontario, Quebec, and North-East Michigan. Our dealers will help you visualize your landscape by pairing the right products with your project design and style needs.

The Right Partner

Hiring a qualified hardscaper makes installing hardscape products a much more efficient experience. When hiring a qualified professional, we recommend they follow industry-standard guidelines.

We recommend collecting project references and samples of previous work. Make sure they offer a comprehensive warranty and have all the required insurance and licenses.

Any certified contractor will understand the industry standards for installing hardscape products – you can download a copy of these guidelines by visiting icpi.org.


Visit our website to find a hardscaper near you:

bestwaystone.com/hardscaper



Visit our website to find a dealer near you:

bestwaystone.com/dealers



— We have a good foundation

Manufacturing Leads Design

Hardscaping solutions should be designed to last. So our philosophy is that manufacturing processes should always influence product design.

Thoughtful Innovation

We've built production facilities and equipped them with manufacturing technology and our own proprietary processes that are engineered specifically to ensure our products are well-planned, well-designed and well-made.

With two state-of-the-art manufacturing facilities, and dealers to support you across Ontario, Quebec, and Michigan, we're completely independent and able to both hear and respond to your needs.



Our products are resistant to the elements & meet or exceed all industry standards.



We manufacture our products using two key ingredients: quality and care. All are manufactured to meet and exceed their respective North American standards set by both the CSA and ASTM.



That commitment to quality is backed by our transferable lifetime guarantee on the structural integrity of our pavers. You can learn more about our transferable lifetime guarantee on our website:


bestwaystone.com/warranty

Designed to Last Generations.

One of the most common questions we get from customers purchasing hardscape products is how they will wear over time. Our recent technological advancements provide layers of enriched surfaces and colour, bringing product aesthetics and performance to the next level.



The DesignLoc surface refinement technology is a strategic mix design that produces a highly controlled and refined surface offering.



ChromaTec protective surface enhancer adds a level of protection that helps resist the threat of stains from foreign elements while enhancing the vibrancy of the coated surface.



NanoBlast provides a fine blasting to the surface of the product, exposing specially selected granite aggregates, while leaving a durable and highly defined smooth finish for increased comfort.



Fire Pit Collection

Adding a little heat creates a whole new element to an outdoor space. Whether you are a cooking enthusiast or relax by the fire, our kits can give your backyard its spark.

Rockton Fire Pit




Antico Fire Pit



Belvedere Fire Pit



Soho Fire Pit



Garden Lock Fire Pit



Barnbeam Fire Pit



Visit bestwaystone.com/outdoorelements for more information and to see our entire outdoor elements collection.

INDEX

SLABS

- 9 Trevista® 50 Smooth
- 10 Trevista® 50 Textured
- 11 Adelaide® 50
- 12 Richmond® 50
- 13 Lyra
- 14 Balsam
- 15 Ventura
- 16 Riverton
- 17 Avari
- 18 Tresca®
- 20 Huntington
- 21 Spectra
- 22 Flagstone™
- 23 Basketweave™
- 24 Smooth
- 24 Shotblast Finish
- 25 Standard Press™
- 26 Dado Ceramica Porcelain

PAVERS

- 29 Trevista® 80 Smooth
- 30 Trevista® 80 Textured
- 31 Adelaide® 80
- 32 Richmond® 80
- 33 Manhattan Plank
- 34 Corso
- 35 Moderna
- 36 Ardesia
- 37 Napa
- 38 Ashford
- 39 Standard™
- 40 Double Standard™

WALLS

- 43 Soho
- 44 Barnbeam
- 45 Arlington
- 46 Hazelton
- 47 Garden Lock™
- 49 Parkwall™
- 51 Antico Stacker
- 52 Ikon
- 53 RidgeWall® SRW System
- 56 Rockton
- 57 Grand Ledge

STEPS, CAPS & CURBS

- 61 Camden Step
- 62 Ikon Step
- 62 Ridge Step
- 63 Sopra Coping
- 63 Montana Cap
- 63 Montana Column Cap
- 63 Riviera Cap
- 64 Barollo Round Edge
- 64 28 x 28 Smooth Cap
- 64 Parkwall Column Cap
- 65 Arlington Curb
- 65 Antico Club
- 65 Garden Curb
- 65 Driveway Club

ENVIRO

- 69 Moderna® Permeable Paver
- 70 White Solar Reflective Rooftop Paver

MASONRY & BUILDER

- 71 Split-Face Window Sills
- 71 Keystone
- 71 Splash Pad
- 71 Step Risers
- 72 Chimney Caps
- 72 Simplicity Steps

ACCESSORIES

- 73 Joint Sand
- 73 Sealers & Cleaners
- 74 Tools & Other Accessories

RESOURCES

- 77 2023 Colour Chart
- 79 Solar Reflectance Index
- 79 Installation Guide - Slabs
- 79 Installation Guide - Slabs on Pedestal Set
- 79 Installation Guide - Pavers
- 80 Installation Guide - Permeable Pavers
- 81 Installation Guide - Retaining Walls
- 83 Care & Considerations
- 84 Outdoor Design Centre
- 85 Safety Precautions
- 86 Our Locations

LEGEND



Vehicle use permitted



Permeable and/or
Eco-Friendly product



Pedestrian
traffic only



Vibrating plate permitted
(rubber membrane required)




Made with DesignLoc®




Enhanced with ChromaTec™



Enhanced with NanoBlast™





SLABS

Signature Series mm

9	TREVISTA® 50 SMOOTH	50
10	TREVISTA® 50 TEXTURED	50
11	ADELAIDE® 50	50
12	RICHMOND® 50	50
13	LYRA	60
14	BALSAM	60
15	VENTURA	60
16	RIVERTON	60

Enhanced Series mm

17	AVARI	50
18	TRESCA®	50

Classic Series mm

20	HUNTINGTON	70
21	SPECTRA	50
22	FLAGSTONE	40
23	BASKETWEAVE™	40
24	SMOOTH	40 & 50
24	SHOTBLAST FINISH	40 & 50
25	STANDARD™ PRESS	40

Porcelain mm

26	DADO CERAMICA	20
----	---------------	----

PHYSICAL & GEOMETRICAL CHARACTERISTICS

Precast Concrete Paving Slabs

Characteristics	CSA A231.1
Flexural Strength	5.0 MPa (725 psi) min.
Freeze-thaw durability with use of deicing salt	Mass loss (max): 225 g/m ² at 28 cycles Mass loss (max): 500 g/m ² at 49 cycles
Dimensional tolerance ¹	Length and Width: -1.0mm to +2.0mm Thickness: ±3 mm
Concave or Convex Warpage (Up to and including 450 mm)	±2.0 mm
Concave or Convex Warpage (Over 450 mm)	±3.0 mm


¹ The dimensional tolerance prior to the application of architectural finishes

TREVISTA® 50 SMOOTH

SIGNATURE SERIES SLAB / 50MM /  




BUNDLE OVERVIEW



UNITS



19.5 x 13 x 2 in
495 x 330 x 50 mm
Units/bundle: 24
Units/layer: 2



13 x 13 x 2 in
330 x 330 x 50 mm
Units/bundle: 48
Units/layer: 4



6.5 x 13 x 2 in
165 x 330 x 50 mm
Units/bundle: 48
Units/layer: 4

NOTES

For pedestrian use only. Large format slabs with a smooth modern finish. DesignLoc technology provides a highly refined surface, with integral colouring. Border or accent with Adelaide 50, Lyra, Richmond 50 or Tresca.

Sold and packaged together in a 1:2:2 ratio. Plate tamper not recommended.

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Coverage	125.4 ft ²	11.64 m ²
Weight	3010 lbs	1365 kg
Layers	12	
Coverage per layer	10.45 ft ²	0.97 m ²
Lineal coverage	117 ft / 78 ft	35.64 m / 23.76 m
Lineal coverage per layer	9.75 ft / 6.5 ft	2.97 m / 1.98 m

COLOURS

Autumn Hill **(NEW)**




Beige Mix

Carrara

Glacier Creek

Grey Mix


PATTERNS



13" Soldier Course



19.5" Soldier Course




TREVISTA® 50 TEXTURED

SIGNATURE SERIES SLAB / 50MM /  



BUNDLE OVERVIEW




UNITS



19.5 x 13 x 2 in
495 x 330 x 50 mm
Units/bundle: 24
Units/layer: 2



13 x 13 x 2 in
330 x 330 x 50 mm
Units/bundle: 48
Units/layer: 4



6.5 x 13 x 2 in
165 x 330 x 50 mm
Units/bundle: 48
Units/layer: 4

NOTES

For pedestrian use only. Large format slabs with natural textured finish. DesignLoc technology provides a highly refined and detailed surface, with integral colouring. Border or accent with Adelaide 50, Lyra, Richmond 50 or Tresca.

Sold and packaged together in a 1:2:2 ratio. Plate tamper not recommended.

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Coverage	125.4 ft ²	11.64 m ²
Weight	3010 lbs	1365 kg
Layers	12	
Coverage per layer	10.45 ft ²	0.97 m ²
Lineal coverage	117 ft / 78 ft	35.64 m / 23.76 m
Lineal coverage per layer	9.75 ft / 6.5 ft	2.97 m / 1.98 m

COLOURS

Autumn Hill **(NEW)**




Beige Mix

Carrara

Glacier Creek

Grey Mix


PATTERNS



13" Soldier Course



19.5" Soldier Course



ADELAIDE 50


SIGNATURE SERIES SLAB / 50MM /  



BUNDLE OVERVIEW



UNIT



6.5 x 13 x 2 in
165 x 330 x 50 mm
Units/bundle: 252
Units/layer: 21

NOTES

For pedestrian use only. Can be used on its own or as a modern accent and/or border for 50mm line of slabs. The smooth surface provides a contemporary finish.

Plate tamper not recommended.

BUNDLE SPECIFICATIONS

IMPERIAL



METRIC

Coverage	147.6 ft ²	13.65 m ²
Weight	3542 lbs	1606.5 kg
Layers	12	
Coverage per layer	12.3 ft ²	1.14 m ²
Lineal coverage	136.5 ft / 273 ft	41.55 m / 83.1 m
Lineal coverage per layer	11.38 ft / 22.75 ft	3.46 m / 6.93 m

COLOURS

Glacier Creek
Grey
Ultra Black

PATTERNS



RICHMOND 50

SIGNATURE SERIES SLAB / 50MM /  



BUNDLE OVERVIEW



UNIT



6.5 x 13 x 2 in
165 x 330 x 50 mm
Units/bundle: 252
Units/layer: 21

NOTES

For pedestrian use only. Can be used on its own, or as an accent and/or border for 50mm line of slabs. Subtle textured surface provides striking interest.

Plate tamper not recommended.

BUNDLE SPECIFICATIONS

IMPERIAL



METRIC

Coverage	147.6 ft ²	13.65 m ²
Weight	3542 lbs	1606.5 kg
Layers	12	
Coverage per layer	12.3 ft ²	1.14 m ²
Lineal coverage	136.5 ft / 273 ft	41.55 m / 83.1 m
Lineal coverage per layer	11.38 ft / 22.75 ft	3.46 m / 6.93 m

COLOURS

Glacier Creek
Grey Mix
Ultra Black

PATTERNS



LYRA

SIGNATURE SERIES SLAB / 60MM /



BUNDLE OVERVIEW

24x24	
12x36	
12x24	

NOTES

For pedestrian use only. Medium format slab with a soft touch surface. Provides a contemporary finish. DesignLoc technology allows for a highly refined surface, with integral colouring.

Plate tamper not recommended.


COLOURS

Carrara
Harbour Grey
Pearl
Ultra Black
Brightsand (NanoBlast only)
Eclipse (NanoBlast only)
Silverlight (NanoBlast only)
Storm (NanoBlast only)


UNIT



23.62 x 23.62 x 2.36 in
600 x 600 x 60mm
Units/bundle: 18
Units/layer: 2



11.81 x 35.43 x 2.36 in
300 x 900 x 60mm
Units/bundle: 27
Units/layer: 3




11.81 x 23.62 x 2.36 in
300 x 600 x 60mm
Units/bundle: 54
Units/layer: 6

NEW


BUNDLE SPECIFICATIONS

	24x24		12x36		12x24	
	IMPERIAL	METRIC	IMPERIAL	METRIC	IMPERIAL	METRIC
Coverage	69.7 ft ²	6.47 m ²	78.45 ft ²	23.91 m ²	104.6 ft ²	9.72 m ²
Weight	2070 lbs	939 kg	2275 lbs	1031.92 kg	3035 lbs	1376.6 kg
Layers	9		9		9	
Coverage per layer	7.75 ft ²	0.72 m ²	8.71 ft ²	2.65 m ²	11.62 ft ²	1.08 m ²
Lineal coverage	35.4 ft	10.79 m	79.72 / 26.57 ft	24.3 m / 8.1 m	106.3 / 53.15 ft	16.2 m / 32.4 m
Lineal coverage per layer	3.94 ft	1.2 m	8.86 ft / 2.95 ft	2.7 m / 0.9 m	11.81 ft / 5.9 ft	1.8 m / 3.6 m


PATTERNS




3/4 Off-Set *Best Practice*




1/2 Off-Set




Herringbone



Tile Joint



Tile Joint



1/2 Off-Set

BALSAM

SIGNATURE SERIES SLAB / 60MM /  



BUNDLE OVERVIEW



UNIT



31.5 x 7.87 x 2.36 in
800 x 200 x 60 mm
Units/bundle: 50
Units/layer: 5

NOTES

For pedestrian use only. Elongated plank format slab with wood grain finish. DesignLoc technology provides a highly refined and detailed finish, with integral colouring.

Plate tamper not recommended.

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	86 ft ²	8 m ²
Weight	2322 lbs	1053 kg
Layers	10	
Coverage per layer	8.6 ft ²	0.8 m ²
Lineal coverage	131.25 ft / 32.8 ft	40 m / 10 m
Lineal coverage per layer	13.1 ft / 3.28 ft	4 m / 1 m


COLOURS

Glacier Creek
Muskoka
Silver Birch


PATTERNS




Tile Joint




Parquet




Herringbone



1/2 Off-Set



3/4 Off-Set




45 Herringbone

VENTURA

SIGNATURE SERIES SLAB / 60MM /  




BUNDLE OVERVIEW



UNITS



15.67 x 23.5 x 2.36 in
398 x 597 x 60 mm
Units/bundle: 18
Units/layer: 2



15.67 x 15.67 x 2.36 in
398 x 398 x 60 mm
Units/bundle: 27
Units/layer: 3



7.87 x 15.67 x 2.36 in
199 x 398 x 60 mm
Units/bundle: 27
Units/layer: 3

NOTES

Large format slab with subtle textured surface for pedestrian use only. DesignLoc technology provides a highly refined finish, with integral colouring. Border or accent with Lyra, Napa or Riverton.

Sold and packaged together in a 2:3:3 ratio. Plate tamper not recommended.


BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	115.1 ft ²	10.69 m ²
Weight	3486 lbs	1581 kg
Layers	9	
Coverage per layer	12.79 ft ²	1.19 m ²
Lineal coverage	88.1 / 58.75 ft	26.86 / 17.91 m
Lineal coverage per layer	9.79 / 6.53 ft	2.98 / 1.99 m

COLOURS

Carrara
Glacier Creek

PATTERNS



RIVERTON


SIGNATURE SERIES SLAB / 60MM /



BUNDLE OVERVIEW



UNIT



11.81 x 23.62 x 2.36 in
300 x 600 x 60mm
Units/bundle: 54
Units/layer: 6

NOTES

For pedestrian use only. Medium format slab with a soft touch 45 degree embossed surface texture. Provides a contemporary finish. DesignLoc technology allows for a highly refined surface, with integral colouring. Compliment with Lyra for maximum design aesthetic.

Plate tamper not recommended.

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC


Coverage	104.6 ft ²	9.72 m ²
Weight	3015 lbs	1367.6 kg
Layers	9	
Coverage per layer	11.62 ft ²	1.08 m ²
Lineal coverage	106.3 ft / 53.15 ft	16.2 m / 32.4 m
Lineal coverage per layer	11.81 ft / 5.9 ft	1.8 m / 3.6 m

COLOURS


Harbour Grey
Pearl
Ultra Black




PATTERNS




3/4 Off-Set *Best Practice*



1/2 Off-Set




Herringbone




Tile Joint



BUNDLE OVERVIEW



UNIT



28 x 14 x 2 in
710 x 355 x 50 mm
Units/bundle: 30
Units/layer: 3

NOTES

For pedestrian use only. Large format rectangular slab with soft touch surface. Provides a contemporary smooth finish. DesignLoc technology provides a highly refined finish, protected and enhanced by ChromaTec. Accent or border with Richmond 50 or Adelaide 50.

Plate tamper not recommended.

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	81.6 ft ²	7.58 m ²
Weight	1890 lbs	857 kg
Layers	10	
Coverage per layer	8.16 ft ²	0.76 m ²
Lineal coverage	70 ft / 35 ft	21.3 m / 10.7 m
Lineal coverage per layer	7 ft / 3.5 ft	2.13 m / 1.07 m

COLOURS

Carrara (Design Loc Only)
Glacier Creek
Grey Mix

PATTERNS



3/4 Off-Set *Best Practice*

1/2 Off-Set

Herringbone

Tile Joint



UNITS



20x20
19.69 x 19.69 x 2 in
500 x 500 x 50 mm
Units/bundle: 40



10x20
9.84 x 19.69 x 2 in
250 x 500 x 50 mm
Units/bundle: 60



10x10
9.84 x 9.84 x 2 in
250 x 250 x 50 mm
Units/bundle: 120

BUNDLE SPECIFICATIONS


IMPERIAL

METRIC

Coverage	107.7 ft ²	10 m ²
Weight	2369 lbs	1077 kg
Weight per unit	58.5 lbs	26.52 kg
Coverage per unit	2.69 ft ²	0.25 m ²
Lineal coverage	65.62 ft	20 m
Lineal coverage per unit	1.64 ft	0.5 m

Coverage	80.7 ft ²	7.5 m ²
Weight	1775.4 lbs	806 kg
Weight per unit	29.9 lbs	13.56 kg
Coverage per unit	1.35 ft ²	0.125 m ²
Lineal coverage	49.21ft / 98.42 ft	15 m / 30 m
Lineal coverage per unit	0.82 ft / 1.64 ft	0.25 m / 0.5 m

Coverage	80.7 ft ²	7.5 m ²
Weight	1775.4 lbs	806 kg
Weight per unit	15.4 lbs	6.95 kg
Coverage per unit	0.67 ft ²	0.0625 m ²
Lineal coverage	98.42 ft	30 m
Lineal coverage per unit	0.82 ft	0.25 m




NOTES

For pedestrian use only. The subtle surface texture provides an ideal application for patios and pool decks. DesignLoc technology provides a highly refined finish, protected and enhanced by ChromaTec. Accent or border with Richmond 50 or Adelaide 50.


All sizes sold and packaged separately. Plate tamper not recommended.

BUNDLE OVERVIEW


20x20



10x10








10x20




COLOURS

Glacier Creek
Grey Mix

PATTERNS



1/2 Off-Set




20x20 - 57%
10x20 - 29%
10x10 - 14%

HUNTINGTON

CLASSIC SERIES SLAB / 70MM /




BUNDLE OVERVIEW




UNITS

RANDOM



15.67' x 23.5 x 2.75 in
398 x 597 x 70 mm
Units/bundle: 16
Units/layer: 2



15.67 x 15.67 x 2.75 in
398 x 398 x 70 mm
Units/bundle: 24
Units/layer: 3



7.83 x 15.67 x 2.75 in
199 x 398 x 70 mm
Units/bundle: 24
Units/layer: 3

SMALL RECTANGLE



7.83 x 15.67 x 2.75 in
199 x 398 x 70 mm
Units/bundle: 120
Units/layer: 15

NOTES

Large format slab with a smooth modern surface. Border or accent with Corso or Small Rectangle Hungtinton.

Random sold and packaged together in a 2:3:3 ratio.


Plate tamper not recommended.

Small Rectangle sold separately to be used as accent/border.

BUNDLE SPECIFICATIONS

	RANDOM		SMALL RECTANGLE	
	IMPERIAL	METRIC	IMPERIAL	METRIC
Coverage	102.3 ft ²	9.5 m ²	100 ft ²	9.29 m ²
Weight	3165 lbs	1435 kg	3250 lbs	1475 kg
Layers	8		8	
Coverage per layer	12.8 ft ²	1.19 m ²	12.5 ft ²	1.16 m ²
Lineal coverage	78.32 / 52.23 ft	23.88 / 15.92 m	78.32 / 52.23 ft	23.88 / 15.92 m
Lineal coverage per layer	9.79 / 6.53 ft	2.98 / 1.99 m	9.65 / 19.49 ft	2.94 / 5.94 m


PATTERNS



24" Soldier Course



16" Soldier Course



COLOURS

Colorado Grey
Grey Mix
Summer Mist
Winterborn

SMALL RECTANGLE COLOURS


Colorado Grey
Nightfall
Summer Mist

SPECTRA

CLASSIC SERIES SLAB / 50MM /



BUNDLE OVERVIEW



UNIT



23.62 x 23.62 x 2 in
600 x 600 x 50 mm
Units/bundle: 20

NOTES

Spectra provides a unique speckled finish, using the highest quality granite aggregates in the surface of the product

For pedestrian use only. Large modern slab.

Plate tamper not recommended.

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC


Coverage	77.5 ft ²	6.47 m ²
Weight	1946 lbs	882.6 kg
Coverage per layer	7.75 ft ²	0.72 m ²
Lineal coverage	39.4 ft	12 m
Lineal coverage per layer	3.94 ft	1.2 m

COLOURS


Brightsand
Eclipse
Silverlight
Storm



PATTERNS



Tile Joint




1/2 Off-Set

FLAGSTONE

CLASSIC SERIES SLAB / 40MM / 



BUNDLE OVERVIEW



UNIT



23.62 x 23.62 x 1.57 in
600 x 600 x 40 mm
Units/bundle: 25

NOTES

For pedestrian use only. Naturally inspired flagstone finish. Classic slab, does not include spacer bars.

*Sold in full bundles only.
Plate tamper not permitted.

BUNDLE SPECIFICATIONS

IMPERIAL



METRIC

Coverage	97 ft ²	9 m ²
Weight	1925 lbs	873 kg
Units	25	
Coverage per unit	3.87 ft ²	0.36 m ²
Lineal coverage	49.21 ft	15 m
Lineal coverage per unit	1.97 ft	0.6 m

COLOURS

Grey
Nightfall

PATTERNS



BASKETWEAVE™

CLASSIC SERIES SLAB / 40MM, 50MM & 65MM / 



24x30

23.62 x 29.52 x 1.57 in
600 x 750 x 40 mm

	IMPERIAL	METRIC
Coverage	121 ft ²	11.25 m ²
Weight	2410 lbs	1093 kg
Units	25	
Coverage per unit	4.84 ft ²	0.45 m ²
Lineal coverage	49.21 ft / 61.52 ft	15 m / 18.75 m
Lineal coverage per unit	1.97 ft / 2.46 ft	0.6 m / 0.75 m

12x24

11.81 x 23.62 x 1.57 in
300 x 600 x 40 mm

Coverage	48 ft ²	4.5 m ²
Weight	963 lbs	435.8 kg
Units	25	
Coverage per unit	1.93 ft ²	0.18 m ²
Lineal coverage	24.61 ft / 49.21 ft	7.5 m / 15 m
Lineal coverage per unit	0.98 ft / 1.97 ft	0.3 m / 0.6 m

24x24

23.62 x 23.62 x 1.57 in
600 x 600 x 40 mm

	IMPERIAL	METRIC
Coverage	97 ft ²	9 m ²
Weight	1925 lbs	873 kg
Units	25	
Coverage per unit	3.87 ft ²	0.36 m ²
Lineal coverage	49.21 ft	15 m
Lineal coverage per unit	1.97 ft	0.6 m

24x24 (50MM SPECIAL ORDER)

23.62 x 23.62 x 2 in
600 x 600 x 50 mm

81.4 ft ²	7.56 m ²
1946 lbs	883 kg
21	
3.87 ft ²	0.36 m ²
41.34 ft	12.6 m
1.97 ft	0.6 m

24x24 (65MM SPECIAL ORDER)

23.62 x 23.62 x 2.5 in
600 x 600 x 65 mm

58 ft ²	5.4 m ²
1820 lbs	826 kg
15	
3.87 ft ²	0.36 m ²
29.53 ft	9 m
1.97 ft	0.6 m

NOTES

For pedestrian use only. Classic slabs, does not include spacer bars.


All sizes sold and packaged separately. Sold in full bundles only.

The use of a plate tamper is not permitted.


COLOURS

White

SMOOTH NEW

CLASSIC SERIES SLAB / 40 & 50MM / 

BUNDLE OVERVIEW



UNIT



40 MM
23.62 x 23.62 x 1.57 in
600 x 600 x 40 mm
Units/bundle: 25

50 MM
23.62 x 23.62 x 2 in
600 x 600 x 50 mm
Units/bundle: 21

SHOTBLAST FINISH



NOTES

A large format slab with a smooth surface finish. The 24x24 Smooth slab brings a modern touch to a traditional paving and rooftop terracing slab.

Sold in full bundles only.
Plate tamper not recommended.

Shotblast only offered in 50 MM.



BUNDLE SPECIFICATIONS

	40mm		50mm	
	IMPERIAL	METRIC	IMPERIAL	METRIC
Coverage	97 ²	9 m ²	81.4 ft ²	7.56 m ²
Weight	1925 lbs	873 kg	1946 lbs	882 kg
Units	25		21	
Coverage per unit	3.87 ft ²	0.36 m ²	3.87 ft ²	0.36 m ²
Lineal coverage	41.34 ft	12.6 m	41.34 ft	12.6 m
Lineal coverage per unit	1.97 ft	0.6 m	1.97 ft	0.6 m

COLOURS

Grey (Regular & Shotblast)
White (Regular & Shotblast)

PATTERNS



STANDARD™ PRESS

CLASSIC SERIES SLAB / 40MM & 45MM /



24x30

23.62 x 29.52 x 1.57 in
600 x 750 x 40 mm

	IMPERIAL	METRIC
Coverage	121 ft ²	11.25 m ²
Weight	2410 lbs	1093 kg
Units	25	
Coverage per unit	4.84 ft ²	0.45 m ²
Lineal coverage	49.21 ft / 61.52 ft	15 m / 18.75 m
Lineal coverage per unit	1.97 ft / 2.46 ft	0.6 m / 0.75 m

24x24

23.62 x 23.62 x 1.57 in
600 x 600 x 40 mm

Coverage	97 ft ²	9 m ²
Weight	1925 lbs	873 kg
Units	25	
Coverage per unit	3.87 ft ²	0.36 m ²
Lineal coverage	49.21 ft	15 m
Lineal coverage per unit	1.97 ft	0.6 m

16x16

15.75 x 15.75 x 1.75 in
400 x 400 x 45 mm

	IMPERIAL	METRIC
Coverage	103 ft ²	9.6 m ²
Weight	2070 lbs	939 kg
Units	60	
Coverage per unit	1.72 ft ²	0.16 m ²
Lineal coverage	78.74 ft	24 m
Lineal coverage per unit	1.31 ft	0.4 m

12x24

11.81 x 23.62 x 1.57 in
300 x 600 x 40 mm

Coverage	48 ft ²	4.5 m ²
Weight	963 lbs	435.8 kg
Units	25	
Coverage per unit	1.93 ft ²	0.18 m ²
Lineal coverage	24.61 ft / 49.21 ft	7.5 m / 15 m
Lineal coverage per unit	0.98 ft / 1.97 ft	0.3 m / 0.6 m

COLOURS

Charcoal (Available in 600x600x40mm only)

Grey (All colours and sizes)

Red (Available in 600x600 & 400x400 only)

NOTES


For pedestrian use only. Classic slabs do not include spacer bars.

All sizes sold and packaged separately. Sold in full bundles only.

The use of a plate tamper is not permitted.



UNITS



24x24 – Rectified Edge

23.62 x 23.62 x 0.79 in
600 x 600 x 20 mm
Units/box: 2, Units/bundle: 60



16x32 – Rectified Edge

15.94 x 31.89 x 0.79 in
405 x 810 x 20mm
Units/box: 2, Units/bundle: 56

BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	232.5 ft ²	21.6 m ²
Weight*	2116 lbs	960 kg
Weight per box	69 lbs	31.2 kg
Coverage per box	7.7 ft ²	0.72 m ²
Lineal	118 ft	35.9 m
Lineal per box	3.94 ft	1.2 m

COLOURS: For our most recent colour offering visit www.bestwaystone.com/product/porcelain-24x24

Coverage	197.7 ft ²	18.37 m ²
Weight*	1940 lbs	880 kg
Weight per box	54.9 lbs	24.9 kg
Coverage per box	7 ft ²	0.65 m ²
Lineal	74.39 ft / 148.82 ft	22.67 m / 45.36 m
Lineal per box	2.66 ft / 5.32 ft	0.81 m / 1.62m

COLOURS: For our most recent colour offering visit www.bestwaystone.com/product/porcelain-16x32


NOTES

Designed and made in Italy. Light weight for easy installation. Easy to clean, and frost, mold and slip resistant. Sold by full bundle or boxes of 2. The use of a plate tamper is not permitted.


*Bundle weight includes pallet

PATTERNS

24x24



16x32







PAVERS

Signature Series mm

29	TREVISTA® 80 SMOOTH	80
30	TREVISTA® 80 TEXTURED	80
31	ADELAIDE® 80	80
32	RICHMOND® 80	80
33	MANHATTAN PLANK	80
34	NAPA	60

Classic Series mm

35	MODERNA®	70
36	ARDESIA®	70
37	CORSO®	70
38	ASHFORD	60
39	STANDARD™	60
40	DOUBLE STANDARD™	60

PHYSICAL & GEOMETRICAL CHARACTERISTICS

Precast Concrete Pavers

Characteristics	CSA A231.2
Compressive Strength	50 MPa (7252 psi) min.
Freeze-thaw Durability w/ use of deicing salt	Mass loss (max): 225 g/m ² at 28 cycles Mass loss (max): 500 g/m ² at 49 cycles
Dimensional tolerances ¹	Length and Width: -1.0mm to +2.0mm Thickness: ±3 mm


1. Dimensional tolerances prior to the application of architectural finishes

TREVISTA® 80 SMOOTH


SIGNATURE SERIES PAVER / 80MM /   




BUNDLE OVERVIEW



UNITS



19.5 x 13 x 3.15 in
495 x 330 x 80 mm
Units/bundle: 16
Units/layer: 2



13 x 13 x 3.15 in
330 x 330 x 80 mm
Units/bundle: 32
Units/layer: 4



6.5 x 13 x 3.15 in
165 x 330 x 80 mm
Units/bundle: 32
Units/layer: 4

NOTES

For pedestrian and/or vehicular use. Trevista 80 Smooth is a large format paver with a smooth modern surface. Sold and packaged together in a 1:2:2 ratio. The DesignLoc surface technology provides a highly refined, colour enriched finish.

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Coverage	83.6 ft ²	7.76 m ²
Weight	3077 lbs	1395.85 kg
Layers	8	
Coverage per layer	10.45 ft ²	0.97 m ²
Lineal coverage	78 ft / 52 ft	23.77 m / 15.85 m
Lineal coverage per layer	9.75 ft / 6.5 ft	2.97 m / 1.98 m

COLOURS

Autumn Hill **(NEW)**




Beige Mix

Carrara

Glacier Creek

Grey Mix


PATTERNS



13" Soldier Course



19.5" Soldier Course




TREVISTA® 80 TEXTURED


SIGNATURE SERIES PAVER / 80MM /




BUNDLE OVERVIEW



UNIT



19.5 x 13 x 3.15 in
495 x 330 x 80 mm
Units/bundle: 16
Units/layer: 2



13 x 13 x 3.15 in
330 x 330 x 80 mm
Units/bundle: 32
Units/layer: 4



6.5 x 13 x 3.15 in
165 x 330 x 80 mm
Units/bundle: 32
Units/layer: 4

NOTES

For pedestrian and/or vehicular use. Trevista 80 Textured is a large format paver with an elegant and traditional texture. Sold and packaged together in a 1:2:2 ratio. The DesignLoc surface technology provides a highly refined, colour enriched finish.

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Coverage	83.6 ft ²	7.76 m ²
Weight	3077 lbs	1395.85 kg
Layers	8	
Coverage per layer	10.45 ft ²	0.97 m ²
Lineal coverage	78 ft / 52 ft	23.77 m / 15.85 m
Lineal coverage per layer	9.75 ft / 6.5 ft	2.97 m / 1.98 m

COLOURS

Autumn Hill **(NEW)**




Beige Mix

Carrara

Glacier Creek

Grey Mix


PATTERNS



13" Soldier Course



19.5" Soldier Course




ADELAIDE® 80


SIGNATURE SERIES PAVER / 80MM /   



BUNDLE OVERVIEW



UNIT



6.5 x 13 x 3.15 in
165 x 330 x 80 mm
Units/bundle: 168
Units/layer: 21

NOTES

For pedestrian and/or vehicular usage.
Can be used on its own or as a modern
accent and/or border for the Trevista® 80
pavers. The smooth surface provides a
contemporary finish.

BUNDLE SPECIFICATIONS

IMPERIAL



METRIC

Coverage	98.4 ft ²	9.1 m ²
Weight	3622 lbs	1643 kg
Layers	8	
Coverage per layer	12.3 ft ²	1.14 m ²
Lineal coverage	91 ft / 182 ft	27.7 m / 55.4 m
Lineal coverage per layer	11.38 ft / 22.75 ft	3.47 m / 6.93 m

COLOURS

Glacier Creek
Grey
Ultra Black

PATTERNS



RICHMOND® 80

SIGNATURE SERIES PAVER / 80MM /



BUNDLE OVERVIEW



UNIT



6.5 x 13 x 3.15 in
165 x 330 x 80 mm
Units/bundle: 168
Units/layer: 21

NOTES

For pedestrian and/or vehicular usage. Can be used on its own, or as an accent and/or border for the Trevista® 80 pavers. Subtle textured surface provides striking interest.

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Coverage	98.4 ft ²	9.1 m ²
Weight	3622 lbs	1643 kg
Layers	8	
Coverage per layer	12.3 ft ²	1.14 m ²
Lineal coverage	91 ft / 182 ft	27.7 m / 55.4 m
Lineal coverage per layer	11.38 ft / 22.75 ft	3.47 m / 6.93 m



COLOURS

Glacier Creek

Grey Mix

Ultra Black

PATTERNS




MANHATTAN PLANK

SPECIAL ORDER ITEM

SIGNATURE SERIES PAVER / 80MM /   



BUNDLE OVERVIEW



UNITS



A
6.50 x 4.33 x 3.15 in
165 x 110 x 80 mm
Units/bundle: 32
Units/layer: 4



B
10.83 x 4.33 x 3.15 in
275 x 110 x 80 mm
Units/bundle: 32
Units/layer: 4



C
12.99 x 4.33 x 3.15 in
330 x 110 x 80 mm
Units/bundle: 32
Units/layer: 4



D
17.32 x 4.33 x 3.15 in
440 x 110 x 80 mm
Units/bundle: 32
Units/layer: 4



E
8.66 x 6.50 x 3.15 in
220 x 165 x 80 mm
Units/bundle: 32
Units/layer: 4



F
12.99 x 6.50 x 3.15 in
330 x 165 x 80 mm
Units/bundle: 16
Units/layer: 2



G
17.32 x 6.50 x 3.15 in
440 x 165 x 80 mm
Units/bundle: 16
Units/layer: 2

NOTES

Provides a contemporary linear finish. Manhattan Plank is 80mm thick, ideal for any application. Install in a ratio of 2 (4.33") rows to every 1 (6.5") row. All sizes are sold and packaged together. The DesingLoc surface technology provides a highly refined, colour enriched finish.

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	80 ft ²	7.44 m ²
Weight	2944.5 lbs	1338 kg
Layers	8	
Coverage per layer	10 ft ²	0.93 m ²
Lineal coverage (A-D)	127 ft	38.72 m
Lineal coverage per layer (A-D)	15.875 ft	4.84 m
Lineal coverage (E-G)	63.5 ft	19.36 m
Lineal coverage per layer (E - G)	7.94 ft	2.42 m

COLOURS


Glacier Creek
Grey Mix
Ultra Black

PATTERN





BUNDLE OVERVIEW



UNIT



2.36" x 9.45" x 2.36"
60mm x 240mm x 60mm
Units/bundle: 585

NOTES

For pedestrian and/or vehicular use. Provides a classic smooth surface with subtle edges. Herringbone pattern provides contemporary finish. Can use independently or provides an ideal accent/border stone for 60mm slabs.

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	90.6 ft ²	8.42 m ²
Weight	2545 lbs	1154.4 kg
Layers	9	
Coverage per layer	10.07 ft ²	0.936 m ²
Lineal coverage	115.02 ft / 460.7 ft	35.1 m / 123.9 m
Lineal coverage per layer	12.78 ft / 51.19 ft	3.9 m / 15.6 m


COLOURS

Carrara
Ultra Black


PATTERNS




1/2 Off-Set



Parquet






Herringbone




45° Herringbone

MODERNA®


CLASSIC SERIES PAVER / 70MM /   



BUNDLE OVERVIEW



UNITS



16 x 8/12 x 2.75 in
405 x 205/305 x 70 mm
Units/bundle: 64
Units/layer: 8

NOTES

For pedestrian and/or vehicular use. Install by layer for most random finish. Single shape false joint paver allows for easy and quick installation. Moderna can also be installed as a permeable paver.

BUNDLE SPECIFICATIONS

IMPERIAL



METRIC

Coverage	62 ft ²	5.76 m ²
Weight	1918 lbs	869.84 kg
Layers	8	
Coverage per layer	7.75 ft ²	0.72 m ²
Lineal coverage	47 ft*	14.4 m*
Lineal coverage per layer	5.875 ft*	1.8 m*

COLOURS

Beige Mix
Grey Mix

PATTERNS




*16" SOLDIER COURSE

ARDESIA®


CLASSIC SERIES PAVER / 70MM /  



BUNDLE OVERVIEW



UNITS



19.29 x 10.41 x 2.75 in
490 x 265 x 70 mm
Units/bundle: 64
Units/layer: 8

NOTES

For pedestrian and/or vehicular use. Single shape false joint paver allows for easy and quick installation. The flagstone surface design provides a natural finish.

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	76.2 ft ²	7.08 m ²
Weight	2357 lbs	1069.06 kg
Layers	8	
Coverage per layer	9.52 ft ²	0.88 m ²
Lineal coverage	-	-
Lineal coverage per layer	-	-

COLOURS

Beige Mix
Grey Mix

PATTERN




CORSO[®]

CLASSIC SERIES PAVER / 70MM /  



BUNDLE OVERVIEW



UNIT



9.96 x 5.24 x 2.75 in
253 x 133 x 70 mm
Units/bundle: 112
Units/layer: 14



7.60 x 5.24 x 2.75 in
193 x 133 x 70 mm
Units/bundle: 112
Units/layer: 14



5.24 x 5.24 x 2.75 in
133 x 133 x 70 mm
Units/bundle: 112
Units/layer: 14

NOTES

For pedestrian and/or vehicular use.
Corso provides a European cobblestone
aesthetic with a highly detailed texture.
All sizes are sold and packaged together
in a 1:1:1 ratio.

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	94 ft ²	8.74 m ²
Weight	2907 lbs	1318.78 kg
Layers	8	
Coverage per layer	11.75 ft ²	1.09 m ²
Lineal coverage	212.8 ft	64.85 m
Lineal coverage per layer	26.6 ft	8.11 m



COLOURS

Grey Mix
Ultra Black

PATTERN




ASHFORD

CLASSIC SERIES PAVER / 60MM /  



BUNDLE OVERVIEW



UNITS



13 x 8.66 x 2.36 in
330 x 220 x 60 mm
Units/bundle: 54
Units/layer: 6



8.66 x 8.66 x 2.36 in
220 x 220 x 60 mm
Units/bundle: 72
Units/layer: 8



8.66 x 4.33 x 2.36 in
220 x 110 x 60 mm
Units/bundle: 54
Units/layer: 6

NOTES

For pedestrian and/or vehicular use. Provides a classic smooth surface with subtle edges. Install in a 3:4:3 ratio. Can border/accent with Napa, Balsam and other 60mm options for consistent grades.

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	93.75 ft ²	8.71 m ²
Weight	2812 lbs	1156 kg
Layers	9	
Coverage per layer	10.42	0.97 m ²
Lineal coverage	130 ft	39.6 m
Lineal coverage per layer	14.44 ft	4.4 m


COLOURS

Grey Mix
Colorado Grey
Summer Mist

PATTERNS



8.66" Soldier Course




13" Soldier Course

STANDARD

CLASSIC SERIES PAVER / 60MM /  



BUNDLE OVERVIEW



UNIT



3.93" x 7.87" x 2.36"
100mm x 200mm x 60mm
Units/bundle: Full 477 / Half 18
Units/row*: Full 53 / Half 2

NOTES

For pedestrian and/or vehicular use. Provides a classic smooth surface with subtle edges.

*Sold in full bundles only.

BUNDLE SPECIFICATIONS

IMPERIAL



METRIC

Coverage	106 ft ²	9.85 m ²
Weight	2862 lbs	1298.18 kg
Rows*	9	
Coverage per row*	11.78 ft ²	1.09 m ²
Lineal coverage	156.2 ft / 312.8 ft	47.7 m / 95.4 m
Lineal coverage per row*	17.35 ft / 34.75 ft	5.3 m / 10.6 m
Coverage per unit*	0.22 ft ²	0.02 m ²
Units per ft ² / m ²	4.59	49.34

COLOURS

Buff Mix
Buff-Brown Mix
Charcoal
Grey
Grey Mix
Red
Red Mix
Salmon Mix

PATTERNS




DOUBLE STANDARD

CLASSIC SERIES PAVER / 60MM /  



BUNDLE OVERVIEW



UNIT



7.87" x 7.87" x 2.36"
200mm x 200mm x 60mm
Units/bundle: 216
Units/row: 24

NOTES

For pedestrian and/or vehicular use. Provides a smooth square surface with subtle edges.

*Sold in full bundles only.

BUNDLE SPECIFICATIONS

IMPERIAL



METRIC

Coverage	94 ft ²	8.73 m ²
Weight	2538 lbs	1151.2 kg
Rows	9	
Coverage per row	10.44 ft ²	0.97 m ²
Lineal coverage	144 ft	43.9 m
Lineal coverage per row	16 ft	4.88 m
Coverage per unit	0.44 ft ²	0.04 m ²
Units per ft ² / m ²	2.3	24.74

COLOURS

Charcoal
Grey
Grey Mix
Red Mix
Salmon Mix

PATTERNS







WALLS

Signature Series

43 SOHO

44 BARNBEAM

Classic Series

45 ARLINGTON

46 HAZELTON

47 GARDEN LOCK™

49 PARKWALL™

51 ANTICO STACKER

52 IKON

53 RIDGEWALL® SRW SYSTEM

Rosetta Series

56 ROCKTON

57 GRAND LEDGE

PHYSICAL & GEOMETRICAL CHARACTERISTICS

Dry-cast Wall Units

Characteristics		ASTM C 1372 ²
Compressive strength		20.7 MPa (3000 psi) min.
Durability to freeze thaw cycles Mass loss		after 100 cycles 1% (max.)
		after 150 cycles 1.5% (max.)
Water absorption		208 kg/m ³ max. (13 lb/ft ³)
Dimension tolerance ¹	length	±3 mm (1/8")
	width	±3 mm (1/8")
	height	±3 mm (1/8")

1. The dimensional tolerance not applicable to split facings or other architectural finish

2. ASTM C1372 Standard specification for Dry-Cast, SRW units

SOHO

SIGNATURE SERIES WALL / SINGLE-SIDED / 



BLOCK UNITS (4-PACK)



13.78w x 3.94h x 8.85d in
350w x 100h x 225d mm
Units/bundle: 9
Units/layer: 3



17.72w x 3.94h x 8.85d in
450w x 100h x 225d in
Units/bundle: 9
Units/layer: 3



21.65w x 3.94h x 8.85d in
550w x 100h x 225d mm
Units/bundle: 9
Units/layer: 3



25.59w x 3.94h x 8.85d in
650w x 100h x 225d mm
Units/bundle: 9
Units/layer: 3

CORNER UNIT



13.78w x 3.94h x 8.85d in
350w x 100h x 225d mm
Units/bundle: 60
Units/layer: 20

NOTES

Made with DesignLoc® surface refinement technology.

New for 2023 - Soho wall is now coloured throughout the product.

Use Arlington or Garden Lock coping for ideal finish. Soho's corner creates a 22.5" x 22.5" column. Sold and packaged separately from the block units.

COLOURS

Autumn Hill **(NEW)**

Carrara

Glacier Creek

Grey Mix

Ultra Black

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	19.35 ft ²	1.8 m ²
Lineal coverage	59.04 ft	18 m
Weight	1926 lbs	873.6 kg
Layers	3	-
Coverage per 4 pack	2.15 ft ²	0.2 m ²
Lineal coverage per 4 pack	6.56 ft	2 m
Weight per 4 pack	214 lbs	97 kg
4 packs per bundle	9	-
4 packs per layer	3	-


Coverage	22.5 ft ² / 14.4 ft ²	2.1 m ² / 1.35 m ²
Lineal coverage	69 ft / 44.4 ft	10.5 m / 6.75 m
Weight	2196 lbs	996 kg
Coverage per unit	0.62 ft ²	0.06 m ²
Lineal coverage per unit	1.15 ft / 0.74 ft	0.18 m / 0.11 m
Weight per unit	36.6 lbs	16.6 kg

BUNDLE OVERVIEW

BLOCK



CORNER




BARNBEAM WALL + CURB

SIGNATURE SERIES WALL / WETCAST DOUBLE-SIDED / DRY STACK



BUNDLE OVERVIEW



UNIT



40w x 6h x 8d in
1015w x 152h x 203d mm
Units/bundle: 16

NOTES

The Barnbeam wall combines the natural grains and details of wood with the durability of concrete. These three sided units are produced using Best Way Stone's wetcast technology allowing for maximum detail, and integral colouring throughout the surface.

NEW FOR 2023 - Firepit kit now available

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	26.6 ft ²	2.47 m ²
Lineal Coverage	53.3 ft	16.24 m
Weight	2527 lbs	1146 kg
Weight per unit	158 lbs	71.7 kg
Coverage per unit	1.66ft ²	0.15 m ²
Lineal coverage per unit	3.33 ft	1.01 m

COLOURS


Weatherwood

1/2 OFF-SET




Create 1/2 unit (20"w) to start alternating rows.

TYPICAL CROSS SECTIONS



CORNER CONSTRUCTION



Alternate overlap each row.

ARLINGTON

CLASSIC SERIES WALL SYSTEM / DOUBLE-SIDED SMOOTH WALL




UNITS



BLOCK

15.75w x 4.92h x 8.85d in
400w x 125h x 225d mm



CORNER

15.75w x 4.92h x 8.85d in
400w x 125h x 225d mm



COPING

15.75w x 2.36h x 10.23d in
400w x 60h x 260d mm

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Coverage	26.9 ft ²	2.5 m ²
Lineal Coverage	65.6 ft	20 m
Weight	2600 lbs	1179.3 kg
Units	50	-
Coverage per unit	0.53 ft ²	0.05 m ²
Lineal coverage per unit	1.31 ft	0.4 m

Coverage	26.9 / 15 ft ²	2.5 / 1.39 m ²
Lineal Coverage	65.6 ft	20 m
Weight	2595 lbs	1177 kg
Units	50	-
Coverage per unit	0.53 / 0.3 ft ²	0.05 / 0.027
Lineal coverage per unit	1.31 / 0.74 ft	0.4 / 0.225 m

Lineal Coverage	94.5 ft	28.8 m
Weight	2146 lbs	973.4 kg
Units	72	-
Lineal coverage per unit	1.31 ft	0.4 m
Sections	4	-
Lineal coverage per section	23.6 ft	7.2 m

NOTES


Smooth double-sided wall unit with a locking feature that works in tandem with Garden Lock and Hazelton.

COLOURS

Grey Mix
Nightfall
Colorado Grey
Summer Mist
Winterborn

BUNDLE OVERVIEW

BLOCK & CORNER COPING




*Set-back can be erected to 36" matching Garden Lock.

HAZELTON

CLASSIC SERIES WALL SYSTEM / DOUBLE-SIDED




UNITS



BLOCK

11.81w x 4.92h x 8.85d in
300w x 125h x 225d mm
Units/bundle: 60



CORNER

12.8w x 4.92h x 6.9d in
325w x 125h x 175d mm
Units/bundle: 48

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Coverage	24.21 ft ²	2.25 m ²
Lineal Coverage	59.05 ft	18 m
Weight	2296 lbs	1041.5 kg
Weight per unit	38.3 lbs	17.4 kg
Coverage per unit	0.404 ft ²	0.038 m ²
Lineal coverage per unit	0.984 ft	0.3 m


Coverage	21 ft ² / 11.3 ft ²	1.95 m ² / 1.05 m ²
Lineal Coverage	51.2 ft / 27.6 ft	15.6 m / 8.4 m
Weight	1642 lbs	744 kg
Weight per unit	34.2 lbs	15.5 kg
Coverage per unit	0.44 ft ² / 0.23 ft ²	0.04 m ² / 0.02 m ²
Lineal coverage per unit	1.06 ft / 0.57 ft	0.32 m / 0.17 m

NOTES


A double-sided textured wall with a locking system that allows for vertical or set-back designs. The corner creates a 20" x 20" column. Block and corner units are sold separately. Arlington, Montana, Riviera, or Garden Lock coping are ideal to complete Hazelton wall.

BUNDLE OVERVIEW

BLOCK





CORNER



COLOURS

Beige Mix
Grey Mix
Ultra Black


TYPICAL CROSS SECTIONS




GARDEN LOCK™

CLASSIC SERIES WALL SYSTEM / SPLIT-FACE / DOUBLE-SIDED

BUNDLE OVERVIEW



TRIPLE UNIT



Large Unit
14.96w x 4.92h x 8.85d in
380w x 125h x 225d mm
Units: 25



Medium Unit
9.84w x 4.92h x 8.85d in
250w x 125h x 225d mm
Units: 25



Small Unit
7.48w x 4.92h x 8.85d in
190w x 125h x 225d mm
Units: 25

NOTES

A double-sided split face wall that can be installed vertically or set-back. Specific medium blocks can be installed on their side, identified with locking feature along the vertical side of block unit. Triple units are sold and packaged together in a 1:1:1 ratio. Use Arlington or Garden Lock coping for best finish.

BUNDLE SPECIFICATIONS


	IMPERIAL	METRIC
Coverage	27.5 ft ²	2.55 m ²
Lineal Coverage	67.26 ft	20.5 m
Weight	3113 lbs	1412.16 kg
Weight per triple	124.5 lbs	56.5 kg
Coverage per triple	1.1 ft ²	0.1 m ²
Lineal coverage per triple	2.69 ft	0.82 m
Sections	5	-
Coverage per section	5.5 ft ²	0.51 m ²
Lineal coverage per section	13.45 ft	4.1 m

COLOURS

Beige Mix
Grey
Grey Mix
Ultra Black*
Winterborn


*Straight coping only

TYPICAL CROSS SECTIONS





UNIT



STRAIGHT COPING

15.74w x 2.95h x 10.23d in
400w x 75h x 260d mm



CORNER

13.46w x 4.92h x 8.85d in
342w x 125h x 225d mm



WEDGE BLOCK

8.07(5.31)w x 4.92h x 8.85d in
205(135)w x 125d x 225d mm



WEDGE COPING

8.23(5.17)w x 2.95h x 10.23d in
209(131)w x 75h x 260d mm

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Lineal Coverage	84 ft	25.6 m
Weight	2458 lbs	1114.75 kg
Units	64	-
Lineal coverage per unit	1.31 ft	0.4 m
Sections	4	-
Lineal coverage per section	21 ft	6.4 m

Coverage	18.3 ft ² / 11.8 ft ²	1.7 m ² / 1.1 m ²
Weight	1786 lbs	810 kg
Units	40	-
Coverage per unit	0.4 ft ² / 0.3 ft ²	0.04 m ² / 0.03 m ²
Lineal coverage	44.9 ft / 29.5 ft	13.68 m / 9 m
Lineal coverage per unit	1.12 ft / 0.74 ft	0.34 m / 0.23 m

Coverage	34.7 ft ² / 23 ft ²	3.22 m ² / 2.14 m ²
Weight	3013 lbs	1366.45 kg
Units	125	
Coverage per unit	0.32 ft ² / 0.21 ft ²	0.03 m ² / 0.02 m ²
Lineal coverage	84.06 ft / 55.38 ft	25.63 m / 16.88 m
Lineal coverage per unit	0.66 ft / 0.46 ft	0.2 m / 0.14 m

Weight	2635 lbs	1195.31 kg
Units	160	
Lineal coverage	87.89 ft / 55.25 ft	26.76 m / 16.82 m
Lineal coverage per unit	0.55 ft / 0.35 ft	0.17 m / 0.11 m

NOTES

// 20 Wedge blocks and 20 Wedge units make a circle with 53.5" outside diamtere and 33" inside diameter.

// Corner creates a 22.3" x 22.3" column base

PARKWALL®

CLASSIC SERIES WALL SYSTEM / SPILT-FACE / DOUBLE-SIDED OPTION / SINGLE SIDE SMOOTH OPTION

UNITS



REGULAR & TAPERED BLOCK

7.87w x 5.9h x 11.61d in
200w x 150h x 295d mm



CORNER

7.87w x 5.9h x 11.61d in
200w x 150h x 295d mm



COPING

23.62w x 2.95h x 11.81d in
600w x 75h x 300d mm

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Coverage	20 ft ²	1.85 m ²
Lineal Coverage	40 ft	12 m
Weight	2575 lbs	1167.95 kg
Units	60	-
Coverage per unit	0.34 ft ²	0.03 m ²
Lineal coverage per unit	0.67 ft	0.2 m

Coverage	-	-
Lineal Coverage	15.75 ft / 23.23 ft	4.8 m / 7.08 m
Weight	1064 lbs	482.6 kg
Units	24	-
Coverage per unit	-	-
Lineal coverage per unit	0.66 ft / 0.97 ft	0.2 m / 0.3 m

Lineal Coverage	64 ft	19.2 m
Weight	2144 lbs	972 kg
Units	32	-
Lineal coverage per unit	2 ft	0.6 m
Sections	4	-
Lineal coverage per section	16 ft	4.8 m

NOTES


A single sided split face wall, with a double-sided option. Regular and tapered blocks can be split along back joint to remove smooth face and create double-sided finish. Can be installed vertically or set-back, front-facing or reversed, or any combination. Alternate a full 4 corner column row of the same indicated corners (Rights / Lefts) to make a 19.5" x 19.5" column base.

COLOURS


Beige Mix
Grey
Grey Mix
Ultra Black (coping only)
Winterborn




BUNDLE OVERVIEW



REGULAR & TAPERED BLOCK





CORNERS



COPING

TYPICAL CROSS SECTIONS



DESIGN VERSATILITY

Split-Face Vertical




Smooth-Face Accent



In or Out-Set Accent



Smooth-Face In or Out-Set



Combination Accenting




No block manipulation required. Simply turn the block, or set in and out as desired along the patented locking feature.

ANTICO® STACKER

STACK WALL / TUMBLED



BUNDLE OVERVIEW



UNIT



11.81w x 3.92h x 7.87d in
300w x 100h x 200d mm
Units/bundle: 96

NOTES

A tumbled unit with smooth antiqued surface. Stacker is a versatile stacking block that can be applied to multiple applications such as garden walls, outdoor kitchens, columns, water and fire features. Creates a 19.5" x 19.5" column base.

COLOURS

Beige Mix
Grey Mix
Ultra Black

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC


Coverage	31 ft ² / 20.67 ft ²	2.88 m ² / 1.92 m ²
Lineal Coverage	94.5 ft / 63 ft	19.2 m / 28.8 m
Weight	2861 lbs	1297.6 kg
Weight per unit	29.8 lbs	13.5 kg
Coverage per unit	0.32 ft ² / 0.21 ft ²	0.03 m ² / 0.02 m ²
Lineal coverage per unit	0.98 ft / 0.66 ft	0.2 m / 0.3 m
Sections	4	-
Coverage per section	7.75 ft ² / 5.17 ft ²	0.72 m ² / 0.48 m ²
Lineal coverage per section	23.62 ft / 15.75 ft	4.8 m / 7.2 m

IKON

CLASSIC SERIES WALL / SMOOTH FINISH / LARGE SRW



BUNDLE OVERVIEW



UNITS



BLOCK

39.4w x 6.7h x 14d in
1000w x 170h x 355d mm
Units/bundle: 9



COPING

39.4w x 6.7h x 14d in
1000w x 170h x 355d mm
Units/bundle: 9

NOTES

Large format segmental retaining wall with a double-sided smooth finish. Units can be reversed to set-back the wall system. Engineering details and services available for the Ikon wall system.

BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	16.5 ft ²	1.53 m ²
Lineal Coverage	29.53 ft	9 m
Weight	2745 lbs	1245 kg
Weight per unit	305 lbs	138.3 kg
Coverage per unit	1.83 ft ²	0.17 m ²
Lineal coverage per unit	3.28 ft	1 m

COLOURS

Grey
Ultra Black

DESIGN OPTIONS

VERTICAL




Alternate the direction of units each row. Off-set locking feature align to create vertical finish.

30MM OFF-SET




Install units in the same direction. Off-set locking feature creates a 30mm set back.

30MM CUSTOMIZED OFF-SET



Manipulate the direction of units at desired rows. Off-set locking feature allows for customized design and finish.

Off-Set Locking System



RIDGEWALL®

LARGE SEGMENTAL RETAINING WALL SYSTEM / ENGINEERING SERVICES AVAILABLE



UNITS



BLOCK UNIT

39.4w x 7.68h x 17.1d in
1000w x 195h x 435d mm



90° CORNER UNIT

36.9w x 7.68h x 17.1d in
937.5w x 195h x 435d mm



45° CORNER UNIT

39.4w x 7.68h x 17.1d in
1000w x 195h x 435d mm



COPING UNIT

39.4w x 7.68h x 19.7d in
1000w x 195h x 500d mm

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Coverage	12.61 ft ²	1.2 m ²
Lineal Coverage	19.68 ft	6 m
Weight	2370 lbs	1075.2 kg
Units	6	-
Coverage per unit	2.1 ft ²	0.2 m ²
Lineal coverage per unit	3.28 ft	1 m

Coverage	17.22 ft ²	1.62 m ²
Lineal Coverage	26.97 ft	8.24 m
Weight	2340 lbs	1061.4 kg
Units	6	-
Coverage per unit	2.87 ft ²	0.27 m ²
Lineal coverage per unit	4.49 ft	1.37 m


Coverage	13.5 ft ²	1.26 m ²
Lineal Coverage	21.45 ft	6.56 m
Weight	2226 lbs	1009.8 kg
Units	6	-
Coverage per unit	2.25 ft ²	0.21 m ²
Lineal coverage per unit	3.57 ft	1.09 m

Coverage	12.61 ft ²	1.2 m ²
Lineal Coverage	19.68 ft	6 m
Weight	2982 lbs	1352.4 kg
Units	6	-
Coverage per unit	2.1 ft ²	0.2 m ²
Lineal coverage per unit	3.28 ft	1 m

RIDGEWALL®

LARGE SEGMENTAL RETAINING WALL SYSTEM

BUNDLE OVERVIEW (ALL UNITS)




NOTES

When installing the Ridgewall, install units ridge-to-ridge and key-to-key where possible. Can be installed vertically or with 50mm set-back. Engineering services available, call 1-800-BESTWAY (237-8929) or contact your sales rep for more information.


COLOURS


Grey
Grey Mix (Coping Only)

RIDGE & KEY SYSTEM






TYPICAL CROSS SECTION










Ridge-to-Ridge & Key-to-Key Installation (Best Practice where possible)



90 Corner - Row 1 & 2 (Continue same sequence for following rows) + typical grid placement



45 Corner - Row 1 & 2 (Continue same sequence for following rows) + typical grid placement



90 & 45 Corner - Finished

ROCKTON

DOUBLE-SIDED / EMBOSSED NATURAL FINISH

ROSETTA®



BLOCK UNITS (6 PACK)



12w x 6h x 10.5d in
305w x 153h x 267d mm
Units/bundle: 3
Units/layer: 1



21w x 6h x 10.5d in
533w x 153h x 267d mm
Units/bundle: 6
Units/layer: 2



30w x 6h x 10.5d in
762w x 153h x 267d mm
Units/bundle: 3
Units/layer: 1



42w x 6h x 10.5d in
1067w x 153h x 267d mm
Units/bundle: 6
Units/layer: 2



CORNER
21w x 6h x 10.5d in
533w x 153h x 267d mm
Units/bundle: 24

BUNDLE SPECIFICATIONS


IMPERIAL

METRIC

Coverage	21 ft ²	1.95 m ²
Lineal coverage	42 ft	12.8 m
Weight	2626 lbs	1134 kg
Layers (6 packs)	3	-
Coverage per layer (6 pack)	7 ft ²	0.65 m ²
Linear coverage per layer (6 pack)	14 ft	4.26 m
Weight per layer (6 pack)	833 lbs	378 kg

Coverage	31.5 ft ²	2.9 m ²
Lineal coverage	63 ft	19.2 m
Weight	2619 lbs	1134 kg
Coverage per unit	1.31 ft ²	0.12 m ²
Linear coverage per unit	2.6 ft	0.79 m
Weight per unit	104 lbs	47.25 kg

BUNDLE OVERVIEW (6 Pack)



NOTES

Rockton provides a large format natural finish. Corner units create a 22.5"x22.5" column. Block units sold and packaged together. Each bundle layer represents a 6 pack.

COLOURS

Fond du Lac
Manitou Blend


GRAND LEDGE

ENGINEERED WALL SYSTEM


ROSETTA®




BLOCK UNITS




36w x 12h x 23d x in
914w x 304h x 584d mm
Units/bundle: 1



48w x 12h x 23d x in
1219w x 304h x 584d mm
Units/bundle: 1



60w x 12h x 23d x in
1524w x 304h x 584d mm
Units/bundle: 1



72w x 12h x 23d x in
1828w x 304h x 584d mm
Units/bundle: 1

BUNDLE SPECIFICATIONS IMPERIAL

METRIC

Coverage	18 ft ²	1.67 m ²
Lineal coverage	18 ft	5.5 m
Weight	4000 lbs	1814 kg

CORNER UNITS




35.25w x 12h x 23d x in
895w x 304h x 584d mm
Units/bundle: 1



42.75w x 12h x 23d x in
1086w x 304h x 584d mm
Units/bundle: 1



46w x 12h x 23d x in
1168w x 304h x 584d mm
Units/bundle: 1



50.5w x 12h x 23d x in
1283w x 304h x 584d mm
Units/bundle: 1

BUNDLE SPECIFICATIONS IMPERIAL

METRIC

Coverage	14 ft ²	1.30 m ²
Lineal coverage	14.54 ft	4.43 m
Weight	3644 lbs	1653 kg

NOTES

Made strong with the finest granite aggregate
& 24 unique wall textures

Sold in Full Bundles only.

Block & Corner Units are bundled seperatly

COLOURS

Fond Du Lac
Manitou Blend



Grand Ledge





STEPS, CAPS & CURBS

Steps

- 61 CAMDEN STEP
- 62 IKON STEP
- 62 RIDGE™ STEP

Caps

- 63 SOPRA COPING
- 63 MONTANA CAP
- 63 MONTANA COLUMN CAP
- 63 RIVIERA CAP
- 64 BAROLLO™ ROUND EDGE
- 64 SMOOTH CAP
- 64 PARKWALL® COLUMN CAP


Curbs

- 65 ARLINGTON CURB
- 65 ANTICO® CURB
- 65 GARDEN CURB
- 65 DRIVEWAY CURB

STEPS



CAMDEN STEP



72w x 6h x 16d in
1830w x 152h x 406d mm

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Weight	2144 lbs	972 kg
Units	4	-
Lineal coverage	24 ft	7.31 m
Lineal coverage per unit	6 ft	1.83 m

COLOUR: Ebony, Granite Grey



48w x 6h x 16d in
1219w x 152h x 406d mm

Weight	1324 lbs	600.73 kg
Units	6	-
Lineal coverage	24 ft	7.32 m
Lineal coverage per unit	4 ft	1.22 m

COLOUR: Ebony, Granite Grey

14" FILLER




14w x 7d x 6h in
356w x 178d x 152h mm

Weight	2232 lbs	1008 kg
Units	48	-
Lineal	-	-
Lineal per unit	-	-

COLOUR: Ebony, Granite Grey

28" FILLER



28w x 7d x 6h in
711w x 178d x 152h mm

Weight	2232 lbs	1008 kg
Units	24	-
Lineal coverage	-	-
Lineal coverage per unit	-	-

COLOUR: Ebony, Granite Grey

IKON STEP



39.4w x 6.7h x 14d in
1000w x 170h x 355d mm

Weight	2745 lbs	1245 kg
Units	9	
Lineal coverage	29.5 ft	9 m
Lineal coverage per unit	3.28 ft	1 m

COLOUR: Grey, Ultra Black


RIDGE™ STEP



39.4w x 7.68h x 19.7d in
1000w x 195h x 500d mm

Weight	2982 lbs	1352.4 kg
Units	6	
Lineal coverage	19.68 ft	6 m
Lineal coverage per unit	3.28 ft	1 m

COLOUR: Grey, Grey Mix



CAPS



Sopra




Montana



Riviera

SOPRA COPING



28w x 14d x 2.36h in
710w x 355d x 60h mm

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Weight	2079 lbs	943 kg
Units	27	-
Lineal coverage	63 ft	19.2 m
Lineal coverage per unit	2.3 ft	0.7 m

COLOUR: Grey, Sahara Blend, Ultra Black

MONTANA CAP



21.3w x 10.6d x 2h in
540w x 270d x 50h mm

BUNDLE SPECIFICATIONS


IMPERIAL

METRIC

Weight	825 lbs	374 kg
Units	22	-
Lineal coverage	38.9 ft	11.9 m
Lineal coverage per unit	1.77 ft	0.54 m

COLOUR: Ebony, Granite, Sandstone

MONTANA COLUMN CAP




23.62w x 23.62d x 2.95h in
600w x 600d x 75h mm

Weight	1096 lbs	496 kg
Units	8	-
Lineal coverage	-	-
Lineal coverage per unit	-	-

COLOUR: Ebony, Granite, Sandstone

RIVIERA CAP



23.6w x 11.8d x 2.36h in
600w x 300d x 60h mm

Weight	873 lbs	396 kg
Units	18	-
Lineal coverage	35.4 ft	10.8 m
Lineal coverage per unit	1.97 ft	0.6 m

COLOUR: Ebony, Granite, Sandstone



Barollo



Column Cap

BAROLLO™ ROUND EDGE

NEW



8" COPING

7.87w x 12.46d x 2.95h in
200w x 317d x 75h mm



10" COPING

9.84w x 12.46d x 2.95h in
250w x 317d x 75h mm

8" COPING

10" COPING

Weight	1980 lbs	898 kg	2136 lbs	968.86 kg
Units	90		81	
Lineal coverage	59.04 lf	17.95 m	66.42 ft	20.25 m
Lineal coverage per unit	0.65 ft	0.20 m	0.82 ft	0.25 m

COLOUR (8"): Colorado Grey, Summer Mist, Nightfall

COLOUR (10"): Grey, Ultra Black

SMOOTH CAP



27.95w x 27.95w x 3.15h in
710w x 710d x 80h mm

Weight per bundle	1504 lbs	684 kg
Units	8	
Lineal coverage	-	-
Lineal coverage per unit	-	-

COLOUR: Ebony, Granite Grey

PARKWALL® COLUMN CAP



23.62w x 23.62d x 2.95h in
600w x 600d x 75h mm

Weight	2280 lbs	1034 kg
Units	16	
Lineal coverage	-	-
Lineal coverage per unit	-	-

COLOUR: Grey, Sahara Blend, Ultra Black

CURBS



Garden Curb



Driveway Curb

ARLINGTON CURB*



15.75w x 4.92h x 8.85d in
400w x 125h x 225d mm

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Weight	2725 lbs	1236 kg
Units	50	-
Lineal coverage	65.6 ft	20 m
Lineal coverage per unit	1.31 ft	0.4 m

COLOUR: Colorado Grey, Grey Mix, Nightfall, Summer Mist, Winterborn

*Also can be used as
Corner unit for Arlington Wall

ANTICO® CURB




15.75w x 5.91h x 3.94d in
400w x 150h x 100d mm

Weight	1841 lbs	835.19 kg
Units	64	
Lineal coverage	84 ft	25.6 m
Lineal coverage per unit	1.31 ft	0.4 m

COLOUR: Beige Mix, Grey Mix

GARDEN CURB



31.5w x 5.91h x 3.94d in
800w x 150h x 100d mm

Weight	2355 lbs	1068.12 kg
Units	40	-
Lineal coverage	105 ft	32 m
Lineal coverage per unit	2.63 ft	0.8 m

COLOUR: Charcoal, Grey, Red

DRIVEWAY CURB



39.4w x 5.9h x 5.9d in
1000w x 150h x 150d mm

Weight	2193 lbs	994.55 kg
Units	20	
Lineal coverage	65.6 ft	20 m
Lineal coverage per unit	3.28 ft	1 m

COLOUR: Charcoal, Grey, Red



Antico Curb





ENVIRO

69 MODERNA® PERMEABLE PAVER

70 SOLAR REFLECTIVE ROOFTOP PAVER



MASONRY + BUILDER

71 WINDOW SILLS

71 KEYSTONE




71 SPLASH PAD

71 STEP RISERS

72 CHIMNEY CAPS


72 SIMPLICITY STEPS

MODERNA®


PERMEABLE PAVER / 70MM /   



BUNDLE OVERVIEW



UNIT



NOTES

For pedestrian and/or vehicular use. Install by layer for most random finish. Single shape false joint paver allows for easy and quick installation of your permeable project.

BUNDLE SPECIFICATIONS



IMPERIAL

Coverage	62 ft ²	5.76 m ²
Weight	1918 lbs	869.84 kg
Layers	8	
Coverage per layer	7.75 ft ²	0.72 m ²
Lineal coverage	47 ft*	14.4 m*
Lineal coverage per layer	5.875 ft*	1.8 m*

COLOURS

Beige Mix
Grey Mix

PATTERN




SOLAR REFLECTIVE ROOFTOP PAVER

ENVIRO SLAB / 50MM & 65MM / 



BUNDLE OVERVIEW



UNIT



23.62 x 23.62 x 2 in
600 x 600 x 50 mm
Units/bundle: 21

NOTES

For pedestrian and rooftop terracing use only. Provides a smooth white surface for maximum reflectivity. Meets SRI LEED® requirements for low slope roofing of 82+. Special order item, minimum quantities and lead time required. Available in 2.5" thickness with qualifying volumes and adequate lead times.

2" BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	81.4 ft ²	7.56 m ²
Weight	1880 lbs	853 kg
Units	21	
Coverage per unit	3.87 ft ²	0.36 m ²
Lineal coverage	41.34 ft	12.6 m
Lineal coverage per unit	1.97 ft	0.6 m

COLOUR

SR White

2.5" BUNDLE SPECIFICATIONS (Special Order)

	IMPERIAL	METRIC
Coverage	58 ft ²	5.4 m ²
Weight	1820 lbs	826 kg
Units	15	
Coverage per unit	3.87 ft ²	0.36 m ²
Lineal coverage	29.53 ft	9 m
Lineal coverage per unit	1.97 ft	0.6 m

PEDESTALS AVAILABLE



MASONRY & BUILDER

WINDOW SILLS



36w x 5.9h x 2.95d in
914w x 150h x 75d mm

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Weight	2895 lbs	1313.24 kg
Units	56	-
Lineal	168 ft	51.2 m
Lineal per unit	3 ft	0.9 m

COLOURS: Charcoal, Grey, White

KEYSTONE



8.75/5.75w x 12.5h x 3d in
222/146w x 310h x 75d mm

Weight	1085 lbs	492.24 kg
Units	40	-

COLOURS: Grey, White

SPLASH PAD



23.62w x 10.83d x 3.15h in
600w x 275d x 80h mm

Weight	1774 lbs	804.56 kg
Units	32	-

COLOUR: Grey

STEP RISERS

29.52w x 5.9h x 3.74d in
750w x 150h x 95d mm

23.62w x 5.9h x 3.74d in
600w x 150h x 95d mm

Weight	2310 lbs	1050 kg
Units	42	-


Weight	1848 lbs	840 kg
Units	72	-

COLOUR: Grey

CHIMNEY CAPS

9X9

8.86w x 8.86d x 2.95h in
225w x 225d x 75h mm



9X13

8.86w x 13d x 2.95h in
225w x 330d x 75h mm

U-CAP

8.86w x 13d x 2.95h in
225w x 330d x 75h mm

STRINGER

15.5w x 5.5d x 2.95h in
394w x 140d x 75h mm

BUNDLE SPECS

IMPERIAL

METRIC

Weight	1334 lbs	605.09 kg
Units	20	-

Weight	1494 lbs	677.67 kg
Units	20	-

Weight	1128 lbs	511.65 kg
Units	20	-

Weight	1808 lbs	820 kg
Units	96	-

COLOUR: White

SIMPLICITY STEPS

36"

#1 36w x 12d x 7h in / 910w x 305d x 178h mm
#2 36w x 24d x 7h in / 910w x 610d x 178h mm

48"

#1 48w x 12d x 7h in / 1215w x 305d x 178h mm
#2 48w x 24d x 7h in / 1215w x 610d x 178h mm

FILLER

12" 12w x 4.5d x 7h in / 305w x 115d x 178h mm
24" 24w x 5.25d x 7h in / 610w x 135d x 178h mm

#1 / #2

#1 / #2

Weight	1665 lbs / 1637 lbs	755.23 kg / 742.67 kg
Units	15 / 10	-

Weight	1712 lbs / 1874 lbs	776.35 kg / 850 kg
Units	12 / 10	-

12" / 24"

12" / 24"

Weight	30 lbs / 63 lbs	13.71 kg / 28.61 kg
Units	-	-

COLOUR: White

Simplicity steps units sold in full bundles only



ACCESSORY ITEMS

JOINT SAND



POLYMERIC SAND

Bag 50lbs (22.7kg) 63 bags / bundle
// Signature paver and slab coverage approx. 80-100 sqft/bag
// Classic paver coverage approx. 60-80 sqft/bag

COLOURS: Beige, Black and Grey

SEALERS & CLEANERS



SEAL KING SEALERS & CLEANERS

// Water and acrylic based (19L & 4L Pails)
// High gloss and satin finish
// Cleaning Products



KIMBOL SEALERS & CLEANERS

// Water and acrylic based
// Regular and Super Shine
// Cleaning Products

ADHESIVES

BUTYL TAPE

1/4" Bead Roll	20 Lineal Feet	40 rolls/case
----------------	----------------	---------------

LANDSCAPE CONCRETE PAVERS & WALL ADHESIVE

Small Tube	10 Ounces	12 tubes/case
Large Tube	28 Ounces	12 tubes/case

AGGREGATES

BRICKSAND

Bag 50lbs (22.7kg) / Approx. 50 bags/bundle
*Regular paver coverage approximately 100 sqft/bag

CONCRETE SAND

Bag / Yard 50lbs (22.7kg) / Approx.
*1 yard covers approximately 300 sqft at 1" thickness

LIMESTONE SCREENING

Bag / Yard 50lbs (22.7kg) / Approx.
*1 yard covers approximately 150 sqft at 2" thickness

3/8" GRAVEL (Clear)

Yard
*1 yard covers approximately 150 sqft at 2" thickness

3/4" GRAVEL (Clear)

Bag Only 50lbs (22.7kg)

1/4" CHIP (HPB)

Bag / Yard 50lbs (22.7kg) / Approx.
*1 yard covers approximately 150 sqft at 2" thickness

EDGE RESTRAINTS

BRICKSTOP PAVER EDGE RESTRAINT

PLASTIC	8' Units	160 lineal feet/box	20 units/box
METAL	8'4" Units	400 lineal feet/box	48 units/box

SPIKES	10" Steel	approx. 50lbs	250 pcs/ box
--------	-----------	---------------	--------------

FABRICS

SYNTHETIC GRID

Miragrid3XT	6' x 150' (1.83m x 45.72m)
	12' x 150' (3.65m x 45.72m) [Special Order]

CONSTRUCTION FABRIC

Nonwoven Geotextile	5' x 360' (1.52m x 109.7m)
Nonwoven Geotextile	4' x 50' (1.2m x 15.2m)
Nonwoven Geotextile	3' x 50' (0.9m x 15.2m)

PRECAST CONCRETE

PARKING LOT BUMPER CURBS

96x12x8" (2438x305x203mm)	520 lbs / 236.4 kg (unit)
96x10x6" (2438x254x152mm)	360 lbs / 163.6 kg (unit)

TOOLS

Pave Tool Quick-E Line
Caulking guns
Gloves
Hand tampers
Mallets
Levels
Plate Tampers
Shovels
String lines
Wheel barrows
+ MORE





A large, white, curved concrete sculpture, possibly a bench or a decorative element, is positioned on a stone patio. The sculpture has a smooth, flowing design with a wide, flat top and a curved base. It is set against a background of green foliage and a chain-link fence. The patio is made of large, rectangular stone tiles in various shades of gray and brown. The word "RESOURCES" is printed in large, white, sans-serif capital letters on the right side of the image.

RESOURCES

- 77 2023 COLOUR CHART
- 79 SOLAR REFLECTANCE INDEX
- 79 INSTALLATION GUIDE - SLABS
- 79 INSTALLATION GUIDE - SLABS ON PEDESTAL SET
- 79 INSTALLATION GUIDE - PAVERS
- 80 INSTALLATION GUIDE - PERMEABLE PAVERS
- 81 INSTALLATION GUIDE - RETAINING WALLS
- 83 CARE & CONSIDERATIONS
- 84 OUTDOOR DESIGN CENTER
- 85 SAFETY PRECAUTIONS
- 86 OUR LOCATIONS

2023 COLOUR CHART

	Beige Mix	Brightsand	Buff Brown	Buff Mix	Carrara	Charcoal	Colorado Grey	Eclipse	Glacier Creek	Granite	Grey	Grey Mix	Harbour Grey	Muskoka	Nightfall	Pearl	Phantom	Red	Red Mix	Salmon Mix	Silver Birch	Silverlight	Storm	Summer Mist	Ultra Black	Winterborn	White
Pavers																											
Adelaide 80																											
Ardesia																											
Ashford																											
Corso																											
Double Standard																											
Manhattan Plank																											
Moderna																											
Napa																											
Richmond 80																											
Standard																											
Trevista 80 Smooth																											
Trevista 80 Textured																											
Slabs																											
Adelaide 50																											
Avari																											
Balsam																											
Basketweave 24x30																											
Basketweave 24x24																											
Basketweave 12x24																											
Flagstone																											
Huntington																											
Lyra																											
Richmond 50																											
Spectra																											
SR Paver																											
Standard Press 24x30																											
Standard Press 24x24																											
Standard Press 16x16																											
Standard Press 12x24																											
Tresca																											
Trevista 50 Smooth																											
Trevista 50 Textured																											
Ventura																											

● Available with Nanoblast

SRI VALUES

COLOUR	SRI
Brightsand	52
Buff Brown	21
Carrara	30
Colorado Grey	41
Eclipse	60
Glacier Creek	34

COLOUR	SRI
Grey	35
Grey Mix	24
Harbour Grey	33
Pearl*	43
Red	27
Red Mix	22

COLOUR	SRI
Salmon	26
Salmon Mix	21
Silverlight	34
Summer Mist	41
White (Basketweave)	51
White (SR Paver)	82




	Beige Mix	Carrara	Charcoal	Colorado Grey	Ebony	Fond du lac	Glacier Creek	Granite	Granite Grey	Grey	Grey Mix	Harbour Grey	Manitou Blend	Nightfall	Red	Sahara Blend	Sandstone	Silver Birch	Summer Mist	Ultra Black	Weatherwood	Windsor Blend	Winterborn
Walls																							
Arlington																							
Antico Stacker																							
Barnbeam																							
Garden Lock																							
Grand Ledge																							
Hazlelton																							
Ikon																							
Parkwall																							
RidgeWall																							
Rockton																							
Soho																							
Copings																							
28 x 28 Smooth																							
Barollo 8"																							
Barollo 10"																							
Garden Lock																							
Montana																							
Montana Column Cap																							
Parkwall																							
Parkwall Column Cap																							
Riviera Cap																							
Sopra Coping																							
Steps																							
Camden Step																							
Ikon Step																							
Ridge Step																							
Curbs																							
Antico																							
Driveway																							
Garden																							

● Coping Only

Colour swatches and photographs are not exact representations of colour, but are given to provide close reference.
Measurements and product dimensions are nominal.
Registered trademarks, logos and product names are the property of Best Way Stone Limited®.
032023R1

Parkwall®, Parkwall® Antico®, Palladio® Antico®, Garden Lock™ US Patents 6398458 & 6178715; Canadian Patent 2193942.
RidgeWall® US Patent Pending 20140270989; Canadian Patent Pending 2809704.
Moderna® US Patents D701619 & D689624; Canadian Industrial Design Registrations 138841 & 138842.


Antico Pavers & Walls
Ecoscape®



INSTALLATION GUIDES - SLABS & PAVERS


SLAB INSTALLATION TYPICAL CROSS SECTION

- 1 Best Way Stone® precast concrete slab 1 3/4" to 2" (45 to 50mm)
- 2 Sand joint fill
- 3 Bedding Sand 1" (25mm)
- 4 Geotextile 12" (300mm) wide
- 5 Plastic edge
- 6 Extra width equal to foundation thickness
- 7 Lawn
- 8 Nail
- 9 Compacted aggregate base 0 3/4" (0-20mm)
- 10 Geotextile
- 11 Subgrade




SLABS ON PEDESTAL SET

- 1 Roof deck
- 2 Waterproof membrane
- 3 Protection board
- 4 Rigid insulation
- 5 Adjustable pedestal
- 6 Best Way Stone® precast concrete slab 1 3/4" to 2 1/2" (45-65mm) thickness conforming to ASTM C 1782 and CSA A231.1
- 7 Best Way Stone® Trevista 50 slabs, 2" (50mm) thickness conforming to ASTM C 1782 and CSA A231.1
- 8 Roof drain



TYPICAL PAVER CROSS SECTION WITH PLASTIC EDGE


- 1 Best Way Stone® precast concrete paver 2 3/8" (60mm) thick min.
- 2 Sand joint fill
- 3 Bedding Sand 1" (25mm)
- 4 Extra width equal to foundation thickness
- 5 Lawn
- 6 Plastic edge
- 7 Nail
- 8 Geotextile
- 9 Compacted aggregate base 0 3/4" (0-20mm)
- 10 Subgrade



INSTALLATION GUIDES - PERMEABLE PAVER SYSTEM


SEGMENTAL PERMEABLE PAVEMENT – FULL EXFILTRATION

- 1 Moderna® Permeable Paver by Best Way Stone®
- 2 Joint filling material ASTM No 8 (CSA 2.5–10mm) aggregate
- 3 Bedding course 1 1/5" to 2" (40 to 50 mm) ASTM No 8 (CSA 2.5–10mm) aggregate
- 4 Base course 4" (100mm) ASTM No 57 (CSA 5–28mm) aggregate foundation thickness
- 5 Subbase course ASTM No 2 (CSA 40–80mm) aggregate
- 6 Geotextile
- 7 Subgrade
- 8 Concrete edge




SEGMENTAL PERMEABLE PAVEMENT – PARTIAL EXFILTRATION

- 1 Moderna® Permeable Paver by Best Way Stone®
- 2 Joint filling material ASTM No 8 (CSA 2.5–10mm) aggregate
- 3 Bedding course 1 1/5" to 2" (40 to 50 mm) ASTM No 8 (CSA 2.5–10mm) aggregate
- 4 Base course 4" (100mm) ASTM No 57 (CSA 5–28mm) aggregate foundation thickness
- 5 Subbase course ASTM No 2 (CSA 40–80mm) aggregate
- 6 Geotextile
- 7 Subgrade
- 8 Concrete edge
- 9 Perforated drain connected to drainage system




SEGMENTAL PERMEABLE PAVEMENT – NO EXFILTRATION

- 1 Moderna® Permeable Paver by Best Way Stone®
- 2 Joint filling material ASTM No 8 (CSA 2.5–10mm) aggregate
- 3 Bedding course 1 1/5" to 2" (40 to 50 mm) ASTM No 8 (CSA 2.5–10mm) aggregate
- 4 Base course 4" (100mm) ASTM No 57 (CSA 5–28mm) aggregate foundation thickness
- 5 Subbase course ASTM No 2 (CSA 40–80mm) aggregate
- 6 Geotextile
- 7 Subgrade
- 8 Concrete edge
- 9 Perforated drain connected to drainage system
- 10 Impermeable membrane




INSTALLATION GUIDES - RETAINING WALLS




a. EXCAVATE THE AREA

1. Check for existing utilities or structures in the area of construction.
2. Dig a trench. Calculate the width of the area by adding 6" of space before the face of the wall, and 12" behind the wall block.
3. Calculate the depth of the trench by the burial depth of the wall. Consider that good practice is to have at least 10% of the total wall height buried below final grade.




b. PREPARE THE FOUNDATION

1. Cover the back and the base of the trench with geotextile. Extend the geotextile along the back of the excavated area to eventually above the drainage fill once in place at the top of the wall.
2. Spread 0-3/4" (0-20mm) stone in the trench, and compact using a vibrating plate compactor or a jumping jack. Make sure your area remains level after compaction. The compacted area must be at least 6" (150mm) thick. Add more stone if needed and compact again.




c. CONSTRUCT THE FIRST COURSE

1. Begin placing your first course of the Best Way Stone blocks along your levelled pad. Ensure the alignment and level are consistent.
2. The desired exposed face of the wall must be placed side by side with each block touching the next. There should be no space between block faces of the exposed side of the wall.
3. Add a perforated drain pipe at the back of the wall on top of the levelled stone base. Ensure to connect this pipe to the existing drainage system keeping water from accumulating behind the wall.



d. ADD THE BACKFILL

1. Add 0-3/4" (0-20mm) clean stone backfill to the rear of the wall, burying the perforated drain pipe. Ensure the geotextile remains along the backside as you backfill all the way up the wall, and does not fall into the backfill material.
2. Level the clean stone before constructing the next course. Ensure to fill all voids in the back of the wall with backfill.



e. THE REMAINING COURSES

1. When constructing the remaining courses ensure to clean off the top of blocks of the previous row. Make sure the blocks are installed with the appropriate side facing up following the locking system.
2. Backfill behind each constructed course with the same clean stone.
3. In order to maximize the strength of the wall, ensure that the joints of the row being constructed do not align with the row directly below or above. The joints of a course should match alternating courses.

Care & Considerations



Setting a base

The quality of work put into establishing a solid foundation is vital to the overall performance of your landscape design.

When properly constructed, a solid base foundation helps prevent paver settling, shifting, and water accumulation. Use of edge restraints and jointing sand is recommended as best practice by ICPI (Interlocking Concrete Pavement Institute).

When choosing and installing jointing sand, please ensure to follow the directions given by the manufacturer. To find out more about base preparation and installation practices, visit icpi.org.

Colour distribution

When installing stone, we recommend you select a mix of materials from several different bundles to ensure a balanced distribution of surface colour textures and colour mixtures.

Always verify colours and products chosen for your concrete landscape project with your contractor or landscape designer prior to installation. Physical or printed colour samples are only representations of the chosen product. If you notice a discrepancy, notify us immediately before continuing with your project. Full installation is understood as your acceptance of the product's condition.

Concrete care

Maintaining the surface of your concrete pavers is essential to their aesthetic. Sealing your concrete pavers can enhance the colour, but it's optional as our pavers are just as durable with or without the addition of sealants. If you plan on sealing your concrete products, always follow the manufacturer's instructions for proper application.

Unfortunately, even materials as durable as concrete can scratch, chip, or stain if handled incorrectly. When compacting our pavers, ensure that a rubber membrane is added to protect textured surfaces from potential

damage. Use a rubber blade when removing snow from the surface of our pavers to prevent surface scratching and damage. Best Way Stone is not responsible for the damage left by the misuse of compaction or snow removal equipment.

Efflorescence

Efflorescence is that white, powdery substance that appears on the surface of concrete and it's a naturally occurring process. Efflorescence does not affect the structural integrity or strength of the product and will usually wear off over time – although special cleaners can be used to speed up its removal. For more information visit icpi.org.

Choosing a Contractor

Although not required, hiring a qualified contractor makes installing stone a much more efficient and less stressful experience. When hiring a qualified professional, we recommend they follow industry standard guidelines.

When hiring a contractor, we recommend collecting project references and samples of previous work. Make sure they offer a comprehensive warranty, and have all the required insurance and licenses. Any contractor will understand the industry standards for installing stone – you can download a copy to these guidelines by visiting icpi.org.

Our guarantee – carved in stone

Best Way Stone Limited provides a transferable lifetime guarantee on the structural integrity of its Interlocking Paving Stone products for residential use. For complete information visit bestwaystone.com/about.



Uxbridge Outdoor Design Centre

Speak to our customer service experts to help bring your design to life. Feel free to bring samples home along with some peace of mind.



Outdoor Design Centre
65 Anderson Boulevard
Uxbridge, ON



SAFETY PRECAUTIONS

CAUTION! Product strapping under extreme tensions

Cut straps are sharp and may result in severe physical injury if proper precautions are not taken. Removal and handling of straps must be done with caution while wearing necessary protective equipment (Gloves, Goggles, Safety Boots, and Protective Clothing).

Concrete Materials must be cut in well-ventilated areas only. Use of a "Wet-Cut" Saw or other similar method is recommended to reduce hazardous dust production. Approved respirators, safety goggles, hearing protection, and gloves should be worn at all times.

Bundled material must always be transported and stored using appropriate equipment, meeting the regulations of local legislation (Transportation tie-down, vehicle weight limitations, and public storage location). Stacking more than two bundles on top of each other is not recommended.

Best Way Stone Limited® assumes no liability or responsibility for loss or damage resulting from the improper use or handling of our products, or from failure to follow instructions, warnings, and/or advisories on the product label and on the MSDS Precast Concrete Sheet (available upon request).

BEFORE OPENING ANY PRODUCTS:

Please check for correct colour and product (shape/size/design). Opening of this package (removal of strapping and/or shrink wrapping) assumes full acceptance of product by the purchaser. Material may not be returned or exchanged once the original packaging has been removed.

All concrete products may have significant colour variance between production lots. It is recommended that installation occur from multiple bundles simultaneously to ensure proper colour variance blending for both colour mixes and solid colours. In the case of a single-bundle installation, material should be installed from opposite ends of the bundle simultaneously.

Defective material delivered to the purchaser over the accepted norm will be replaced. (Please Note: Chipped and Cracked products are often used in areas where cutting is required. As such, please remove chipped or cracked products for this purpose). The purchaser must inform the manufacturer in writing within five days of delivery. Any materials in question must be available for inspection by Best Way Stone® before any credit or adjustment can be made.

PLEASE NOTE: If materials are completely or partially installed, they will be deemed acceptable and there will be no exceptions made for defective or unsatisfactory material.

OUR LOCATIONS

WOODBIDGE


8821 Weston Road
Woodbridge, ON L4L 0K9

1-800-BESTWAY (2378929)

T (905) 851-5122

T (416) 747-0988

F (905) 851-7603




UXBRIDGE

65 Anderson Boulevard
Uxbridge, ON L9P 0C7

T (905) 640-5845

F (905) 640-9773



NOTES

