

TECHNICAL DATA SHEET

Product Name: Standard Press 16x16
Product Type: Classic Series Slab

Product Specifications	Length x Width x Height	Length x Width x Height	Length x Width x Height
Dimensions Metric (mm):	400 x 400 x 45		
Dimensions Imperial (inches):	15.75 x 15.75 x 1.75		
Individual Weight Kg:	15.65		
Individual Weight lbs:	34.50		
Pieces per Bundle	60		
Units per Layer			
Bundle Weight Kg	939.0		
Bundle Weight Lbs	2070.0		
Product Texture:	Slip-resistant surface		

Product Uses:

Residential	Commerical				Other		
		Pedestrian only	Pedestrian & Vehicular	Vehicular Traffic		Slab on Pedestal Set	
Pedestrian	Vehicular				Accessibility		Permeable
☒		☒				☒	

Physical Parameters

Dimensional tolerances:

Length: -1.0 to 2.0mm

Width: -1.0 to 2.0mm

Height: +/- 3.00mm

Flexural Strength: 5.0 MPa (min)

Freeze thaw: A maximum of 225g/m² loss of mass after 28 cycles of freezing and thawing or
A maximum of 500g/m² loss of mass after 49 cycles of freezing and thawing

Notes:

1. Meets and exceeds the requirements of the CSA A231.2:19 Precast concrete pavers and patio slabs.
2. All data within this document is for reference purpose only and provided as such. Independent engineering should be used for complete site-specific accuracy in all projects.
3. Pedestal set design should be consulted by project specific engineer

Please contact your Sales Representative for further product information

TECHNICAL DATA SHEET

Product Name: Standard Press 12x24
Product Type: Classic Series Slab

Product Specifications	Length x Width x Height	Length x Width x Height	Length x Width x Height
Dimensions Metric (mm):	300 x 600 x 45		
Dimensions Imperial (inches):	11.81 x 23.62 x 1.77		
Individual Weight Kg:	18.13		
Individual Weight lbs:	39.97		
Pieces per Bundle	48		
Units per Layer	4		
Bundle Weight Kg	870.2		
Bundle Weight Lbs	1918.5		
Product Texture:	Slip-resistant surface		

Product Uses:

Residential	Commerical				Other		
Pedestrian	Vehicular	Pedestrian only	Pedestrian & Vehicular	Vehicular Traffic	Accessibility	Slab on Pedestal Set	Permeable
☒		☒				☒	

Physical Parameters

Dimensional tolerances:

Length: -1.0 to 2.0mm
Width: -1.0 to 2.0mm
Height: +/- 3.00mm

Flexural Strength: 5.0 MPa (min)

Freeze thaw: A maximum of 225g/m² loss of mass after 28 cycles of freezing and thawing or
A maximum of 500g/m² loss of mass after 49 cycles of freezing and thawing

Notes:

1. Meets and exceeds the requirements of the CSA A231.2:19 Precast concrete pavers and patio slabs.
2. All data within this document is for reference purpose only and provided as such. Independent engineering should be used for complete site-specific accuracy in all projects.
3. Pedestal set design should be consulted by project specific engineer

Please contact your Sales Representative for further product information

TECHNICAL DATA SHEET

Product Name: Standard Press 24x24

Product Type: Classic Series Slab

<u>Product Specifications</u>	Length x Width x Height	Length x Width x Height	Length x Width x Height
Dimensions Metric (mm):	600 x 600 x 45		
Dimensions Imperial (inches):	23.62 x 23.62 x 1.77		
Individual Weight Kg:	38.00		
Individual Weight lbs:	83.80		
Pieces per Bundle	24		
Units per Layer	2		
Bundle Weight Kg	912.0		
Bundle Weight Lbs	2011.2		
Product Texture:	Slip-resistant surface		

Product Uses:

Residential	Commerical				Other		
Pedestrian	Vehicular	Pedestrian only	Pedestrian & Vehicular	Vehicular Traffic	Accessibility	Slab on Pedestal Set	Permeable
☒		☒				☒	

Physical Parameters

Dimensional tolerances:

Length: -1.0 to 2.0mm

Width: -1.0 to 2.0mm

Height: +/- 3.00mm

Flexural Strength: 5.0 MPa (min)

Freeze thaw: A maximum of 225g/m² loss of mass after 28 cycles of freezing and thawing or
A maximum of 500g/m² loss of mass after 49 cycles of freezing and thawing

Notes:

1. Meets and exceeds the requirements of the CSA A231.2:19 Precast concrete pavers and patio slabs.
2. All data within this document is for reference purpose only and provided as such. Independent engineering should be used for complete site-specific accuracy in all projects.
3. Pedestal set design should be consulted by project specific engineer

Please contact your Sales Representative for further product information

TECHNICAL DATA SHEET

Product Name: Standard Press 24x30
Product Type: Classic Series Slab

Product Specifications	Length x Width x Height	Length x Width x Height	Length x Width x Height
Dimensions Metric (mm):	600 x 750 x 45		
Dimensions Imperial (inches):	23.62 x 29.52 x 1.77		
Individual Weight Kg:	48.00		
Individual Weight lbs:	105.82		
Pieces per Bundle	24		
Units per Layer	2		
Bundle Weight Kg	1152.0		
Bundle Weight Lbs	2539.7		
Product Texture:	Slip-resistant surface		

Product Uses:

Residential	Commerical				Other		
Pedestrian	Vehicular	Pedestrian only	Pedestrian & Vehicular	Vehicular Traffic	Accessibility	Slab on Pedestal Set	Permeable
☒		☒				☒	

Physical Parameters

Dimensional tolerances:

Length: -1.0 to 2.0mm

Width: -1.0 to 2.0mm

Height: +/- 3.00mm

Flexural Strength: 5.0 MPa (min)

Freeze thaw: A maximum of 225g/m² loss of mass after 28 cycles of freezing and thawing or
A maximum of 500g/m² loss of mass after 49 cycles of freezing and thawing

Notes:

1. Meets and exceeds the requirements of the CSA A231.2:19 Precast concrete pavers and patio slabs.
2. All data within this document is for reference purpose only and provided as such. Independent engineering should be used for complete site-specific accuracy in all projects.
3. Pedestal set design should be consulted by project specific engineer

Please contact your Sales Representative for further product information