



2025 PRODUCT GUIDE



Create
Plan
Build



**60 YEARS OF
THE BEST
PRODUCTS
BUILT USING
THE BEST
PRACTICES.
THAT'S
THE BEST WAY.**

We have the best team

THE BWS FAMILY

Best Way Stone is about endurance: products that last, styles that last and as a family-owned and operated business since 1965, we want our relationships to last, too. That's why we continue to craft our products locally and independently, and back them with a transferable lifetime guarantee.

INDEPENDENTLY OWNED; FAMILY OPERATED

Best Way Stone is one of only a few independent family-owned, pre-cast concrete manufacturing businesses. And that philosophy permeates everything we do. Our team is family – and one that puts your needs first. Even as we've grown and expanded to new locations, we've still maintained our flexibility to respond quickly to both market demands and home-owner needs. This allows us to innovate quickly.

OUR TRUSTED DEALER NETWORK

Join the Best Way Stone family by connecting with one of our trusted dealers, conveniently located across Ontario, Quebec and North-East Michigan. Our dealers don't just offer products—they bring your vision to life by recommending the perfect solutions tailored to your unique design and style preferences. Whether you're planning a backyard oasis or a commercial project, our expert dealer network is here to guide you every step of the way.


PARTNERING WITH THE RIGHT SKILLED CONTRACTOR

A well-crafted outdoor space begins with a skilled professional. Hiring a qualified hardscaper ensures that your project is executed smoothly and meets the highest standards. When selecting a contractor, consider these important tips:

- **Ask for References and Past Work:**
Review their portfolio to see if their style aligns with your vision.
- **Verify Insurance, Licensing, and Warranty:**
Ensure they offer solid protection and guarantees for peace of mind.
- **Insist on Industry-Standard Installation:**
Professional contractors should adhere to best practices and guidelines recognized by the industry.

For the best experience, consider choosing one of our ProElite Preferred Contractors. These select professionals work with Best Way Stone products and have a proven track record of delivering exceptional results. You can find our ProElite contractors at bestwaystone.com/find-a-hardscaper.

Any certified contractor will understand the industry standards for installing hardscape products- you can download a copy of these guidelines by visiting masonryandhardscapes.org.



Visit our website to find
a dealer near you:
bestwaystone.com/dealers



— We have a good foundation

Manufacturing Leads Design

Hardscaping solutions should be designed to last. Our philosophy is that manufacturing processes should always influence product design.


Thoughtful Innovation

We've built production facilities and equipped them with manufacturing technology and our own proprietary processes that are engineered specifically to ensure our products are well-planned, well-designed and well-made.

With two state-of-the-art manufacturing facilities and dealers to support you across Ontario, Quebec, and Michigan, we're completely independent and able to both hear and respond to your needs.



Our products are resistant to the elements and meet or exceed all industry standards.



We manufacture our products using two key ingredients: quality and care. All are manufactured to meet and exceed their respective North American standards set by both the CSA and ASTM.



That commitment to quality is backed by our transferable lifetime guarantee on the structural integrity of our pavers. You can learn more about our transferable lifetime guarantee on our website: bestwaystone.com/warranty.

Designed to Last Generations

One of the most common questions we get from customers purchasing hardscape products is about how they will wear over time. Our recent technological advancements provide layers of enriched surfaces and colour, bringing product aesthetics and performance to the next level.







DesignLoc® surface refinement technology is a strategic mix design that produces a highly controlled and refined surface offering.



ChromaTec® protective surface enhancer adds a level of protection that helps resist the threat of stains from foreign elements while enhancing the vibrancy of the coated surface.



NanoBlast™ provides a fine blasting to the surface of the product, exposing specially selected granite aggregates, while leaving a durable and highly defined smooth finish for increased comfort.



BWS ProElite

Our goal is to establish a strong community of skilled contractors who prioritize superior craftsmanship and product quality. Join us as we raise standards, create lasting connections, and transform outdoor spaces together.

Why Join the BWS ProElite Contractor Program?



Priority Leads

BWS ProElite contractors get exclusive access to customer leads that will help enhance your projects and accelerate your growth.



ProElite Gear

Become a BWS ProElite Contractor and enjoy exclusive swag reserved for our members. Look like a pro and be part of the elite.



Discounts & Offers

Access exclusive discounts and offers to enjoy savings on partnered products and services.



Level up your Success

Scan the QR for more information and to sign up for the BWS ProElite Contractor Program.



Outdoor Elements Collection

Adding a little heat creates a whole new element to an outdoor space. Whether you are a cooking enthusiast or like to relax by the fire, our kits can give your backyard its spark.

Antico® Fire Pit



Barnbeam™ Fire Pit

Garden Lock™ Fire Pit




Soho™ Fire Pit

Rockton Fire Pit



Visit bestwaystone.com/outdoorelements for more information and to see our entire outdoor elements collection.



New Website

Explore our new website - your ultimate destination for all things Best Way Stone! Scan the QR code to dive into our latest products, design inspiration and everything you need to bring your projects to life.





Stone Finder



Every project is different and we have the right products to suit your style needs. Scan the QR code to find the stone that's right for you.

INDEX

SLABS

- 10 Huntington™
- 11 Balsam™
- 12 Lyra™
- 14 Ventura™
- 15 Riverton™
- 16 Trevista® 50 Smooth
- 17 Trevista® 50 Textured
- 18 Adelaide® 50
- 19 Richmond® 50
- 20 Avari™
- 21 Spectra™
- 22 Smooth
- 22 Shot Blast
- 23 Flagstone™
- 24 Basketweave™
- 25 Standard Press™

PAVERS

- 28 Vanguard™
- 29 Manhattan Plank™
- 30 Trevista® 80 Smooth
- 31 Trevista® 80 Textured
- 32 Adelaide® 80
- 33 Richmond® 80
- 34 EcoFlow® Permeable
- 35 Corso®
- 36 Ashford™
- 37 Prisma™
- 38 Napa™
- 39 Standard™
- 40 Double Standard™

WALLS

- 44 Soho™
- 45 Barnbeam™
- 46 Arlington™
- 47 Hazelton™
- 48 Garden Lock™
- 50 Parkwall®
- 52 Stacker
- 53 Ikon™
- 54 RidgeWall® SRW System
- 57 Rockton
- 58 Grand Ledge

STEPS, CAPS & CURBS

- 62 Camden™ Step
- 63 Ikon™ Step
- 63 Ridge Step™
- 64 Sopra™ Coping
- 64 Montana™ Cap
- 64 Montana™ Column Cap
- 65 Barollo® Round Edge
- 65 28 x 28 Smooth Cap™
- 65 Parkwall® Column Cap
- 66 Arlington™ Curb
- 66 Antico® Curb
- 66 Garden Curb™
- 66 Driveway Curb™

ENVIRO

- 70 EcoFlow® Permeable
- 71 Solar Reflective Rooftop Paver

MASONRY & BUILDER

- 72 Split-Face Window Sills
- 72 Keystone
- 72 Deck Block (4x4)
- 72 Splash Pad
- 73 Step Risers
- 73 Chimney Caps
- 73 Forma™ Steps

ACCESSORIES

- 74 Joint Sand
- 74 Sealers & Cleaners
- 75 Tools & Other Accessories

RESOURCES

- 78 2025 Colour Chart
- 78 Solar Reflectance Index
- 80 Installation Guide - Slabs
- 80 Installation Guide - Slabs on Pedestal Set
- 80 Installation Guide - Pavers
- 81 Installation Guide - Permeable Pavers
- 82 Installation Guide - Retaining Walls
- 84 Care & Considerations
- 85 Woodbridge & Uxbridge Outdoor Design Centre
- 86 Safety Precautions

LEGEND



Vehicle use permitted



Permeable and/or Eco-Friendly product



Pedestrian traffic only



Vibrating plate permitted
(rubber membrane required)



Made with DesignLoc® surface refinement technology



Enhanced with our factory applied ChromaTec® protective surface treatment



Enriched with NanoBlast™ technology





SLABS

		mm
10	HUNTINGTON™	70
11	BALSAM™	60
12	LYRA™	60
14	VENTURA™	60
15	RIVERTON™	60
16	TREVISTA® 50 SMOOTH	50
17	TREVISTA® 50 TEXTURED	50
18	ADELAIDE® 50	50
19	RICHMOND® 50	50
20	AVARI™	50
21	SPECTRA™	50
22	SMOOTH	45
22	SHOT BLAST	45
23	FLAGSTONE™	45
24	BASKETWEAVE™	45
25	STANDARD PRESS™	45

PHYSICAL & GEOMETRICAL CHARACTERISTICS

Precast Concrete Paving Slabs

Characteristics	CSA A231.1
Flexural Strength	5.0 MPa (725 psi) min.
Freeze-thaw durability with use of deicing salt	Mass loss (max): 225 g/m ² at 28 cycles Mass loss (max): 500 g/m ² at 49 cycles
Dimensional tolerance ¹	Length and Width: -1.0mm to +2.0mm Thickness: ±3 mm
Concave or Convex Warpage (Up to and including 450 mm)	±2.0 mm
Concave or Convex Warpage (Over 450 mm)	±3.0 mm


1. The dimensional tolerance prior to the application of architectural finishes

HUNTINGTON™

CLASSIC SERIES SLAB / 70MM /



BUNDLE OVERVIEWS



NOTES

Large format slabs with a smooth modern surface. Border or accent with Corso® or Small Rectangle Huntington. Huntington Random & Small Rectangle available for light-duty vehicle traffic. Random sold and packaged together in a 2:3:3 ratio.

Plate tamper not recommended.

Small Rectangle sold separately to be used as an accent/border.

COLOURS (RANDOM)


Colorado Grey
Glacier Creek
Grey Mix
Summer Mist
Winterborn

COLOURS (SMALL REC)


Colorado Grey
Nightfall
Summer Mist

UNITS

RANDOM




15.67' x 23.5 x 2.75 in
398 x 597 x 70 mm
Units/bundle: 16
Units/layer: 2



15.67 x 15.67 x 2.75 in
398 x 398 x 70 mm
Units/bundle: 24
Units/layer: 3



7.83 x 15.67 x 2.75 in
199 x 398 x 70 mm
Units/bundle: 24
Units/layer: 3




7.83 x 15.67 x 2.75 in
199 x 398 x 70 mm
Units/bundle: 120
Units/layer: 15

BUNDLE SPECIFICATIONS

	RANDOM		SMALL RECTANGLE	
	IMPERIAL	METRIC	IMPERIAL	METRIC
Coverage	102.3 ft ²	9.5 m ²	100 ft ²	9.29 m ²
Weight	3165 lbs	1435 kg	3240 lbs	1470 kg
Layers	8		8	
Coverage per layer	12.8 ft ²	1.19 m ²	12.5 ft ²	1.16 m ²
Lineal coverage	52.23 / 78.32 ft	15.92 / 23.88 m	78.3 / 156.6 ft	23.87 / 47.76 m
Lineal coverage per layer	6.53 / 9.79 ft	1.99 / 2.98 m	9.79 / 19.59 ft	2.98 / 5.97 m

PATTERNS





BUNDLE OVERVIEW



UNIT



31.5 x 7.87 x 2.36 in
800 x 200 x 60 mm
Units/bundle: 50
Units/layer: 5

NOTES

For pedestrian use only. Elongated plank format slab with wood grain finish.
DesignLoc® technology provides a highly refined and detailed finish, with integral colouring.

Plate tamper not recommended.


BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	86 ft ²	8 m ²
Weight	2322 lbs	1053 kg
Layers	10	
Coverage per layer	8.6 ft ²	0.8 m ²
Lineal coverage	32.8 / 131.25 ft	10 / 40 m
Lineal coverage per layer	3.28 / 13.1 ft	1 / 4 m


COLOURS

Glacier Creek
Muskoka
Silver Birch


PATTERNS




Tile Joint




Parquet




Herringbone



1/2 Off-Set



3/4 Off-Set




45 Herringbone

LYRA™ SIGNATURE SMOOTH & NANOBLAST

SIGNATURE & PREMIERE SERIES SLAB / 60MM / 


UNITS



23.62 x 35.43 x 2.36 in
600 x 900 x 60mm
Units/bundle: 18
Units/layer: 2



11.81 x 35.43 x 2.36 in
300 x 900 x 60mm
Units/bundle: 27
Units/layer: 3



23.62 x 23.62 x 2.36 in
600 x 600 x 60mm
Units/bundle: 18
Units/layer: 2



11.81 x 23.62 x 2.36 in
300 x 600 x 60mm
Units/bundle: 54
Units/layer: 6

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Coverage	104.6 ft ²	9.72 m ²
Weight	2992 lbs	1357.1 kg
Layers	9	
Coverage per layer	11.62 ft ²	1.08 m ²
Lineal coverage	35.43 / 53.15 ft	10.8 / 16.2 m
Lineal coverage per layer	3.94 / 5.91 ft	1.2 / 1.8 m

Coverage	78.45 ft ²	7.29 m ²
Weight	2256 lbs	1023.3 kg
Layers	9	
Coverage per layer	8.71 ft ²	0.81 m ²
Lineal coverage	26.57 / 79.72 ft	8.1 / 24.3 m
Lineal coverage per layer	2.95 / 8.86 ft	0.9 / 2.7 m


Coverage	69.7 ft ²	6.47 m ²
Weight	1956 lbs	887.2 kg
Layers	9	
Coverage per layer	7.75 ft ²	0.72 m ²
Lineal coverage	35.43 ft	10.8 m
Lineal coverage per layer	3.94 ft	1.2 m

Coverage	104.6 ft ²	9.72 m ²
Weight	3012 lbs	1366.2 kg
Layers	9	
Coverage per layer	11.62 ft ²	1.08 m ²
Lineal coverage	35.43 / 53.15 ft	10.8 / 16.2 m
Lineal coverage per layer	3.94 / 5.91 ft	1.2 / 1.8 m




BUNDLE OVERVIEW


12x24



24x24



12x36



24x36



NOTES

For pedestrian use only. Medium to large format slab with a soft touch surface. Provides a contemporary finish. DesignLoc® technology allows for a highly refined surface, with integral colouring.

When installing slabs on a pedestal set, ensure to consider load requirements. Refer to a project engineer for specific considerations.

Plate tamper not recommended.


SIGNATURE COLOURS

Carrara
Colorado Grey
Glacier Creek **(NEW)**
Pearl
Ultra Black*


PREMIERE COLOURS **

Brightsand (Special Order)
Eclipse
Silverlight
Storm


PATTERNS




3/4 Off-Set *Best Practice*




1/2 Off-Set




Herringbone



Tile Joint



Tile Joint




1/2 Off-Set

* Ultra Black available in 12" X 24" & 24" X 24". Ultra Black 12" x 36" and 24" x 36" are special order.

** NanoBlast™ Colours available in 12" X 24" & 24" X 24". NanoBlast™ Colours in 12" x 36" and 24" x 36" are special order.




BUNDLE OVERVIEW



UNITS



15.67 x 23.5 x 2.36 in
398 x 597 x 60 mm
Units/bundle: 18
Units/layer: 2



15.67 x 15.67 x 2.36 in
398 x 398 x 60 mm
Units/bundle: 27
Units/layer: 3



7.87 x 15.67 x 2.36 in
199 x 398 x 60 mm
Units/bundle: 27
Units/layer: 3

NOTES

Large format slabs with subtle textured surface for pedestrian use only. DesignLoc® technology provides a highly refined finish, with integral colouring. Border or accent with Lyra, Napa or Riverton.

Sold and packaged together in a 2:3:3 ratio. Plate tamper not recommended.

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	115.1 ft ²	10.69 m ²
Weight	3256 lbs	1476 kg
Layers	9	
Coverage per layer	12.79 ft ²	1.19 m ²
Lineal coverage	58.75 / 88.1 ft	17.91 / 26.86 m
Lineal coverage per layer	6.53 / 9.79 ft	1.99 / 2.98 m

COLOURS

Carrara
Glacier Creek

PATTERNS




RIVERTON™


SIGNATURE SERIES SLAB / 60MM /  



BUNDLE OVERVIEW



UNIT



11.81 x 23.62 x 2.36 in
300 x 600 x 60 mm
Units/bundle: 54
Units/layer: 6

NOTES

For pedestrian use only. Medium format slab with a soft touch 45 degree embossed surface texture.

DesignLoc® technology allows for a highly refined surface, with integral colouring. Compliment with Lyra for maximum design aesthetic

Plate tamper not recommended.

COLOURS

Harbour Grey
Pearl
Ultra Black


BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	104.6 ft ²	9.72 m ²
Weight	3015 lbs	1367.6 kg
Layers	9	
Coverage per layer	11.62 ft ²	1.08 m ²
Lineal coverage	53.15 / 106.3 ft	16.2 / 32.4 m
Lineal coverage per layer	5.9 / 11.81 ft	1.8 / 3.6 m


IMPERIAL

METRIC


PATTERNS




3/4 Off-Set *Best Practice*



1/2 Off-Set



Herringbone




Tile Joint

TREVISTA® 50 SMOOTH

SIGNATURE SERIES SLAB / 50MM /  



BUNDLE OVERVIEW



UNITS



19.5 x 13 x 2 in
495 x 330 x 50 mm
Units/bundle: 24
Units/layer: 2



13 x 13 x 2 in
330 x 330 x 50 mm
Units/bundle: 48
Units/layer: 4



6.5 x 13 x 2 in
165 x 330 x 50 mm
Units/bundle: 48
Units/layer: 4

NOTES

For pedestrian use only. Large format slabs with a smooth modern finish. DesignLoc® technology provides a highly refined surface, with integral colouring. Border or accent with Adelaide® 50 or Richmond® 50.

Sold and packaged together in a 1:2:2 ratio. Plate tamper not recommended.




BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	125.4 ft ²	11.64 m ²
Weight	3010 lbs	1365 kg
Layers	12	
Coverage per layer	10.45 ft ²	0.97 m ²
Lineal coverage	78 / 117 ft	23.76 / 35.64 m
Lineal coverage per layer	6.5 / 9.75 ft	1.98 / 2.97 m

COLOURS

Autumn Hill
Carrara
Glacier Creek
Grey Mix


PATTERNS



13" Soldier Course



19.5" Soldier Course




TREVISTA® 50 TEXTURED

SIGNATURE SERIES SLAB / 50MM /  




BUNDLE OVERVIEW




UNITS



19.5 x 13 x 2 in
495 x 330 x 50 mm
Units/bundle: 24
Units/layer: 2



13 x 13 x 2 in
330 x 330 x 50 mm
Units/bundle: 48
Units/layer: 4



6.5 x 13 x 2 in
165 x 330 x 50 mm
Units/bundle: 48
Units/layer: 4

NOTES

For pedestrian use only. Large format slabs with a natural textured finish. DesignLoc® technology provides a highly refined surface, with integral colouring. Border or accent with Adelaide® 50 or Richmond® 50.

Sold and packaged together in a 1:2:2 ratio. Plate tamper not recommended.




BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	125.4 ft ²	11.64 m ²
Weight	3010 lbs	1365 kg
Layers	12	
Coverage per layer	10.45 ft ²	0.97 m ²
Lineal coverage	78 / 117 ft	23.76 / 35.64 m
Lineal coverage per layer	6.5 / 9.75 ft	1.98 / 2.97 m

COLOURS

Autumn Hill
Carrara
Glacier Creek
Grey Mix


PATTERNS



13" Soldier Course



19.5" Soldier Course



ADELAIDE® 50


SIGNATURE SERIES SLAB / 50MM /  



BUNDLE OVERVIEW



UNIT



6.5 x 13 x 2 in
165 x 330 x 50 mm
Units/bundle: 252
Units/layer: 21

NOTES

For pedestrian use only. Can be used on its own or as a modern accent and/or border for 50mm line of slabs. The smooth surface provides a contemporary finish.

Plate tamper not recommended.



BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	147.6 ft ²	13.65 m ²
Weight	3542 lbs	1606.5 kg
Layers	12	
Coverage per layer	12.3 ft ²	1.14 m ²
Lineal coverage	136.5 / 273 ft	41.55 / 83.1 m
Lineal coverage per layer	11.38 / 22.75 ft	3.46 / 6.93 m

COLOURS

Glacier Creek
Grey
Ultra Black

PATTERNS



RICHMOND® 50


SIGNATURE SERIES SLAB / 50MM /  



BUNDLE OVERVIEW



UNIT



6.5 x 13 x 2 in
165 x 330 x 50 mm
Units/bundle: 252
Units/layer: 21

NOTES

For pedestrian use only. Can be used on its own, or as an accent and/or border for 50mm line of slabs. Subtle textured surface provides striking interest.

Plate tamper not recommended.



BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	147.6 ft ²	13.65 m ²
Weight	3542 lbs	1606.5 kg
Layers	12	
Coverage per layer	12.3 ft ²	1.14 m ²
Lineal coverage	136.5 / 273 ft	41.55 / 83.1 m
Lineal coverage per layer	11.38 / 22.75 ft	3.46 / 6.93 m

COLOURS

Glacier Creek
Grey Mix
Ultra Black

PATTERNS






BUNDLE OVERVIEW



UNIT



28 x 14 x 2 in
710 x 355 x 50 mm
Units/bundle: 30
Units/layer: 3

NOTES

For pedestrian use only. Large format rectangular slab with soft touch surface. Contemporary, smooth finish. DesignLoc® technology provides a highly refined finish, protected and enhanced by ChromaTec®.

Plate tamper not recommended.

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	81.6 ft ²	7.58 m ²
Weight	1921 lbs	871.4 kg
Layers	10	
Coverage per layer	8.16 ft ²	0.76 m ²
Lineal coverage	35 / 70 ft	10.7 / 21.3 m
Lineal coverage per layer	3.5 / 7 ft	1.07 / 2.13 m


COLOURS

Carrara (DesignLoc® Only)
Glacier Creek
Grey Mix


PATTERNS




3/4 Off-Set *Best Practice*



1/2 Off-Set



Herringbone



Tile Joint



BUNDLE OVERVIEW



UNIT



23.62 x 23.62 x 2 in
600 x 600 x 50 mm
Units/bundle: 20

NOTES

Large format slab that adds a contemporary finish to any patio, poolside, walkway or rooftop application. Sold in full bundles only. For pedestrian use only.

When installing slabs on a pedestal set, ensure to consider load requirements. Refer to a project engineer for specific considerations.

Plate tamper not recommended.

60mm available by special order.

BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	77.49 ft ²	7.2 m ²
Weight	1852 lbs	840 kg
Units	20	
Coverage per unit	3.87 ft ²	0.36 m ²
Lineal coverage	39.37 ft	12 m
Lineal coverage per unit	1.97 ft	0.6 m


IMPERIAL

METRIC


PREMIERE COLOURS

Brightsand
Eclipse
Silverlight
Storm

PATTERNS



Tile Joint



1/2 Off-Set

SMOOTH / SHOT BLAST

CLASSIC SERIES SLAB / 45MM /



BUNDLE OVERVIEW



SMOOTH FINISH UNIT



SHOT BLAST FINISH UNIT



45 MM
23.62 x 23.62 x 1.77 in
600 x 600 x 45 mm
Units/bundle: 24

NOTES

A large format slab with a smooth surface finish. The 24x24 Smooth slab brings a modern touch to a traditional paving and rooftop terracing slab. Sold in full bundles only.

When installing slabs on a pedestal set, ensure to consider load requirements. Refer to a project engineer for specific considerations.

Plate tamper not recommended.

50mm & 60mm available by special order.



COLOURS

Grey (Smooth & Shot Blast)
White (Smooth & Shot Blast)

BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	92.99 ft ²	8.64 m ²
Weight	2011.2 lbs	912 kg
Units	24	
Coverage per unit	3.87 ft ²	0.36 m ²
Lineal coverage	47.24 ft	14.4 m
Lineal coverage per unit	1.97 ft	0.6 m

PATTERNS




FLAGSTONE™

CLASSIC SERIES SLAB / 45MM / 



BUNDLE OVERVIEW



UNIT



23.62 x 23.62 x 1.77 in
600 x 600 x 45 mm
Units/bundle: 24

NOTES

For pedestrian use only. Naturally inspired flagstone finish. Classic slab, does not include spacer bars. Sold in full bundles only.

When installing slabs on a pedestal set, ensure to consider load requirements. Refer to a project engineer for specific considerations.

Plate tamper not permitted.



BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	92.99 ft ²	8.64 m ²
Weight	2011.2 lbs	912 kg
Units	24	
Coverage per unit	3.87 ft ²	0.36 m ²
Lineal coverage	47.24 ft	14.4 m
Lineal coverage per unit	1.97 ft	0.6 m

COLOURS

Grey
Nightfall

PATTERNS



BASKETWEAVE™

CLASSIC SERIES SLAB / 45MM /



24x24

23.62 x 23.62 x 1.77 in

600 x 600 x 45 mm

IMPERIAL

METRIC

Coverage	92.99 ft ²	8.64 m ²
Weight	2011.2 lbs	912 kg
Units	24	
Coverage per unit	3.87 ft ²	0.36 m ²
Lineal coverage	47.24 ft	14.4 m
Lineal coverage per unit	1.97 ft	0.6 m

12x24

11.81 x 23.62 x 1.77 in

300 x 600 x 45 mm

IMPERIAL

METRIC

Coverage	139.48 ft ²	12.96 m ²
Weight	2880 lbs	1305.36 kg
Units	72	
Coverage per unit	1.94 ft ²	0.18 m ²
Lineal coverage	70.86 / 141.72 ft	21.6 / 43.2 m
Lineal coverage per unit	0.98 / 1.97 ft	0.3 / 0.6 m

NOTES

For pedestrian use only. Classic slabs do not include spacer bars.
All sizes sold and packaged separately. Sold in full bundles only.
The use of a plate tamper is not permitted.

When installing slabs on a pedestal set, ensure to consider load requirements. Refer to a project engineer for specific considerations.

50mm & 60mm available by special order.

COLOURS

White

24x30

23.62 x 29.52 x 1.77 in

600 x 750 x 45 mm

IMPERIAL

METRIC

Coverage	116.22 ft ²	10.8 m ²
Weight	2539.7 lbs	1152 kg
Units	24	
Coverage per unit	4.84 ft ²	0.45 m ²
Lineal coverage	47.24 / 59.04 ft	14.4 / 18.0 m
Lineal coverage per unit	1.97 / 2.46 ft	0.6 / 0.75 m

STANDARD PRESS™

CLASSIC SERIES SLAB / 45MM / 



24x30

23.62 x 29.52 x 1.77 in
600 x 750 x 45 mm

IMPERIAL

METRIC

Coverage	116.22 ft ²	10.8 m ²
Weight	2539.7 lbs	1152 kg
Units	24	
Coverage per unit	4.84 ft ²	0.45 m ²
Lineal coverage	47.24 / 59.04 ft	14.4 / 18.0 m
Lineal coverage per unit	1.97 / 2.46 ft	0.6 / 0.75 m

16x16

15.75 x 15.75 x 1.77 in
400 x 400 x 45 mm

IMPERIAL

METRIC

Coverage	103 ft ²	9.6 m ²
Weight	2070 lbs	939 kg
Units	60	
Coverage per unit	1.72 ft ²	0.16 m ²
Lineal coverage	78.74 ft	24 m
Lineal coverage per unit	1.31 ft	0.4 m

24x24

23.62 x 23.62 x 1.77 in
600 x 600 x 45 mm

IMPERIAL

METRIC

Coverage	92.99 ft ²	8.64 m ²
Weight	2011.2 lbs	912 kg
Units	24	
Coverage per unit	3.87 ft ²	0.36 m ²
Lineal coverage	47.24 ft	14.4 m
Lineal coverage per unit	1.97 ft	0.6 m

12x24

11.81 x 23.62 x 1.77 in
300 x 600 x 45 mm

IMPERIAL

METRIC

Coverage	92.98 ft ²	8.64 m ²
Weight	1918.5 lbs	870.24 kg
Units	48	
Coverage per unit	1.94 ft ²	0.18 m ²
Lineal coverage	47.24 / 94.48 ft	14.4 / 28.8 m
Lineal coverage per unit	0.98 / 1.97 ft	0.3 / 0.6 m

COLOURS

Charcoal (24 x 24 only)

Grey (All sizes)

Red (16 x 16 & 24 x 24 only)

NOTES

For pedestrian use only. Classic slabs do not include spacer bars.

All sizes sold and packaged separately. Sold in full bundles only.

The use of a plate tamper is not permitted.

When installing slabs on a pedestal set, ensure to consider load requirements. Refer to a project engineer for specific considerations.





PAVERS

		mm
28	VANGUARD™	100
29	MANHATTAN PLANK™	80
30	TREVISTA® 80 SMOOTH	80
31	TREVISTA® 80 TEXTURED	80
32	ADELAIDE® 80	80
33	RICHMOND® 80	80
34	ECOFLOW® PERMEABLE	70
35	CORSO®	70
36	ASHFORD™	60
37	PRISMA™	60
38	NAPA™	60
39	STANDARD™	60
40	DOUBLE STANDARD™	60

PHYSICAL & GEOMETRICAL CHARACTERISTICS

Precast Concrete Pavers

Characteristics	CSA A231.2
Compressive Strength	50 MPa (7252 psi) min.
Freeze-thaw Durability w/ use of deicing salt	Mass loss (max): 225 g/m ² at 28 cycles Mass loss (max): 500 g/m ² at 49 cycles
Dimensional tolerances ¹	Length and Width: -1.0mm to +2.0mm Thickness: ±3 mm

1. Dimensional tolerances prior to the application of architectural finishes


VANGUARD™

SIGNATURE COMMERCIAL PAVER / 100MM /



BUNDLE OVERVIEW

4" x 12"



UNITS

4" X 12"



3.94" x 11.81" x 3.94"
100 x 300 x 100 mm
Units/bundle: 216
Units/layer: 36

EDGE SURFACE



8" X 24"



7.87" x 23.63" x 3.94"
200 x 600 x 100 mm
Units/bundle: 48
Units/layer: 8

8" x 24"



4" x 12" BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	69.8 ft ²	6.48 m ²
Weight	3238 lbs	1469 kg
Layers	6	
Coverage per layer	11.63 ft ²	1.09 m ²
Lineal coverage	70.92 / 212.58 ft	21.6 / 64.8 m
Lineal coverage per layer	11.82 / 35.43 ft	3.6 / 10.8 m

8" x 24" BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	62 ft ²	5.76 m ²
Weight	2825.4 lbs	1281.6 kg
Layer	6	
Coverage per layer	10.33 ft ²	0.96 m ²
Lineal coverage	31.48 / 94.52 ft	9.8 / 28.8 m
Lineal coverage per layer	5.25 / 15.75 ft	1.6 / 4.8 m

NOTES

Designed for any commercial space, Vanguard combines a contemporary finish, with durability and comfort. Mix and match surface finishes and colours to create a dynamic and engaging space.

Edge surface available by special order.


COLOURS (SMOOTH)

Colorado Grey
Grey Mix
Ultra Black


COLOURS (EDGE SURFACE)

Pearl
Ultra Black


PATTERNS



Running Bond



4" x 12" / 8" x 24" Mix



Herringbone


MANHATTAN PLANK™

SPECIAL ORDER ITEM

SIGNATURE SERIES PAVER / 80MM /   



BUNDLE OVERVIEW



UNITS



A
6.50 x 4.33 x 3.15 in
165 x 110 x 80 mm
Units/bundle: 32
Units/layer: 4



B
10.83 x 4.33 x 3.15 in
275 x 110 x 80 mm
Units/bundle: 32
Units/layer: 4



C
12.99 x 4.33 x 3.15 in
330 x 110 x 80 mm
Units/bundle: 32
Units/layer: 4



D
17.32 x 4.33 x 3.15 in
440 x 110 x 80 mm
Units/bundle: 32
Units/layer: 4



E
8.66 x 6.50 x 3.15 in
220 x 165 x 80 mm
Units/bundle: 32
Units/layer: 4



F
12.99 x 6.50 x 3.15 in
330 x 165 x 80 mm
Units/bundle: 16
Units/layer: 2



G
17.32 x 6.50 x 3.15 in
440 x 165 x 80 mm
Units/bundle: 16
Units/layer: 2

NOTES

Provides a contemporary linear finish. Manhattan Plank is 80mm thick, ideal for any application. Install in a ratio of 2 (4.33") rows to every 1 (6.5") row. All sizes are sold and packaged together. The DesignLoc® surface technology provides a highly refined, colour enriched finish.

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	80 ft ²	7.44 m ²
Weight	2944.5 lbs	1338 kg
Layers	8	
Coverage per layer	10 ft ²	0.93 m ²
Lineal coverage (A-D)	127 ft	38.72 m
Lineal coverage per layer (A-D)	15.875 ft	4.84 m
Lineal coverage (E-G)	63.5 ft	19.36 m
Lineal coverage per layer (E - G)	7.94 ft	2.42 m

COLOURS

Glacier Creek
Grey Mix
Ultra Black

PATTERN




TREVISTA® 80 SMOOTH

SIGNATURE SERIES PAVER / 80MM /   




BUNDLE OVERVIEW



UNITS



19.5 x 13 x 3.15 in
495 x 330 x 80 mm
Units/bundle: 16
Units/layer: 2



13 x 13 x 3.15 in
330 x 330 x 80 mm
Units/bundle: 32
Units/layer: 4



6.5 x 13 x 3.15 in
165 x 330 x 80 mm
Units/bundle: 32
Units/layer: 4

NOTES

For pedestrian and/or vehicular use. Trevista® 80 Smooth is a large format paver with a smooth modern surface. Sold and packaged together in a 1:2:2 ratio. The DesignLoc® surface technology provides a highly refined, colour enriched finish. Border or accent with Adelaide® 80 or Richmond® 80.




BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	83.6 ft ²	7.76 m ²
Weight	3077 lbs	1395.85 kg
Layers	8	
Coverage per layer	10.45 ft ²	0.97 m ²
Lineal coverage	52 / 78 ft	15.85 / 23.77 m
Lineal coverage per layer	6.5 / 9.75 ft	1.98 / 2.97 m


COLOURS

Autumn Hill
Carrara
Glacier Creek
Grey Mix


PATTERNS



13" Soldier Course



19.5" Soldier Course




TREVISTA® 80 TEXTURED

SIGNATURE SERIES PAVER / 80MM




BUNDLE OVERVIEW



UNITS



19.5 x 13 x 3.15 in
495 x 330 x 80 mm
Units/bundle: 16
Units/layer: 2



13 x 13 x 3.15 in
330 x 330 x 80 mm
Units/bundle: 32
Units/layer: 4



6.5 x 13 x 3.15 in
165 x 330 x 80 mm
Units/bundle: 32
Units/layer: 4

NOTES

For pedestrian and/or vehicular use. Trevista® 80 Textured is a large format paver with an elegant and traditional texture. Sold and packaged together in a 1:2:2 ratio. The DesignLoc® surface technology provides a highly refined, colour enriched finish. Border or accent with Adelaide® 80 or Richmond® 80.




BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	83.6 ft ²	7.76 m ²
Weight	3077 lbs	1395.85 kg
Layers	8	
Coverage per layer	10.45 ft ²	0.97 m ²
Lineal coverage	52 / 78 ft	15.85 / 23.77 m
Lineal coverage per layer	6.5 / 9.75 ft	1.98 / 2.97 m

COLOURS

Autumn Hill
Carrara
Glacier Creek
Grey Mix


PATTERNS



13" Soldier Course



19.5" Soldier Course



ADELAIDE® 80


SIGNATURE SERIES PAVER / 80MM /   



BUNDLE OVERVIEW



UNIT



6.5 x 13 x 3.15 in
165 x 330 x 80 mm
Units/bundle: 168
Units/layer: 21

NOTES

For pedestrian and/or vehicular usage.
Can be used on its own or as a modern
accent and/or border for the Trevista® 80
pavers. The smooth surface provides a
contemporary finish.



BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	98.4 ft ²	9.1 m ²
Weight	3622 lbs	1643 kg
Layers	8	
Coverage per layer	12.3 ft ²	1.14 m ²
Lineal coverage	91 / 182 ft	27.7 / 55.4 m
Lineal coverage per layer	11.38 / 22.75 ft	3.47 / 6.93 m

COLOURS

Glacier Creek
Grey
Ultra Black

PATTERNS



RICHMOND® 80

SIGNATURE SERIES PAVER / 80MM



BUNDLE OVERVIEW



UNIT



6.5 x 13 x 3.15 in
165 x 330 x 80 mm
Units/bundle: 168
Units/layer: 21

NOTES

For pedestrian and/or vehicular usage. Can be used on its own, or as an accent and/or border for the Trevista® 80 pavers. Subtle textured surface provides striking interest.



BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	98.4 ft ²	9.1 m ²
Weight	3622 lbs	1643 kg
Layers	8	
Coverage per layer	12.3 ft ²	1.14 m ²
Lineal coverage	91 / 182 ft	27.7 / 55.4 m
Lineal coverage per layer	11.38 / 22.75 ft	3.47 / 6.93 m

COLOURS


Glacier Creek
Grey Mix
Ultra Black

PATTERNS





BUNDLE OVERVIEW



UNIT



4.92 x 9.84 x 3.14 in
125 x 250 x 80 mm
Units/bundle: 256
Units/layer: 32
Joint Width: 7mm (9/32")
% Surface Opening: 8.4%

NOTES

EcoFlow® delivers a clean, modern and sophisticated aesthetic. Manufactured using DesignLoc® technology, the two-step manufacturing process creates a refined top layer while reinforcing a strong, durable base. EcoFlow® is designed to have strategic spacer bars that create greater infiltration between units, enabling efficient water drainage meeting CMHA specifications.

For pedestrian and/or vehicular use.



COLOURS

Colorado Grey
Grey
Grey Mix

BUNDLE SPECIFICATIONS


	IMPERIAL	METRIC
Coverage	86.08 ft ²	8 m ²
Weight	2900.9 lbs	1315.8 kg
Layers	8	
Coverage per layer	10.76 ft ²	1.0 m ²
Lineal coverage	104.96 / 209.92 ft	32 / 64 m
Lineal coverage per layer	13.12 / 26.24 ft	4.0 / 8.0 m

PATTERN





BUNDLE OVERVIEW



UNITS



9.96 x 5.24 x 2.75 in
253 x 133 x 70 mm
Units/bundle: 112
Units/layer: 14



7.60 x 5.24 x 2.75 in
193 x 133 x 70 mm
Units/bundle: 112
Units/layer: 14



5.24 x 5.24 x 2.75 in
133 x 133 x 70 mm
Units/bundle: 112
Units/layer: 14

NOTES

For pedestrian and/or vehicular use.
Corso® provides a European cobblestone aesthetic with a highly detailed texture.
All sizes are sold and packaged together in a 1:1:1 ratio.

Provides a great border or accent for the Huntington 70mm.

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	94 ft ²	8.74 m ²
Weight	2907 lbs	1318.78 kg
Layers	8	
Coverage per layer	11.75 ft ²	1.09 m ²
Lineal coverage	212.8 ft	64.85 m
Lineal coverage per layer	26.6 ft	8.11 m

COLOURS


Grey Mix
Ultra Black

PATTERN




ASHFORD™


CLASSIC SERIES PAVER / 60MM /  




BUNDLE OVERVIEW




UNIT



13" x 8.66" x 2.36"
330mm x 220mm x 60mm
Units/bundle: 54
Units/layer: 6



8.66" x 8.66" x 2.36"
220mm x 220mm x 60mm
Units/bundle: 72
Units/layer: 8



8.66" x 4.33" x 2.36"
220mm x 110mm x 60mm
Units/bundle: 54
Units/layer: 6

NOTES

For pedestrian and/or vehicular use.
Provides a classic smooth surface with subtle edges. Install in a 3:4:3 ratio. Can border/accent with Standard™, Napa, Balsam and other 60mm options for consistent grades.

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	93.75 ft ²	8.71 m ²
Weight	2628 lbs	1192 kg
Layers	9	
Coverage per layer	10.42 ft ²	0.97 m ²
Lineal coverage	130 ft	39.6 m
Lineal coverage per layer	14.44 ft	4.4 m


COLOURS

Colorado Grey
Grey Mix
Summer Mist

PATTERN



8.66" Soldier Course




13" Soldier Course

PRISMA™

SIGNATURE SERIES PAVER / 60MM /   



BUNDLE OVERVIEW



UNIT



7.76" x 8.96" x 2.36"
197mm x 227.5mm x 60mm
Units/bundle: 162
Units/layer: 18

NOTES

The Prisma Paver blends timeless aesthetics with a modern twist, ideal for cutting-edge hardscape designs. Its elongated hexagonal form brings a distinctive geometric flair to landscaping, seamlessly integrating with various contemporary outdoor areas. Elevating projects, the Prisma introduces chic style and dimension.

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	58.57 ft ²	5.44 m ²
Weight	1620 lbs	735 kg
Layers	9	
Coverage per layer	6.51 ft ²	0.60 m ²

COLOURS


Carrara
Ultra Black

PATTERN





BUNDLE OVERVIEW



UNIT



2.36" x 9.45" x 2.36"
60mm x 240mm x 60mm
Units/bundle: 585
Units/layer: 65

NOTES

For pedestrian and/or vehicular use. Provides a classic smooth surface with subtle edges. Herringbone pattern provides contemporary finish. Can use independently or provides an ideal accent/border stone for 60mm slabs.

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	90.6 ft ²	8.42 m ²
Weight	2540.7 lbs	1152.5 kg
Layers	9	
Coverage per layer	10.07 ft ²	0.936 m ²
Lineal coverage	115.02 / 460.7 ft	35.1 / 140 m
Lineal coverage per layer	12.78 / 51.19 ft	3.9 / 15.6 m


COLOURS

Carrara
Ultra Black


PATTERNS




1/2 Off-Set



Parquet



Herringbone




45° Herringbone

STANDARD™


CLASSIC SERIES PAVER / 60MM & 80MM /



BUNDLE OVERVIEW



UNITS



3.93" x 7.87" x 2.36"
100mm x 200mm x 60mm
Units/bundle: 486
Units/layer: 54



3.93" x 7.87" x 3.15"
100mm x 200mm x 80mm
Units/bundle: 432
Units/layer: 54

60MM SPECIFICATIONS

IMPERIAL

METRIC

80MM SPECIFICATIONS

IMPERIAL

METRIC

Coverage	106 ft ²	9.85 m ²	Coverage	94.2 ft ²	8.72 m ²
Weight	2862 lbs	1298.18 kg	Weight	3304 lbs	1499kg
Rows	9		Rows	8	
Coverage per row	11.78 ft ²	1.09 m ²	Coverage per row	11.78 ft ²	1.09 m ²
Lineal coverage	156.2 / 312.8 ft	47.7 / 95.4 m	Lineal coverage	138.8 / 278.0 ft	42.4 m / 84.8 m
Lineal coverage per row	17.35 / 34.75 ft	5.3 / 10.6 m	Lineal coverage per row	17.35 / 34.75 ft	5.3 m / 10.6 m
Coverage per unit	0.22 ft ²	0.02 m ²	Coverage per unit	0.22 ft ²	0.02 m ²
Units per ft ² / m ²	4.59	49.34	Units per ft ² / m ²	4.59	49.34

NOTES

For pedestrian and/or vehicular use.



Sold in full bundles only.

COLOURS

- Buff Mix*
- Buff-Brown Mix*
- Charcoal
- Grey
- Grey Mix
- Red*
- Red Mix*
- Salmon Mix*

*80 mm Special Order

PATTERNS




DOUBLE STANDARD™


CLASSIC SERIES PAVER / 60MM /  



BUNDLE OVERVIEW



UNIT



7.87" x 7.87" x 2.36"
200mm x 200mm x 60mm
Units/bundle: 216
Units/row: 24

NOTES

For pedestrian and/or vehicular use.
Provides a smooth square surface
with subtle edges.

Sold in full bundles only.



BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	94 ft ²	8.73 m ²
Weight	2538 lbs	1151.2 kg
Rows	9	
Coverage per row	10.44 ft ²	0.97 m ²
Lineal coverage	144 ft	43.9 m
Lineal coverage per row	16 ft	4.88 m
Coverage per unit	0.44 ft ²	0.04 m ²
Units per ft ² / m ²	2.3	24.74

COLOURS

Charcoal
Grey
Grey Mix
Red Mix
Salmon Mix

PATTERNS







WALLS

Signature Series

44 SOHO™

45 BARNBEAM™

Classic Series

46 ARLINGTON™

47 HAZELTON™

48 GARDEN LOCK™

50 PARKWALL®

52 STACKER

53 IKON™

54 RIDGEWALL® SRW SYSTEM

Rosetta Series

57 ROCKTON

58 GRAND LEDGE

PHYSICAL & GEOMETRICAL CHARACTERISTICS

Dry-cast Wall Units

Characteristics		ASTM C 1372 ²
Compressive strength		20.7 MPa (3000 psi) min.
Durability to freeze thaw cycles Mass loss		after 100 cycles 1% (max.)
		after 150 cycles 1.5% (max.)
Water absorption		208 kg/m ³ max. (13 lb/ft ³)
Dimension tolerance ¹	length	±3 mm (1/8")
	width	±3 mm (1/8")
	height	±3 mm (1/8")


1. The dimensional tolerance not applicable to split facings or other architectural finish

2. ASTM C1372 Standard specification for Dry-Cast, SRW units




BUNDLE OVERVIEW

BLOCK



CORNER



NOTES

Made with DesignLoc® surface refinement technology.

Soho can be installed without a coping as the colour is throughout the units. Use Arlington or Garden Lock™ coping for an added finished touch.

Soho's corner creates a 22.5" x 22.5" column. Sold and packaged separately from the block units.

COLOURS

Carrara
Glacier Creek
Grey Mix
Ultra Black

BLOCK UNITS



13.78w x 3.94h x 8.85d in
350w x 100h x 225d mm
Units/bundle: 9
Units/layer: 3



17.72w x 3.94h x 8.85d in
450w x 100h x 225d mm
Units/bundle: 9
Units/layer: 3



21.65w x 3.94h x 8.85d in
550w x 100h x 225d mm
Units/bundle: 9
Units/layer: 3



25.59w x 3.94h x 8.85d in
650w x 100h x 225d mm
Units/bundle: 9
Units/layer: 3

CORNER UNIT



13.78w x 3.94h x 8.85d in
350w x 100h x 225d mm
Units/bundle: 60
Units/layer: 20

BLOCK BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Coverage	19.35 ft ²	1.8 m ²
Coverage per layer	6.45 ft ²	0.6 m ²
Lineal coverage	59.04 ft	18 m
Weight	1926 lbs	873.6 kg
Layers	3	-
Lineal coverage per layer	19.69 ft	6 m
Coverage per 4 pack	2.15 ft ²	0.2 m ²
Linear coverage per 4 pack	6.56 ft	2 m
Weight per 4 pack	214 lbs	97 kg
4 packs per bundle	9	-
4 packs per layer	3	-

CORNER BUNDLE SPECIFICATIONS

IMPERIAL

METRIC


Coverage	22.5 / 14.4 ft ²	2.1 / 1.35 m ²
Lineal coverage	44.4 / 69 ft	13.5 / 21 m
Weight	2196 lbs	996 kg
Coverage per unit	0.24 / 0.38 ft ²	0.02 / 0.04 m ²
Linear coverage per unit	0.74 / 1.15 ft	0.225 / 0.35 m
Weight per unit	36.6 lbs	16.6 kg

BARNBEAM™ WALL + CURB

SIGNATURE SERIES WALL / WETCAST DOUBLE-SIDED / DRY STACK



BUNDLE OVERVIEW



UNIT



40w x 6h x 8d in
1015w x 152h x 203d mm
Units/bundle: 16

NOTES

The Barnbeam wall combines the natural grains and details of wood with the durability of concrete. These three sided units are produced using Best Way Stone's wet cast technology allowing for maximum detail and integral colouring throughout the surface.

Fire pit kit available

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	26.6 ft ²	2.47 m ²
Lineal Coverage	53.3 ft	16.24 m
Weight	2527 lbs	1146 kg
Weight per unit	158 lbs	71.7 kg
Coverage per unit	1.66ft ²	0.15 m ²
Lineal coverage per unit	3.33 ft	1.01 m

COLOURS


Weatherwood

1/2 OFF-SET




Create 1/2 unit (20"w) to start alternating rows.

TYPICAL CROSS SECTIONS



CORNER CONSTRUCTION



Alternate overlap each row.

ARLINGTON™

CLASSIC SERIES WALL SYSTEM / DOUBLE-SIDED SMOOTH WALL



UNITS



BLOCK

15.75w x 4.92h x 8.85d in
400w x 125h x 225d mm



CORNER / CURB

15.75w x 4.92h x 8.85d in
400w x 125h x 225d mm



COPING

15.75w x 2.36h x 10.23d in
400w x 60h x 260d mm

BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	26.9 ft ²	2.5 m ²
Lineal Coverage	65.6 ft	20 m
Weight	2600 lbs	1179.3 kg
Units	50	-
Coverage per unit	0.53 ft ²	0.05 m ²
Lineal coverage per unit	1.31 ft	0.4 m

Coverage	26.9 / 15 ft ²	2.5 / 1.39 m ²
Lineal Coverage	37 / 65.6 ft	11.25 / 20 m
Weight	2595 lbs	1177 kg
Units	50	-
Coverage per unit	0.3 / 0.53 ft ²	0.027 / 0.05 m ²
Lineal coverage per unit	0.74 / 1.31 ft	0.225 / 0.4 m

Lineal Coverage	94.5 ft	28.8 m
Weight	2146 lbs	973.4 kg
Units	72	-
Lineal coverage per unit	1.31 ft	0.4 m
Sections	4	-
Lineal coverage per section	23.6 ft	7.2 m

NOTES


Smooth double-sided wall unit with a locking feature that works in tandem with Garden Lock™ and Hazelton™.

COLOURS

Colorado Grey
Grey Mix
Nightfall
Summer Mist
Winterborn

BUNDLE OVERVIEW

BLOCK & CORNER COPING




*Set-back can be erected to 36" matching Garden Lock.

HAZELTON™

CLASSIC SERIES WALL SYSTEM / DOUBLE-SIDED



UNITS



BLOCK

11.81w x 4.92h x 8.85d in
300w x 125h x 225d mm
Units/bundle: 60



CORNER

12.8w x 4.92h x 6.9d in
325w x 125h x 175d mm
Units/bundle: 48

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Coverage	24.21 ft ²	2.25 m ²
Lineal Coverage	59.05 ft	18 m
Weight	2296 lbs	1041.5 kg
Weight per unit	38.3 lbs	17.4 kg
Coverage per unit	0.404 ft ²	0.038 m ²
Lineal coverage per unit	0.984 ft	0.3 m


Coverage	11.3 / 21 ft ²	1.05 / 1.95 m ²
Lineal Coverage	27.6 / 51.2 ft	8.4 / 15.6 m
Weight	1642 lbs	744 kg
Weight per unit	34.2 lbs	15.5 kg
Coverage per unit	0.23 / 0.44 ft ²	0.02 / 0.04 m ²
Lineal coverage per unit	0.57 / 1.06 ft	0.17 / 0.32 m

NOTES


A double-sided textured wall with a locking system that allows for vertical or set-back designs. The corner creates a 20" x 20" column. Block and corner units are sold separately. Arlington, Montana, or Garden Lock™ coping are ideal to complete Hazelton™ wall.

BUNDLE OVERVIEW

BLOCK





CORNER



COLOURS

Beige Mix
Grey Mix
Ultra Black

TYPICAL CROSS SECTIONS




GARDEN LOCK™

CLASSIC SERIES WALL SYSTEM / SPLIT-FACE / DOUBLE-SIDED

BUNDLE OVERVIEW



TRIPLE UNIT



Large Unit
14.96w x 4.92h x 8.85d in
380w x 125h x 225d mm
Units: 25



Medium Unit
9.84w x 4.92h x 8.85d in
250w x 125h x 225d mm
Units: 25



Small Unit
7.48w x 4.92h x 8.85d in
190w x 125h x 225d mm
Units: 25

NOTES

A double-sided split face wall that can be installed vertically or set-back.

Specific medium blocks can be installed on their side, identified with locking feature along the vertical side of block unit.

Triple units are sold and packaged together in a 1:1:1 ratio.

Use Arlington or Garden Lock™ coping for best finish.

BUNDLE SPECIFICATIONS

IMPERIAL


METRIC

Coverage	27.5 ft ²	2.55 m ²
Lineal Coverage	67.26 ft	20.5 m
Weight	3113 lbs	1412.16 kg
Weight per triple	124.5 lbs	56.5 kg
Coverage per triple	1.1 ft ²	0.1 m ²
Lineal coverage per triple	2.69 ft	0.82 m
Sections	5	-
Coverage per section	5.5 ft ²	0.51 m ²
Lineal coverage per section	13.45 ft	4.1 m

COLOURS


Beige Mix
Grey
Grey Mix
Ultra Black (straight coping only)
Winterborn

TYPICAL CROSS SECTIONS





UNIT



STRAIGHT COPING

15.74w x 2.95h x 10.23d in
400w x 75h x 260d mm



CORNER

13.46w x 4.92h x 8.85d in
342w x 125h x 225d mm



WEDGE BLOCK

8.07(5.31)w x 4.92h x 8.85d in
205(135)w x 125d x 225d mm



WEDGE COPING

8.23(5.17)w x 2.95h x 10.23d in
209(131)w x 75h x 260d mm

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Lineal Coverage	84 ft	25.6 m
Weight	2458 lbs	1114.75 kg
Units	64	-
Lineal coverage per unit	1.31 ft	0.4 m
Sections	4	-
Lineal coverage per section	21 ft	6.4 m

Coverage	11.8 / 18.3 ft ²	1.1 / 1.7 m ²
Weight	1786 lbs	810 kg
Units	40	-
Coverage per unit	0.3 / 0.4 ft ²	0.03 / 0.04 m ²
Lineal coverage	29.5 / 44.9 ft	9 / 13.68 m
Lineal coverage per unit	0.74 / 1.12 ft	0.23 / 0.34 m

Coverage	23 / 34.7 ft ²	2.14 / 3.22 m ²
Weight	3013 lbs	1366.45 kg
Units	125	
Coverage per unit	0.21 / 0.32 ft ²	0.02 / 0.03 m ²
Lineal coverage	55.38 / 84.06 ft	16.88 / 25.63 m
Lineal coverage per unit	0.46 / 0.66 ft	0.2 m / 0.14 m

Weight	2635 lbs	1195.31 kg
Units	160	
Lineal coverage	55.25 / 87.89 ft	16.82 / 26.76 m
Lineal coverage per unit	0.35 / 0.55 ft	0.11 / 0.17 m

NOTES

20 wedge blocks and 20 wedge coping units make a circle with 53.5" outside diameter and 33" inside diameter
Corner creates a 22.3" x 22.3" column base

PARKWALL®

CLASSIC SERIES WALL SYSTEM / SPILT-FACE / DOUBLE-SIDED OPTION / SINGLE SIDE SMOOTH OPTION

UNITS



REGULAR & TAPERED BLOCK

7.87w x 5.9h x 11.61d in
200w x 150h x 295d mm



CORNER

7.87w x 5.9h x 11.61d in
200w x 150h x 295d mm



COPING

23.62w x 2.95h x 11.81d in
600w x 75h x 300d mm

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Coverage	20 ft ²	1.85 m ²
Lineal Coverage	40 ft	12 m
Weight	2575 lbs	1167.95 kg
Units	60	-
Coverage per unit	0.34 ft ²	0.03 m ²
Lineal coverage per unit	0.67 ft	0.2 m

Coverage	-	-
Lineal Coverage	15.75 / 23.23 ft	4.8 / 7.08 m
Weight	1064 lbs	482.6 kg
Units	24	-
Coverage per unit	-	-
Lineal coverage per unit	0.66 / 0.97 ft	0.2 / 0.3 m

Lineal Coverage	64 ft	19.2 m
Weight	2144 lbs	972 kg
Units	32	-
Lineal coverage per unit	2 ft	0.6 m
Sections	4	-
Lineal coverage per section	16 ft	4.8 m

NOTES


A single-sided split face wall, with a double-sided option. Regular and tapered blocks can be split along back joint to remove smooth face and create double-sided finish. Can be installed vertically or set-back, front-facing or reversed, or any combination. Alternate a full 4 corner column row of the same indicated corners (Rights / Lefts) to make a 19.5" x 19.5" column base.

COLOURS


Beige Mix
Grey
Grey Mix
Ultra Black (coping only)
Winterborn




BUNDLE OVERVIEW



REGULAR & TAPERED BLOCK





CORNERS



COPING

TYPICAL CROSS SECTIONS



DESIGN VERSATILITY

Split-Face Vertical



Smooth-Face Accent



In or Out-Set Accent



Smooth-Face In or Out-Set



Combination Accenting



No block manipulation required. Simply turn the block, or set in and out as desired along the patented locking feature.


STACKER

CLASSIC SERIES WALL / CLASSIC SMOOTH & TUMBLED FINISH




BUNDLE OVERVIEWS

ANTICO®



CLASSIC SMOOTH



NOTES

Stacker is a versatile stacking block that can be applied to multiple applications such as garden walls, outdoor kitchens, columns, water and fire features.

Creates a 19.5" x 19.5" column base.

Antico® and Smooth Stacker sold and packaged separately.

COLOURS

Beige Mix
Grey Mix
Ultra Black

UNITS

ANTICO®



11.81w x 3.92h x 7.87d in
300w x 100h x 200d mm
Units/bundle: 96

CLASSIC SMOOTH NEW



11.81w x 3.92h x 7.87d in
300w x 100h x 200d mm
Units/bundle: 90

BUNDLE SPECIFICATIONS

ANTICO® STACKER


	IMPERIAL	METRIC
Coverage	20.67 / 31 ft ²	1.92 / 2.88 m ²
Lineal Coverage	63 / 94.5 ft	19.2 / 28.8 m
Weight	2861 lbs	1297.6 kg
Weight per unit	29.8 lbs	13.5 kg
Coverage per unit	0.21 / 0.32 ft ²	0.02 / 0.03 m ²
Lineal coverage per unit	0.66 / 0.98 ft	0.2 / 0.3 m
Sections	4	-
Coverage per section	5.17 / 7.75 ft ²	0.48 / 0.72 m ²
Lineal coverage per section	15.75 / 23.62 ft	4.8 / 7.2 m

CLASSIC SMOOTH STACKER

	IMPERIAL	METRIC
Coverage	19.28 / 28.93 ft ²	1.8 / 2.7 m ²
Lineal Coverage	59.02 / 88.58 ft	18 / 27 m
Weight	2682 lbs	1216.5 kg
Weight per unit	29.8 lbs	13.5 kg
Coverage per unit	0.21 / 0.32 ft ²	0.02 / 0.03 m ²
Lineal coverage per unit	0.66 / 0.98 ft	0.2 / 0.3 m
Layers	3	-
Coverage per layer	6.43 / 9.64 ft ²	0.6 / 0.9 m ²
Lineal coverage per layer	19.67 / 29.53 ft	6 / 9 m



BUNDLE OVERVIEW



UNITS



BLOCK
39.4w x 6.7h x 14d in
1000w x 170h x 355d mm
Units/bundle: 9



COPING
39.4w x 6.7h x 14d in
1000w x 170h x 355d mm
Units/bundle: 9

NOTES

Large format segmental retaining wall with a double-sided smooth finish. Units can be reversed to set-back the wall system. Engineering details and services available for the Ikon wall system.

Refer to RidgeWall® typical cross sections for comparable best practices.

BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	16.5 ft ²	1.53 m ²
Lineal Coverage	29.53 ft	9 m
Weight	2745 lbs	1245 kg
Weight per unit	305 lbs	138.3 kg
Coverage per unit	1.83 ft ²	0.17 m ²
Lineal coverage per unit	3.28 ft	1 m

IMPERIAL


METRIC

COLOURS

Grey
Ultra Black

DESIGN OPTIONS

VERTICAL




Alternate the direction of units each row. Off-set locking feature align to create vertical finish.

30MM OFF-SET




Install units in the same direction. Off-set locking feature creates a 30mm set back.

30MM CUSTOMIZED OFF-SET



Manipulate the direction of units at desired rows. Off-set locking feature allows for customized design and finish.


Off-Set Locking System



RIDGEWALL®

LARGE SEGMENTAL RETAINING WALL SYSTEM / ENGINEERING SERVICES AVAILABLE

UNITS



435 SPLIT BLOCK* / 435 SMOOTH BLOCK
39.4w x 7.68h x 17.1d in
1000w x 195h x 435d mm



90° CORNER UNIT
36.9w x 7.68h x 17.1d in
937.5w x 195h x 435d mm



45° CORNER UNIT
39.4w x 7.68h x 17.1d in
1000w x 195h x 435d mm



COPING UNIT
39.4w x 7.68h x 19.7d in
1000w x 195h x 500d mm

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Coverage	12.61 ft ²	1.2 m ²
Lineal Coverage	19.68 ft	6 m
Weight	2370 lbs	1075.2 kg
Units	6	-
Coverage per unit	2.1 ft ²	0.2 m ²
Lineal coverage per unit	3.28 ft	1 m


Coverage	17.22 ft ²	1.62 m ²
Lineal Coverage	26.97 ft	8.24 m
Weight	2340 lbs	1061.4 kg
Units	6	-
Coverage per unit	2.87 ft ²	0.27 m ²
Lineal coverage per unit	4.49 ft	1.37 m

Coverage	13.5 ft ²	1.26 m ²
Lineal Coverage	21.45 ft	6.56 m
Weight	2226 lbs	1009.8 kg
Units	6	-
Coverage per unit	2.25 ft ²	0.21 m ²
Lineal coverage per unit	3.57 ft	1.09 m

Coverage	12.61 ft ²	1.2 m ²
Lineal Coverage	19.68 ft	6 m
Weight	2982 lbs	1352.4 kg
Units	6	-
Coverage per unit	2.1 ft ²	0.2 m ²
Lineal coverage per unit	3.28 ft	1 m



UNITS



870 DOUBLE UNIT

39.4w x 7.68h x 34.25d in
1000w x 195h x 870d mm

BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	6.30 ft ²	0.600 m ²
Lineal Coverage	9.85 ft	3 m
Weight	2370 lbs	1075.2 kg
Units	3	
Coverage per unit	2.10 ft ²	0.4 m ²
Lineal coverage per unit	3.28 ft	1 m


NOTES

When installing the RidgeWall®, install units ridge-to-ridge and key-to-key where possible. Can be installed vertically or with 50mm set-back. Engineering services available, Email sales@bestwaystone.com for more details.


COLOURS

Grey (Block & Coping)
Smooth Grey (Block & Coping)
Grey Mix (Coping Only)



BUNDLE OVERVIEW (ALL UNITS)




RIDGE & KEY SYSTEM




TYPICAL CROSS SECTION







Ridge-to-Ridge & Key-to-Key Installation (Best Practice where possible)



90 Corner - Row 1 & 2 (Continue same sequence for following rows) + typical grid placement



45 Corner - Row 1 & 2 (Continue same sequence for following rows) + typical grid placement



90 & 45 Corner - Finished

ROCKTON

ROSETTA® / DOUBLE-SIDED / EMBOSSED NATURAL FINISH



BLOCK UNITS (6 PACK)



12w x 6h x 10.5d in
305w x 153h x 267d mm
Units/bundle: 3
Units/layer: 1



21w x 6h x 10.5d in
533w x 153h x 267d mm
Units/bundle: 6
Units/layer: 2



30w x 6h x 10.5d in
762w x 153h x 267d mm
Units/bundle: 3
Units/layer: 1



42w x 6h x 10.5d in
1067w x 153h x 267d mm
Units/bundle: 6
Units/layer: 2

CORNER UNIT



21w x 6h x 10.5d in
533w x 153h x 267d mm
Units/bundle: 24

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Coverage	21 ft ²	1.95 m ²
Lineal coverage	42 ft	12.8 m
Weight	2500 lbs	1134 kg
Layers (6 packs)	3	-
Coverage per layer (6 pack)	7 ft ²	0.65 m ²
Linear coverage per layer (6 pack)	14 ft	4.26 m
Weight per layer (6 pack)	833 lbs	378 kg


BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Coverage	31.5 ft ²	2.9 m ²
Lineal coverage	63 ft	19.2 m
Weight	2500 lbs	1134 kg
Coverage per unit	1.31 ft ²	0.12 m ²
Linear coverage per unit	2.6 ft	0.79 m
Weight per unit	104 lbs	47.25 kg

BUNDLE OVERVIEW (6 Pack)



NOTES

Rockton provides a large format natural finish. Corner units create a 22.5"x22.5" column. Block units sold and packaged together. Each bundle layer represents a 6 pack.

Corner units packaged and sold separately.

COLOURS


Fond Du Lac
Manitou Blend

GRAND LEDGE


ROSETTA® / ENGINEERED WALL SYSTEM




BLOCK UNITS



36w x 12h x 23d x in
914w x 305h x 584d mm
Units/bundle: 1



48w x 12h x 23d x in
1219w x 305h x 584d mm
Units/bundle: 1



60w x 12h x 23d x in
1524w x 305h x 584d mm
Units/bundle: 1



72w x 12h x 23d x in
1828w x 305h x 584d mm
Units/bundle: 1


CORNER UNITS



35.25w x 12h x 23d x in
895w x 305h x 584d mm
Units/bundle: 1



42.75w x 12h x 23d x in
1086w x 305h x 584d mm
Units/bundle: 1



46w x 12h x 23d x in
1168w x 305h x 584d mm
Units/bundle: 1



50.5w x 12h x 23d x in
1283w x 305h x 584d mm
Units/bundle: 1

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Coverage	18 ft ²	1.67 m ²
Lineal coverage	18 ft	5.5 m
Weight	4000 lbs	1814 kg

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Coverage	14 ft ²	1.30 m ²
Lineal coverage	14.54 ft	4.43 m
Weight	3644 lbs	1653 kg

NOTES

Made strong with the finest granite aggregate
& 24 unique wall textures.

Sold in full bundles only.

Block & corner units are sold and packaged
separately.

COLOURS

Fond Du Lac
Manitou Blend



Grand Ledge





STEPS, CAPS & CURBS

Steps

62 CAMDEN™ STEP

63 IKON™ STEP

63 RIDGE STEP™

Caps

64 SOPRA™ COPING

64 MONTANA™ CAP

64 MONTANA™ COLUMN CAP

65 BAROLLO® ROUND EDGE

65 28 X 28 SMOOTH CAP

65 PARKWALL® COLUMN CAP

Curbs

66 ARLINGTON™ CURB

66 ANTICO® CURB

66 GARDEN CURB™

66 DRIVEWAY CURB™

STEPS



72" CAMDEN™ STEP



72w x 6h x 16d in
1830w x 152h x 406d mm

BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Weight	2144 lbs	972 kg
Units	4	-
Lineal coverage	24 ft	7.31 m
Lineal coverage per unit	6 ft	1.83 m

COLOUR: Ebony, Granite Grey

48" CAMDEN™ STEP



48w x 6h x 16d in
1219w x 152h x 406d mm

BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Weight	1324 lbs	600.73 kg
Units	6	-
Lineal coverage	24 ft	7.32 m
Lineal coverage per unit	4 ft	1.22 m

COLOUR: Ebony, Granite Grey

14" FILLER/CURB*



14w x 7d x 6h in
356w x 178d x 152h mm

BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Weight	2232 lbs	1008 kg
Units	48	-
Lineal	-	-
Lineal per unit	-	-

*Turn the 14" Filler on its side, with most textured side facing up to make a decorative curb

COLOUR: Ebony, Granite Grey

28" FILLER/CURB*



28w x 7d x 6h in
711w x 178d x 152h mm

BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Weight	2232 lbs	1008 kg
Units	24	-
Lineal coverage	-	-
Lineal coverage per unit	-	-

*Turn the 28" Filler on its side, with most textured side facing up to make a decorative curb

COLOUR: Ebony, Granite Grey

IKON™ STEP



39.4w x 6.7h x 14d in
1000w x 170h x 355d mm



BUNDLE SPECIFICATIONS

Weight	2745 lbs	1245 kg
Units	9	
Lineal coverage	29.5 ft	9 m
Lineal coverage per unit	3.28 ft	1 m

COLOUR: Grey, Ultra Black

RIDGE STEP™



39.4w x 7.68h x 19.7d in
1000w x 195h x 500d mm




BUNDLE SPECIFICATIONS

Weight	2982 lbs	1352.4 kg
Units	6	
Lineal coverage	19.68 ft	6 m
Lineal coverage per unit	3.28 ft	1 m

COLOUR: Grey, Grey Mix


*Reverse side is smooth.



CAPS



SOPRA™ COPING



28w x 14d x 2.36h in
710w x 355d x 60h mm




BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Weight	2079 lbs	943 kg
Units	27	-
Lineal coverage	62.9 ft	19.2 m
Lineal coverage per unit	2.3 ft	0.7 m

COLOUR: Grey, Ultra Black

MONTANA™ CAP



21.3w x 10.6d x 2h in
540w x 270d x 50h mm




BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Weight	825 lbs	374 kg
Units	22	-
Lineal coverage	38.9 ft	11.9 m
Lineal coverage per unit	1.77 ft	0.54 m

COLOUR: Ebony, Granite, Sandstone

MONTANA™ COLUMN CAP



23.62w x 23.62d x 2.95h in
600w x 600d x 75h mm



BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Weight	1096 lbs	496 kg
Units	8	-
Lineal coverage	-	-
Lineal coverage per unit	-	-

COLOUR: Ebony, Granite, Sandstone



BAROLLO® ROUND EDGE



8" COPING

7.87w x 12.46d x 2.95h in
200w x 317d x 75h mm



10" COPING

9.84w x 12.46d x 2.95h in
250w x 317d x 75h mm

BUNDLE SPECIFICATIONS

IMPERIAL 8" COPING

METRIC 10" COPING

Weight	1980 lbs	898 kg	2136 lbs	968.86 kg
Units	90		81	
Lineal coverage	59.04 ft	17.95 m	66.42 ft	20.25 m
Lineal coverage per unit	0.65 ft	0.20 m	0.82 ft	0.25 m

COLOUR (8"): Colorado Grey, Nightfall, Summer Mist

COLOUR (10"): Grey, Ultra Black

28 x 28 SMOOTH CAP™



27.95w x 27.95w x 3.15h in
710w x 710d x 80h mm



BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Weight per bundle	1504 lbs	684 kg
Units	8	
Lineal coverage	-	-
Lineal coverage per unit	-	-

COLOUR: Ebony, Granite Grey

PARKWALL® COLUMN CAP



23.62w x 23.62d x 2.95h in
600w x 600d x 75h mm



BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Weight	1140 lbs	517.1 kg
Units	16	
Lineal coverage	-	-
Lineal coverage per unit	-	-

COLOUR: Grey, Sahara Blend, Ultra Black

CURBS



ARLINGTON™ CURB



15.75w x 4.92h x 8.85d in
400w x 125h x 225d mm



BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Weight	2600 lbs	1179 kg
Units	50	-
Lineal coverage	65.6 ft	20 m
Lineal coverage per unit	1.31 ft	0.4 m

COLOUR: Colorado Grey, Grey Mix, Nightfall, Summer Mist, Winterborn

ANTICO® CURB



15.75w x 5.91h x 3.94d in
400w x 150h x 100d mm




BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Weight	1841 lbs	835.79kg
Units	64	-
Lineal coverage	84 ft	25.6 m
Lineal coverage per unit	1.31 ft	0.4 m

COLOUR: Beige Mix, Grey Mix

GARDEN CURB™



31.5w x 5.91h x 3.94d in
800w x 150h x 100d mm



BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Weight	2355 lbs	1068.12 kg
Units	40	-
Lineal coverage	105 ft	32 m
Lineal coverage per unit	2.63 ft	0.8 m

COLOUR: Charcoal, Grey

DRIVEWAY CURB™



39.4w x 5.9h x 5.9d in
1000w x 150h x 150d mm



BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Weight	2193 lbs	994.55 kg
Units	20	-
Lineal coverage	65.6 ft	20 m
Lineal coverage per unit	3.28 ft	1 m

COLOUR: Charcoal, Grey



Antico® Curb





ENVIRO

70 ECOFLOW® PERMEABLE

71 SOLAR REFLECTIVE ROOFTOP PAVER



MASONRY + BUILDER

72 SPLIT-FACE WINDOW SILLS

72 KEYSTONE

72 DECK BLOCK (4X4)

72 SPLASH PAD


73 STEP RISERS

73 CHIMNEY CAPS

73 FORMA STEPS



BUNDLE OVERVIEW



UNIT



4.92 x 9.84 x 3.14 in
125 x 250 x 80 mm
Units/bundle: 256
Units/layer: 32
Joint Width: 7mm (9/32")
% Surface Opening: 8.4%

NOTES

EcoFlow® delivers a clean, modern and sophisticated aesthetic. Manufactured using DesignLoc® technology, the two-step manufacturing process creates a refined top layer while reinforcing a strong, durable base. EcoFlow® is designed to have strategic spacer bars that create greater infiltration between units, enabling efficient water drainage meeting CMHA specifications.

For pedestrian and/or vehicular use.



COLOURS

Colorado Grey
Grey
Grey Mix

BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	86.08 ft ²	8 m ²
Weight	2900.9 lbs	1315.8 kg
Layers	8	
Coverage per layer	10.76 ft ²	1.0 m ²
Lineal coverage	104.96 / 209.92 ft	32 / 64 m
Lineal coverage per layer	13.12 / 26.24 ft	4.0 / 8.0 m

PATTERN




SOLAR REFLECTIVE ROOFTOP PAVER

PREMIERE SERIES SLAB / 50MM (45/60MM) / 



BUNDLE OVERVIEW



UNIT



23.62 x 23.62 x 2 in
600 x 600 x 50 mm
Units/bundle: 20

NOTES

For pedestrian and rooftop terracing use only. Provides a smooth white surface for maximum reflectivity. Meets SRI LEED® requirements for low slope roofing of 82+. Special order item, minimum quantities and lead time required.

When installing slabs on a pedestal set, ensure to consider load requirements. Refer to a project engineer for specific considerations.

Special order available for 45mm & 60mm.

COLOUR

SR White (82)

PEDESTALS AVAILABLE (SPECIAL ORDER)



50MM BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	77.49 ft ²	7.2 m ²
Weight	1840 lbs	834.6 kg
Units	20	
Coverage per unit	3.87 ft ²	0.36 m ²
Lineal coverage	39.4 ft	12 m
Lineal coverage per unit	1.97 ft	0.6 m

45MM BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	92.99 ft ²	8.64 m ²
Weight	2148 lbs	974.4 kg
Units	24	
Coverage per unit	3.87 ft ²	0.36 m ²
Lineal coverage	47.24 ft	14.4 m
Lineal coverage per unit	1.97 ft	0.6 m

60MM BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	69.74 ft ²	6.48 m ²
Weight	1956 lbs	887.2 kg
Units	18	
Coverage per unit	3.87 ft ²	0.36 m ²
Lineal coverage	35.46 ft	10.8 m
Lineal coverage per unit	1.97 ft	0.6 m

MASONRY & BUILDER

WINDOW SILLS



36w x 5.9h x 2.95d in
914w x 150h x 75d mm

BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Weight	2895 lbs	1313.24 kg
Units	56	-
Lineal	168 ft	51.2 m
Lineal per unit	3 ft	0.9 m

COLOURS: Charcoal, Grey, White

KEystone



8.75/5.75w x 12.5h x 3d in
222/146w x 310h x 75d mm

BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Weight	1085 lbs	492.24 kg
Units	40	-

COLOURS: Grey, White

DECK BLOCK (4X4)



11.81w x 7.48h x 11.81d in
300w x 190h x 300d mm

BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Weight	2520 lbs	1143.05 kg
Units	36	-

COLOURS: Grey

SPLASH PAD



23.62w x 10.83d x 3.15h in
600w x 275d x 80h mm

BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Weight	1774 lbs	804.56 kg
Units	32	-

COLOUR: Grey

STEP RISERS

29.52w x 5.9h x 3.74d in
750w x 150h x 95d mm

23.62w x 5.9h x 3.74d in
600w x 150h x 95d mm


CHIMNEY CAPS

9X9
8.86w x 8.86d x 2.95h in
225w x 225d x 75h mm

9X13
8.86w x 13d x 2.95h in
225w x 330d x 75h mm

U-CAP
8.86w x 13d x 2.95h in
225w x 330d x 75h mm

STRINGER
15.5w x 5.5d x 2.95h in
394w x 140d x 75h mm



FORMA STEPS

36"
#1 36w x 12d x 7h in / 914w x 305d x 178h mm
#2 36w x 24d x 7h in / 914w x 610d x 178h mm

48"
#1 48w x 12d x 7h in / 1219w x 305d x 178h mm
#2 48w x 24d x 7h in / 1219w x 610d x 178h mm

FILLER
12" 12w x 4.5d x 7h in / 305w x 115d x 178h mm
24" 24w x 5.25d x 7h in / 610w x 135d x 178h mm

NOTES

Forma Steps sold in full bundles only.

Fillers sold in pairs.

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Weight	2310 lbs	1050 kg
Units	42	-

Weight	1848 lbs	840 kg
Units	72	-

COLOUR: White

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

Weight	1334 lbs	605.09 kg
Units	20	-

Weight	1494 lbs	677.67 kg
Units	20	-

Weight	1128 lbs	511.65 kg
Units	20	-

Weight	1808 lbs	820 kg
Units	96	-

COLOUR: White

BUNDLE SPECIFICATIONS

IMPERIAL

METRIC

	#1 / #2	#1 / #2
Weight	1598 / 1555 lbs	725 / 705 kg
Units	15 / 10	-
Weight	1712 / 1874 lbs	776 / 850 kg
Units	12 / 10	-

12" / 24"

12" / 24"


Weight	2513 / 2447 lbs	1140 / 1110 kg
Pairs	24 / 12	-

COLOUR: Off-White



ACCESSORY ITEMS

JOINT SAND



POLYMERIC SAND

Bag 50lbs (22.7kg) 63 bags / bundle
// Signature paver and slab coverage approximately 80-100 sqft/bag
// Classic paver coverage approximately 60-80 sqft/bag

COLOURS: Beige, Black and Grey

SEALERS & CLEANERS



SEAL KING SEALERS & CLEANERS

// Water and acrylic based (19L & 4L Pails)
// High gloss and satin finish
// Cleaning Products



KIMBOL SEALERS & CLEANERS

// Water and acrylic based (20L & 4L Pails)
// Regular and Super Shine
// Cleaning Products

ADHESIVES

BUTYL TAPE

1/4" Bead Roll	20 Lineal Feet	40 rolls/case
----------------	----------------	---------------

LANDSCAPE CONCRETE PAVERS & WALL ADHESIVE

Small Tube	10 Ounces	12 tubes/case
Large Tube	28 Ounces	12 tubes/case

AGGREGATES

BRICK SAND

Bag 50lbs (22.7kg)
*Regular paver coverage approximately 100 sqft/bag

CONCRETE SAND

Yard
*1 yard covers approximately 300 sqft at 1" thickness

LIMESTONE SCREENING

Bag / Yard 50lbs (22.7kg)
*1 yard covers approximately 150 sqft at 2" thickness

3/8" GRAVEL (Clear)

Yard
*1 yard covers approximately 150 sqft at 2" thickness

3/4" GRAVEL (Clear)

Bag 50lbs (22.7kg)

1/4" CHIP (HPB)

Bag / Yard 50lbs (22.7kg).
*1 yard covers approximately 150 sqft at 2" thickness

EDGE RESTRAINTS

BRICKSTOP PAVER EDGE RESTRAINT

PLASTIC	8' Units	160 lineal feet/box	20 units/box
METAL	8'4" Units	400 lineal feet/box	48 units/box

SPIKES	10" Steel	approx. 50lbs	235 pcs/ box
--------	-----------	---------------	--------------

FABRICS

SYNTHETIC GRID

Miragrid3XT	6' x 150' (1.83m x 45.72m)
	12' x 150' (3.65m x 45.72m) [Special Order]

CONSTRUCTION FABRIC

Nonwoven Geotextile	5' x 360' (1.52m x 109.7m)
Nonwoven Geotextile	4' x 50' (1.2m x 15.2m)
Nonwoven Geotextile	3' x 50' (0.9m x 15.2m)

PRECAST CONCRETE

PARKING LOT BUMPER CURBS

96x12x8" (2438x305x203mm)	520 lbs / 236.4 kg (unit)
96x10x6" (2438x254x152mm)	360 lbs / 163.6 kg (unit)

TOOLS

Pave Tool Quick-E Line
Caulking guns
Gloves
Hand tampers
Mallets
Levels
Plate tampers
Shovels
String lines
Wheelbarrows
+ MORE







RESOURCES

- 78 2025 COLOUR CHART
- 78 SOLAR REFLECTANCE INDEX
- 80 INSTALLATION GUIDE - SLABS
- 80 INSTALLATION GUIDE - SLABS ON PEDESTAL SET
- 80 INSTALLATION GUIDE - PAVERS
- 81 INSTALLATION GUIDE - PERMEABLE PAVERS
- 82 INSTALLATION GUIDE - RETAINING WALLS
- 84 CARE & CONSIDERATIONS
- 85 WOODBRIDGE & UXBRIDGE
OUTDOOR DESIGN CENTRES
- 86 SAFETY PRECAUTIONS

2025 COLOUR CHART

	Autumn Hill	Brightsand	Buff Brown	Buff Mix	Carrara	Charcoal	Colorado Grey	Eclipse	Glacier Creek	Granite	Grey	Grey Mix	Harbour Grey	Muskoka	Nightfall	Pearl	Red	Red Mix	Salmon Mix	Silver Birch	Silverlight	Storm	Summer Mist	Ultra Black	Winterborn	White	
Pavers																											
Adelaide 80																											
Ashford																											
Corso																											
Double Standard																											
EcoFlow Permeable																											
Manhattan Plank																											
Napa																											
Prisma																											
Richmond 80																											
Standard 60mm																											
Standard 80mm																											
Trevista 80 Smooth																											
Trevista 80 Textured																											
Vanguard																											
Slabs																											
Adelaide 50																											
Avari																											
Balsam																											
Basketweave																											
Flagstone																											
Huntington																											
Lyra																											
Richmond 50																											
Riverton																											
Spectra																											
SR Paver																											
Standard Press 24x30																											
Standard Press 24x24																											
Standard Press 16x16																											
Standard Press 12x24																											
Trevista 50 Smooth																											
Trevista 50 Textured																											
Smooth & Shot Blast 24 x 24																											
Ventura																											

● Available with Nanoblast ● Available with edge surface by special order

SRI VALUES

COLOUR	SRI	SR%	COLOUR	SRI	SR%	COLOUR	SRI	SR%
Brightsand	52	45%	Grey	35	29%	Salmon Mix	21	20%
Buff Brown	21	21%	Grey Mix	23	22%	Silverlight	34	31%
Carrara	30	27%	Harbour Grey	33	30%	Summer Mist	41	36%
Colorado Grey	41	37%	Pearl	43	38%	White (Basketweave)	51	44%
Eclipse	60	51%	Red	26	27%	White (SR Paver)	82	67%
Glacier Creek	34	31%	Red Mix	22	21%			

	Beige Mix	Carrara	Charcoal	Colorado Grey	Ebony	Fond Du Lac	Glacier Creek	Granite	Granite Grey	Grey	Grey Mix	Manitou Blend	Nightfall	Off-White	Sahara Blend	Sandstone	Smooth Grey	Summer Mist	Ultra Black	Weatherwood	Winterborn
Walls																					
Arlington																					
Stacker Antico & Classic Smooth																					
Barnbeam																					
Garden Lock																					
Grand Ledge																					
Hazlelton																					
Ikon																					
Parkwall																					
RidgeWall																					
Rockton																					
Soho																					
Copings																					
28 x 28 Smooth Column Cap																					
Barollo 8"																					
Barollo 10"																					
Garden Lock																					
Montana Cap																					
Parkwall																					
Parkwall Column Cap																					
Sopra Coping																					
Steps																					
Camden Step																					
Forma Step																					
Ikon Step																					
Ridge Step																					
Curbs																					
Antico																					
Arlington																					
Driveway																					
Garden																					

Colour swatches and photographs are not exact representations of colour, but are given to provide close reference.

Measurements and product dimensions are nominal.

Registered trademarks, logos and product names are the property of Best Way Stone Limited®.

022025R1



Parkwall®, Parkwall®, Garden Lock™ US Patents 6398458 & 6178715; Canadian Patent 2193942.


RidgeWall® US Patent Pending 20140270989; Canadian Patent Pending 2809704.

Moderna® US Patents D701619 & D689624; Canadian Industrial Design Registrations 138841 & 138842.

INSTALLATION GUIDES - SLABS & PAVERS

SLAB INSTALLATION TYPICAL CROSS SECTION


- 1 Best Way Stone® precast concrete slab (1.77"+) (45mm+)
- 2 Sand joint fill
- 3 Bedding Sand 1" (25mm)
- 4 Geotextile 12" (300mm) wide
- 5 Plastic edge
- 6 Extra width equal to foundation thickness
- 7 Lawn
- 8 Nail
- 9 Compacted aggregate base 0 3/4" (0-20mm)
- 10 Geotextile
- 11 Subgrade



SLABS ON PEDESTAL SET


- 1 Roof deck
- 2 Waterproof membrane
- 3 Protection board
- 4 Rigid insulation
- 5 Adjustable pedestal
- 6 Best Way Stone® precast concrete slab (1.77"+) (45mm+) thickness conforming to ASTM C 1782 and CSA A231.1
- 7 Best Way Stone® precast concrete slab (1.77"+) (45mm+) thickness conforming to ASTM C 1782 and CSA A231.1
- 8 Roof drain

When installing slabs on a pedestal set, ensure to consider load requirements. Refer to project engineer for specific considerations.



TYPICAL PAVER CROSS SECTION WITH PLASTIC EDGE


- 1 Best Way Stone® precast concrete paver 2 3/8" (60mm) thick min.
- 2 Sand joint fill
- 3 Bedding Sand 1" (25mm)
- 4 Extra width equal to foundation thickness
- 5 Lawn
- 6 Plastic edge
- 7 Nail
- 8 Geotextile
- 9 Compacted aggregate base 0 3/4" (0-20mm)
- 10 Subgrade



INSTALLATION GUIDES - PERMEABLE PAVER SYSTEM


SEGMENTAL PERMEABLE PAVEMENT – FULL EXFILTRATION

- 1 EcoFlow® Permeable Paver by Best Way Stone®
- 2 Joint filling material ASTM No 8 (CSA 2.5–10mm) aggregate
- 3 Bedding course 1 1/5" to 2" (40 to 50 mm) ASTM No 8 (CSA 2.5–10mm) aggregate
- 4 Base course 4" (100mm) ASTM No 57 (CSA 5–28mm) aggregate foundation thickness
- 5 Subbase course ASTM No 2 (CSA 40–80mm) aggregate
- 6 Geotextile
- 7 Subgrade
- 8 Concrete edge




SEGMENTAL PERMEABLE PAVEMENT – PARTIAL EXFILTRATION

- 1 EcoFlow® Permeable Paver by Best Way Stone®
- 2 Joint filling material ASTM No 8 (CSA 2.5–10mm) aggregate
- 3 Bedding course 1 1/5" to 2" (40 to 50 mm) ASTM No 8 (CSA 2.5–10mm) aggregate
- 4 Base course 4" (100mm) ASTM No 57 (CSA 5–28mm) aggregate foundation thickness
- 5 Subbase course ASTM No 2 (CSA 40–80mm) aggregate
- 6 Geotextile
- 7 Subgrade
- 8 Concrete edge
- 9 Perforated drain connected to drainage system




SEGMENTAL PERMEABLE PAVEMENT – NO EXFILTRATION

- 1 EcoFlow® Permeable Paver by Best Way Stone®
- 2 Joint filling material ASTM No 8 (CSA 2.5–10mm) aggregate
- 3 Bedding course 1 1/5" to 2" (40 to 50 mm) ASTM No 8 (CSA 2.5–10mm) aggregate
- 4 Base course 4" (100mm) ASTM No 57 (CSA 5–28mm) aggregate foundation thickness
- 5 Subbase course ASTM No 2 (CSA 40–80mm) aggregate
- 6 Geotextile
- 7 Subgrade
- 8 Concrete edge
- 9 Perforated drain connected to drainage system
- 10 Impermeable membrane




INSTALLATION GUIDES - RETAINING WALLS




a. EXCAVATE THE AREA

1. Check for existing utilities or structures in the area of construction.
2. Dig a trench. Calculate the width of the area by adding 6" of space before the face of the wall, and 12" behind the wall block.
3. Calculate the depth of the trench by the burial depth of the wall. Consider that good practice is to have at least 10% of the total wall height buried below final grade.




b. PREPARE THE FOUNDATION

1. Cover the back and the base of the trench with geotextile. Extend the geotextile along the back of the excavated area to eventually above the drainage fill once in place at the top of the wall.
2. Spread 0-3/4" (0-20mm) stone in the trench, and compact using a vibrating plate compactor or a jumping jack. Make sure your area remains level after compaction. The compacted area must be at least 6" (150mm) thick. Add more stone if needed and compact again.




c. CONSTRUCT THE FIRST COURSE

1. Begin placing your first course of the Best Way Stone blocks along your levelled pad. Ensure the alignment and level are consistent.
2. The desired exposed face of the wall must be placed side by side with each block touching the next. There should be no space between block faces of the exposed side of the wall.
3. Add a perforated drain pipe at the back of the wall on top of the levelled stone base. Ensure to connect this pipe to the existing drainage system keeping water from accumulating behind the wall.



d. ADD THE BACKFILL

1. Add 0-3/4" (0-20mm) clean stone backfill to the rear of the wall, burying the perforated drain pipe. Ensure the geotextile remains along the backside as you backfill all the way up the wall, and does not fall into the backfill material.
2. Level the clean stone before constructing the next course. Ensure to fill all voids in the back of the wall with backfill.



e. THE REMAINING COURSES

1. When constructing the remaining courses ensure to clean off the top of blocks of the previous row. Make sure the blocks are installed with the appropriate side facing up following the locking system.
2. Backfill behind each constructed course with the same clean stone.
3. In order to maximize the strength of the wall, ensure that the joints of the row being constructed do not align with the row directly below or above. The joints of a course should match alternating courses.

Care & Considerations



CONCRETE
MASONRY &
HARDSCAPES
ASSOCIATION

landscapeontario.com
Green for Life!



Ontario
Home Builders'
Association

Setting a base

The quality of work put into establishing a solid foundation is vital to the overall performance of your landscape design.

When properly constructed, a solid base foundation helps prevent paver settling, shifting, and water accumulation. Use of edge restraints and jointing sand is recommended as best practice by CMHA (Concrete Masonry & Hardscapes Association).

When choosing and installing jointing sand, please ensure to follow the directions given by the manufacturer. To find out more about base preparation and installation practices, visit masonryandhardscapes.org.

Colour distribution

When installing stone, we recommend you select a mix of materials from several different bundles to ensure a balanced distribution of surface colour textures and colour mixtures.

Always verify colours and products chosen for your concrete landscape project with your contractor or landscape designer prior to installation. Physical or printed colour samples are only representations of the chosen product. If you notice a discrepancy, notify us immediately before continuing with your project. Full installation is understood as your acceptance of the product's condition.

Concrete care

Maintaining the surface of your concrete pavers is essential to their aesthetic. Sealing your concrete pavers can enhance the colour, but it's optional as our pavers are just as durable with or without the addition of sealants. If you plan on sealing your concrete products, always follow the manufacturer's instructions for proper application.

Unfortunately, even materials as durable as concrete can scratch, chip, or stain if handled incorrectly. When compacting our pavers, ensure that a rubber membrane is added to protect textured surfaces from potential

damage. Use a rubber blade when removing snow from the surface of our pavers to prevent surface scratching and damage. Best Way Stone is not responsible for the damage left by the misuse of compaction or snow removal equipment.

Efflorescence

Efflorescence is that white, powdery substance that appears on the surface of concrete and it's a naturally occurring process. Efflorescence does not affect the structural integrity or strength of the product and will usually wear off over time – although special cleaners can be used to speed up its removal. For more information visit masonryandhardscapes.org.

Choosing a Contractor

Although not required, hiring a qualified contractor makes installing stone a much more efficient and less stressful experience. When hiring a qualified professional, we recommend they follow industry standard guidelines.

When hiring a contractor, we recommend collecting project references and samples of previous work. Make sure they offer a comprehensive warranty, and have all the required insurance and licenses. Any contractor will understand the industry standards for installing stone – you can download a copy to these guidelines by visiting masonryandhardscapes.org.

Our guarantee – carved in stone

Best Way Stone Limited provides a transferable lifetime guarantee on the structural integrity of its Interlocking Paving Stone products for residential use. For complete information visit bestwaystone.com/warranty.



Woodbridge & Uxbridge Outdoor Design Centres

Speak to our customer service experts to help bring your design to life. Feel free to bring samples home along with some peace of mind.



**Uxbridge Outdoor
Design Centre**
65 Anderson Boulevard
Uxbridge, ON
L9P 0C7

**Woodbridge Outdoor
Design Centre**
8821 Weston Road
Woodbridge, ON
L4L 0K9



SAFETY PRECAUTIONS

CAUTION! Product strapping under extreme tensions

Cut straps are sharp and may result in severe physical injury if proper precautions are not taken. Removal and handling of straps must be done with caution while wearing necessary protective equipment (Gloves, Goggles, Safety Boots, and Protective Clothing).

Concrete Materials must be cut in well-ventilated areas only. Use of a "Wet-Cut" Saw or other similar method is recommended to reduce hazardous dust production. Approved respirators, safety goggles, hearing protection, and gloves should be worn at all times.

Bundled material must always be transported and stored using appropriate equipment, meeting the regulations of local legislation (Transportation tie-down, vehicle weight limitations, and public storage location). Stacking more than two bundles on top of each other is not recommended.

Best Way Stone Limited® assumes no liability or responsibility for loss or damage resulting from the improper use or handling of our products, or from failure to follow instructions, warnings, and/or advisories on the product label and on the MSDS Precast Concrete Sheet (available upon request).

BEFORE OPENING ANY PRODUCTS:


Please check for correct colour and product (shape/size/design). Opening of this package (removal of strapping and/or shrink wrapping) assumes full acceptance of product by the purchaser. Material may not be returned or exchanged once the original packaging has been removed.


All concrete products may have significant colour variance between production lots. It is recommended that installation occur from multiple bundles simultaneously to ensure proper colour variance blending for both colour mixes and solid colours. In the case of a single-bundle installation, material should be installed from opposite ends of the bundle simultaneously.


Defective material delivered to the purchaser over the accepted norm will be replaced. (Please Note: Chipped and Cracked products are often used in areas where cutting is required. As such, please remove chipped or cracked products for this purpose). The purchaser must inform the manufacturer in writing within five days of delivery. Any materials in question must be available for inspection by Best Way Stone® before any credit or adjustment can be made.

PLEASE NOTE: If materials are completely or partially installed, they will be deemed acceptable and there will be no exceptions made for defective or unsatisfactory material.

NOTES







OUR LOCATIONS

WOODBIDGE


8821 Weston Road
Woodbridge, ON L4L 0K9

1-800-BESTWAY (2378929)

T (905) 851-5122

T (416) 747-0988

F (905) 851-7603




UXBRIDGE

65 Anderson Boulevard
Uxbridge, ON L9P 0C7

T (905) 640-5845

F (905) 640-9773





2025 PRODUCT GUIDE

1-800-bestway (237-8929)
bestwaystone.com

Woodbridge (Head Office)

8821 Weston Road
Woodbridge, ON L4L 0K9
T 905-851-5122
F 905-851-7603

Uxbridge

65 Anderson Boulevard
Uxbridge, ON L9P 0C7
T 905-640-5845
F 905-640-9773



@bestwaystone



@bestwaystone



facebook/bestwaystone



@bestwaystone

Provided by: