

TECHNICAL DATA SHEET

Product Name: Parkwall Regular & Tapered Block
Product Type: Classic Series

Product Specifications	Width x Height x Depth	Width x Height x Depth	Width x Height x Depth
Dimensions Metric (mm):	200 x 150 x 295		
Dimensions Imperial (inches):	7.87 x 5.9 x 11.61		
Individual Weight Kg:	19.47		
Individual Weight lbs:	42.92		
Pieces per Bundle	60		
Units per Layer			
Bundle Weight Kg	1167.95		
Bundle Weight Lbs	2575.00		
Product Texture:			

Product Uses:

Residential	Commerical
☒	☒

Physical Parameters

Dimensional tolerances:

Length: +/- 3.0mm
Width: +/- 3.0mm
Height: +/- 3.0mm

Compressive Strength: 20.7 MPa (min)

Water Absorption: 208 kg/m³
(13 lb/ft³)

Freeze thaw: after 100 cycles 1% (max)
after 150 cycles 1.5% (max)

Notes:

1. Meets the requirments for ASTM C1372 - Standard Specifications for Segmental Retaining Wall Units
2. All data within this document is for reference purpose only and provided as such. Independent engineering should be used for complete site-specific accuracy in all projects.

Please contact your Sales Representative for further product information

TECHNICAL DATA SHEET

Product Name: Parkwall Corner
Product Type: Classic Series

Product Specifications	Width x Height x Depth	Width x Height x Depth	Width x Height x Depth
Dimensions Metric (mm):	200 x 150 x 295		
Dimensions Imperial (inches):	7.87 x 5.9 x 11.61		
Individual Weight Kg:	20.11		
Individual Weight lbs:	44.33		
Pieces per Bundle	24		
Units per Layer			
Bundle Weight Kg	482.6		
Bundle Weight Lbs	1064.00		
Product Texture:			

Product Uses:

Residential	Commerical
☒	☒

Physical Parameters

Dimensional tolerances:

Length: +/- 3.0mm
Width: +/- 3.0mm
Height: +/- 3.0mm

Compressive Strength: 20.7 MPa (min)

Water Absorption: 208 kg/m³
(13 lb/ft³)

Freeze thaw: after 100 cycles 1% (max)
after 150 cycles 1.5% (max)

Notes:

1. Meets the requirments for ASTM C1372 - Standard Specifications for Segmental Retaining Wall Units
2. All data within this document is for reference purpose only and provided as such. Independent engineering should be used for complete site-specific accuracy in all projects.

Please contact your Sales Representative for further product information

TECHNICAL DATA SHEET

Product Name: Parkwall Coping
Product Type: Classic Series

Product Specifications	Width x Height x Depth	Width x Height x Depth	Width x Height x Depth
Dimensions Metric (mm):	600 x 75 x 300		
Dimensions Imperial (inches):	23.62 x 2.95 x 11.81		
Individual Weight Kg:	30.38		
Individual Weight lbs:	67.00		
Pieces per Bundle	32		
Units per Layer			
Bundle Weight Kg	972		
Bundle Weight Lbs	2144.00		
Product Texture:			

Product Uses:

Residential	Commercial
☒	☒

Physical Parameters

Dimensional tolerances:

Length: +/- 3.0mm
Width: +/- 3.0mm
Height: +/- 3.0mm

Compressive Strength: 20.7 MPa (min)

Water Absorption: 208 kg/m³
(13 lb/ft³)

Freeze thaw: after 100 cycles 1% (max)
after 150 cycles 1.5% (max)

Notes:

1. Meets the requirements for ASTM C1372 - Standard Specifications for Segmental Retaining Wall Units
2. All data within this document is for reference purpose only and provided as such. Independent engineering should be used for complete site-specific accuracy in all projects.

Please contact your Sales Representative for further product information